

**STATE OF CALIFORNIA  
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL COAST REGION  
895 Aerovista Place, Suite 101  
San Luis Obispo, CA 93401**

**CEASE AND DESIST ORDER NO. R3-2004-0014**

**Requiring**

**PETER AND TRACY BECK  
1190 SEVENTH STREET, LOS OSOS  
SAN LUIS OBISPO COUNTY  
TO CEASE AND DESIST FROM DISCHARGING WASTES  
IN VIOLATION OF A BASIN PLAN PROHIBITION  
PRESCRIBED BY THE CALIFORNIA REGIONAL WATER  
QUALITY CONTROL BOARD, CENTRAL COAST REGION**

The California Regional Water Quality Control Board, Central Coast Region (hereafter Regional Board), finds:

1. Peter and Tracy Beck (Dischargers) operate an on-site wastewater treatment and disposal system at 1190 Seventh Street in Los Osos. The treatment facility consists of a septic tank, treated wastewater is discharged to an on-site subsurface disposal facility.
2. The discharge from the facility is subject to a prohibition of waste discharge from individual sewage disposal systems as specified in the Water Quality Control Plan, Central Coast Basin (Basin Plan) adopted by the Regional Board on September 8, 1994. The Basin Plan prohibition specifies, in part:  
  
Page IV-67  
  
“3. Discharges from individual and community sewage disposal systems are prohibited effective November 1, 1988, in Los Osos/Baywood Park area depicted in the prohibition boundary map included as Attachment “A” of Resolution 83-13”.
3. Discharges of wastes from the residence at 1190 Seventh Street violate the prohibition of

discharge cited in Finding No. 2, above. Continued occupancy of dwellings and other buildings within the Basin Plan prohibition area, including the residence at 1190 Seventh Street, will require the design and construction of facilities to treat and dispose of sewage in a manner consistent with the Basin Plan prohibition.

4. On February 11, 2004, notice was provided to the Discharger and other affected persons regarding the Regional Board’s consideration of this Order.
5. The Regional Board, on May 14, 2004, in San Luis Obispo, California, held a public hearing at which evidence was presented concerning adoption of conditions for achieving full compliance with the Basin Plan prohibition.
6. This enforcement action is being taken for the protection of the environment and as such is exempt from the provisions of the California Environmental Quality Act (Section 15321, Chapter 3, Division 6, Title 14, California Code of Regulations). In addition, the subject septic system is an existing facility and this Order allows no expansion of use beyond that previously existing. This enforcement action is exempt from the provisions of the California

Environmental Quality Act (Section 15301, Chapter 3, Division 6, Title 14, California Code of Regulations).

**IT IS HEREBY ORDERED**, Peter and Tracy Beck, 1190 Seventh Street, Los Osos, pursuant to Section 13301 of the California Water Code, shall comply with Basin Plan prohibition criteria as follows:

**A. PROHIBITIONS**

1. Discharge to areas other than the individual disposal area at 1190 Seventh Street, Los Osos, as shown on Attachment "A", is prohibited.
2. Discharge of any wastes, including overflow, bypass, surfacing and seepage from treatment or disposal systems to adjacent drainage ways or onto adjacent properties is prohibited.
3. Bypass of the treatment facility and discharge of untreated or partially treated wastes directly to the disposal area is prohibited.

**B. DISCHARGE SPECIFICATIONS**

1. Daily flow to the disposal area shall not exceed 375 gallons-per-day.
2. The public shall not have contact with sewage as a result of the treatment and disposal operations.

**C. PROVISIONS**

1. Discharger shall inform any subsequent owner of this Order and its requirements.

2. Discharger shall notify the Executive Officer in writing of any contemplated transfer of ownership at least 30 days prior to transfer of ownership.
3. Discharger shall comply with all applicable items of the attached "Standard Provisions and Reporting Requirements" dated January 1984. These provisions and reporting requirements require ongoing septic system maintenance until connection to the community-wide sewer system is completed.
4. Discharger shall achieve compliance with the Basin Plan as soon as possible.
5. Discharger shall connect to the community sewer system no later than 30 days after availability of the community sewer.
6. This Order replaces Cease and Desist Order No. 01-97. Cease and Desist Order No. 01-97 is hereby rescinded.

Nothing in this Order shall imply that the Discharger is excused from complying with the terms of the Basin Plan prohibition.

FAILURE TO COMPLY WITH PROVISIONS OF THIS ORDER MAY SUBJECT THE DISCHARGER TO FURTHER ENFORCEMENT ACTION INCLUDING ASSESSMENT OF CIVIL LIABILITY UNDER SECTIONS 13268 OR 13350 OF THE WATER CODE AND REFERRAL TO THE ATTORNEY GENERAL FOR INJUNCTIVE RELIEF AND CIVIL OR CRIMINAL LIABILITY.

**I, Roger W. Briggs, Executive Officer**, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Coast Region, on May 14, 2004.

\_\_\_\_\_  
Executive Officer

**STATE OF CALIFORNIA  
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL COAST REGION  
895 Aerovista Place, Suite 101  
San Luis Obispo, CA 93401**

**CEASE AND DESIST ORDER NO. R3-2004-0015**

**Requiring**

**ROBERT AND ELIZABETH CLOVER  
1665 FIFTH STREET, LOS OSOS  
SAN LUIS OBISPO COUNTY  
TO CEASE AND DESIST FROM DISCHARGING WASTES  
IN VIOLATION OF A BASIN PLAN PROHIBITION  
PRESCRIBED BY THE CALIFORNIA REGIONAL WATER  
QUALITY CONTROL BOARD, CENTRAL COAST REGION**

The California Regional Water Quality Control Board, Central Coast Region (hereafter Regional Board), finds:

1. Robert and Elizabeth Clover (Dischargers) operate an on-site wastewater treatment and disposal system at 1665 Fifth Street in Los Osos. The treatment facility consists of a septic tank, treated wastewater is discharged to an on-site subsurface disposal facility.
2. The discharge from the facility is subject to a prohibition of waste discharge from individual sewage disposal systems as specified in the Water Quality Control Plan, Central Coast Basin (Basin Plan) adopted by the Regional Board on September 8, 1994. The Basin Plan prohibition specifies, in part:

Page IV-67

- “3. Discharges from individual and community sewage disposal systems are prohibited effective November 1, 1988, in Los Osos/Baywood Park area depicted in the prohibition boundary map included as Attachment “A” of Resolution 83-13”.
3. Discharges of wastes from the residence at 1665 Fifth Street violate the prohibition of

discharge cited in Finding No. 2, above. Continued occupancy of dwellings and other buildings within the Basin Plan prohibition area, including the residence at 1665 Fifth Street, will require the design and construction of facilities to treat and dispose of sewage in a manner consistent with the Basin Plan prohibition.

4. On February 11, 2004, notice was provided to the Discharger and other affected persons regarding the Regional Board’s consideration of this Order.
5. The Regional Board, on May 14, 2004, in San Luis Obispo, California, held a public hearing at which evidence was presented concerning adoption of conditions for achieving full compliance with the Basin Plan prohibition.
6. This enforcement action is being taken for the protection of the environment and as such is exempt from the provisions of the California Environmental Quality Act (Section 15321, Chapter 3, Division 6, Title 14, California Code of Regulations). In addition, the subject septic system is an existing facility and this Order allows no expansion of use beyond that previously existing. This enforcement action is exempt from the provisions of the California

Environmental Quality Act (Section 15301, Chapter 3, Division 6, Title 14, California Code of Regulations).

**IT IS HEREBY ORDERED**, Robert and Elizabeth Clover, 1665 Fifth Street, Los Osos, pursuant to Section 13301 of the California Water Code, shall comply with Basin Plan prohibition criteria as follows:

**A. PROHIBITIONS**

1. Discharge to areas other than the individual disposal area at 1665 Fifth Street, Los Osos, as shown on Attachment "A", is prohibited.
2. Discharge of any wastes, including overflow, bypass, surfacing and seepage from treatment or disposal systems to adjacent drainage ways or onto adjacent properties is prohibited.
3. Bypass of the treatment facility and discharge of untreated or partially treated wastes directly to the disposal area is prohibited.

**B. DISCHARGE SPECIFICATIONS**

1. Daily flow to the disposal area shall not exceed 375 gallons-per-day.
2. The public shall not have contact with sewage as a result of the treatment and disposal operations.

**C. PROVISIONS**

1. Discharger shall inform any subsequent owner of this Order and its requirements.

2. Discharger shall notify the Executive Officer in writing of any contemplated transfer of ownership at least 30 days prior to transfer of ownership.
3. Discharger shall comply with all applicable items of the attached "Standard Provisions and Reporting Requirements" dated January 1984. These provisions and reporting requirements require ongoing septic system maintenance until connection to the community-wide sewer system is completed.
4. Discharger shall achieve compliance with the Basin Plan as soon as possible.
5. Discharger shall connect to the community sewer system no later than 30 days after availability of the community sewer.
6. This Order replaces Cease and Desist Order No. 01-97. Cease and Desist Order No. 01-97 is hereby rescinded.

Nothing in this Order shall imply that the Discharger is excused from complying with the terms of the Basin Plan prohibition.

FAILURE TO COMPLY WITH PROVISIONS OF THIS ORDER MAY SUBJECT THE DISCHARGER TO FURTHER ENFORCEMENT ACTION INCLUDING ASSESSMENT OF CIVIL LIABILITY UNDER SECTIONS 13268 OR 13350 OF THE WATER CODE AND REFERRAL TO THE ATTORNEY GENERAL FOR INJUNCTIVE RELIEF AND CIVIL OR CRIMINAL LIABILITY.

**I, Roger W. Briggs, Executive Officer**, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Coast Region, on May 14, 2004.

\_\_\_\_\_  
Executive Officer

**STATE OF CALIFORNIA  
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL COAST REGION  
895 Aerovista Place, Suite 101  
San Luis Obispo, CA 93401**

**CEASE AND DESIST ORDER NO. R3-2004-0016**

**Requiring**

**HOWARD AND HELEN NIELSEN  
1655 FIFTH STREET, LOS OSOS  
SAN LUIS OBISPO COUNTY  
TO CEASE AND DESIST FROM DISCHARGING WASTES  
IN VIOLATION OF A BASIN PLAN PROHIBITION  
PRESCRIBED BY THE CALIFORNIA REGIONAL WATER  
QUALITY CONTROL BOARD, CENTRAL COAST REGION**

The California Regional Water Quality Control Board, Central Coast Region (hereafter Regional Board), finds:

1. Howard and Helen Nielsen (Dischargers) operate an on-site wastewater treatment and disposal system at 1655 Fifth Street in Los Osos. The treatment facility consists of a septic tank, treated wastewater is discharged to an on-site subsurface disposal facility.
2. The discharge from the facility is subject to a prohibition of waste discharge from individual sewage disposal systems as specified in the Water Quality Control Plan, Central Coast Basin (Basin Plan) adopted by the Regional Board on September 8, 1994. The Basin Plan prohibition specifies, in part:

Page IV-67

- “3. Discharges from individual and community sewage disposal systems are prohibited effective November 1, 1988, in Los Osos/Baywood Park area depicted in the prohibition boundary map included as Attachment “A” of Resolution 83-13”.
3. Discharges of wastes from the residence at 1655 Fifth Street violate the prohibition of

discharge cited in Finding No. 2, above. Continued occupancy of dwellings and other buildings within the Basin Plan prohibition area, including the residence at 1655 Fifth Street, will require the design and construction of facilities to treat and dispose of sewage in a manner consistent with the Basin Plan prohibition.

4. On February 11, 2004, notice was provided to the Discharger and other affected persons regarding the Regional Board’s consideration of this Order.
5. The Regional Board, on May 14, 2004, in San Luis Obispo, California, held a public hearing at which evidence was presented concerning adoption of conditions for achieving full compliance with the Basin Plan prohibition.
6. This enforcement action is being taken for the protection of the environment and as such is exempt from the provisions of the California Environmental Quality Act (Section 15321, Chapter 3, Division 6, Title 14, California Code of Regulations). In addition, the subject septic system is an existing facility and this Order allows no expansion of use beyond that previously existing. This enforcement action is exempt from the provisions of the California

Environmental Quality Act (Section 15301, Chapter 3, Division 6, Title 14, California Code of Regulations).

**IT IS HEREBY ORDERED**, Howard and Helen Nielsen, 1655 Fifth Street, Los Osos, pursuant to Section 13301 of the California Water Code, shall comply with Basin Plan prohibition criteria as follows:

**A. PROHIBITIONS**

1. Discharge to areas other than the individual disposal area at 1655 Fifth Street, Los Osos, as shown on Attachment "A", is prohibited.
2. Discharge of any wastes, including overflow, bypass, surfacing and seepage from treatment or disposal systems to adjacent drainage ways or onto adjacent properties is prohibited.
3. Bypass of the treatment facility and discharge of untreated or partially treated wastes directly to the disposal area is prohibited.

**B. DISCHARGE SPECIFICATIONS**

1. Daily flow to the disposal area shall not exceed 375 gallons-per-day.
2. The public shall not have contact with sewage as a result of the treatment and disposal operations.

**C. PROVISIONS**

1. Discharger shall inform any subsequent owner of this Order and its requirements.

2. Discharger shall notify the Executive Officer in writing of any contemplated transfer of ownership at least 30 days prior to transfer of ownership.
3. Discharger shall comply with all applicable items of the attached "Standard Provisions and Reporting Requirements" dated January 1984. These provisions and reporting requirements require ongoing septic system maintenance until connection to the community-wide sewer system is completed.
4. Discharger shall achieve compliance with the Basin Plan as soon as possible.
5. Discharger shall connect to the community sewer system no later than 30 days after availability of the community sewer.
6. This Order replaces Cease and Desist Order No. 01-97. Cease and Desist Order No. 01-97 is hereby rescinded.

Nothing in this Order shall imply that the Discharger is excused from complying with the terms of the Basin Plan prohibition.

FAILURE TO COMPLY WITH PROVISIONS OF THIS ORDER MAY SUBJECT THE DISCHARGER TO FURTHER ENFORCEMENT ACTION INCLUDING ASSESSMENT OF CIVIL LIABILITY UNDER SECTIONS 13268 OR 13350 OF THE WATER CODE AND REFERRAL TO THE ATTORNEY GENERAL FOR INJUNCTIVE RELIEF AND CIVIL OR CRIMINAL LIABILITY.

**I, Roger W. Briggs, Executive Officer**, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Coast Region, on May 14, 2004.

\_\_\_\_\_  
Executive Officer

**STATE OF CALIFORNIA  
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL COAST REGION  
895 Aerovista Place, Suite 101  
San Luis Obispo, CA 93401**

**CEASE AND DESIST ORDER NO. R3-2004-0017**

**Requiring**

**PETER AND ANNE RIOLO  
1775 FIFTH STREET, LOS OSOS  
SAN LUIS OBISPO COUNTY  
TO CEASE AND DESIST FROM DISCHARGING WASTES  
IN VIOLATION OF A BASIN PLAN PROHIBITION  
PRESCRIBED BY THE CALIFORNIA REGIONAL WATER  
QUALITY CONTROL BOARD, CENTRAL COAST REGION**

The California Regional Water Quality Control Board, Central Coast Region (hereafter Regional Board), finds:

1. Peter and Anne Riolo (Dischargers) operate an on-site wastewater treatment and disposal system at 1775 Fifth Street in Los Osos. The treatment facility consists of a septic tank, treated wastewater is discharged to an on-site subsurface disposal facility.
2. The discharge from the facility is subject to a prohibition of waste discharge from individual sewage disposal systems as specified in the Water Quality Control Plan, Central Coast Basin (Basin Plan) adopted by the Regional Board on September 8, 1994. The Basin Plan prohibition specifies, in part:

Page IV-67

“3. Discharges from individual and community sewage disposal systems are prohibited effective November 1, 1988, in Los Osos/Baywood Park area depicted in the prohibition boundary map included as Attachment “A” of Resolution 83-13”.

3. Discharges of wastes from the residence at 1775 Fifth Street violate the prohibition of

discharge cited in Finding No. 2, above. Continued occupancy of dwellings and other buildings within the Basin Plan prohibition area, including the residence at 1775 Fifth Street, will require the design and construction of facilities to treat and dispose of sewage in a manner consistent with the Basin Plan prohibition.

4. On February 11, 2004, notice was provided to the Discharger and other affected persons regarding the Regional Board’s consideration of this Order.
5. The Regional Board, on May 14, 2004, in San Luis Obispo, California, held a public hearing at which evidence was presented concerning adoption of conditions for achieving full compliance with the Basin Plan prohibition.
6. This enforcement action is being taken for the protection of the environment and as such is exempt from the provisions of the California Environmental Quality Act (Section 15321, Chapter 3, Division 6, Title 14, California Code of Regulations). In addition, the subject septic system is an existing facility and this Order allows no expansion of use beyond that previously existing. This enforcement action is exempt from the provisions of the California

Environmental Quality Act (Section 15301, Chapter 3, Division 6, Title 14, California Code of Regulations).

**IT IS HEREBY ORDERED**, Peter and Anne Riolo, 1775 Fifth Street, Los Osos, pursuant to Section 13301 of the California Water Code, shall comply with Basin Plan prohibition criteria as follows:

**A. PROHIBITIONS**

1. Discharge to areas other than the individual disposal area at 1775 Fifth Street, Los Osos, as shown on Attachment "A", is prohibited.
2. Discharge of any wastes, including overflow, bypass, surfacing and seepage from treatment or disposal systems to adjacent drainage ways or onto adjacent properties is prohibited.
3. Bypass of the treatment facility and discharge of untreated or partially treated wastes directly to the disposal area is prohibited.

**B. DISCHARGE SPECIFICATIONS**

1. Daily flow to the disposal area shall not exceed 375 gallons-per-day.
2. The public shall not have contact with sewage as a result of the treatment and disposal operations.

**C. PROVISIONS**

1. Discharger shall inform any subsequent owner of this Order and its requirements.

2. Discharger shall notify the Executive Officer in writing of any contemplated transfer of ownership at least 30 days prior to transfer of ownership.
3. Discharger shall comply with all applicable items of the attached "Standard Provisions and Reporting Requirements" dated January 1984. These provisions and reporting requirements require ongoing septic system maintenance until connection to the community-wide sewer system is completed.
4. Discharger shall achieve compliance with the Basin Plan as soon as possible.
5. Discharger shall connect to the community sewer system no later than 30 days after availability of the community sewer.
6. This Order replaces Cease and Desist Order No. 01-97. Cease and Desist Order No. 01-97 is hereby rescinded.

Nothing in this Order shall imply that the Discharger is excused from complying with the terms of the Basin Plan prohibition.

FAILURE TO COMPLY WITH PROVISIONS OF THIS ORDER MAY SUBJECT THE DISCHARGER TO FURTHER ENFORCEMENT ACTION INCLUDING ASSESSMENT OF CIVIL LIABILITY UNDER SECTIONS 13268 OR 13350 OF THE WATER CODE AND REFERRAL TO THE ATTORNEY GENERAL FOR INJUNCTIVE RELIEF AND CIVIL OR CRIMINAL LIABILITY.

**I, Roger W. Briggs, Executive Officer**, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Coast Region, on May 14, 2004.

\_\_\_\_\_  
Executive Officer



**STATE OF CALIFORNIA  
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL COAST REGION  
895 Aerovista Place, Suite 101  
San Luis Obispo, CA 93401**

**CEASE AND DESIST ORDER NO. R3-2004-0018**

**Requiring**

**HENRIC SZOPINSKI  
1731 FIFTH STREET, LOS OSOS  
SAN LUIS OBISPO COUNTY  
TO CEASE AND DESIST FROM DISCHARGING WASTES  
IN VIOLATION OF A BASIN PLAN PROHIBITION  
PRESCRIBED BY THE CALIFORNIA REGIONAL WATER  
QUALITY CONTROL BOARD, CENTRAL COAST REGION**

The California Regional Water Quality Control Board, Central Coast Region (hereafter Regional Board), finds:

1. Henric Szopinski (Dischargers) operate an on-site wastewater treatment and disposal system at 1731 Fifth Street in Los Osos. The treatment facility consists of a septic tank, treated wastewater is discharged to an on-site subsurface disposal facility.
2. The discharge from the facility is subject to a prohibition of waste discharge from individual sewage disposal systems as specified in the Water Quality Control Plan, Central Coast Basin (Basin Plan) adopted by the Regional Board on September 8, 1994. The Basin Plan prohibition specifies, in part:

Page IV-67

- “3. Discharges from individual and community sewage disposal systems are prohibited effective November 1, 1988, in Los Osos/Baywood Park area depicted in the prohibition boundary map included as Attachment “A” of Resolution 83-13”.
3. Discharges of wastes from the residence at 1731 Fifth Street violate the prohibition of

discharge cited in Finding No. 2, above. Continued occupancy of dwellings and other buildings within the Basin Plan prohibition area, including the residence at 1731 Fifth Street, will require the design and construction of facilities to treat and dispose of sewage in a manner consistent with the Basin Plan prohibition.

4. On February 11, 2004, notice was provided to the Discharger and other affected persons regarding the Regional Board’s consideration of this Order.
5. The Regional Board, on May 14, 2004, in San Luis Obispo, California, held a public hearing at which evidence was presented concerning adoption of conditions for achieving full compliance with the Basin Plan prohibition.
6. This enforcement action is being taken for the protection of the environment and as such is exempt from the provisions of the California Environmental Quality Act (Section 15321, Chapter 3, Division 6, Title 14, California Code of Regulations). In addition, the subject septic system is an existing facility and this Order allows no expansion of use beyond that previously existing. This enforcement action is exempt from the provisions of the California

Environmental Quality Act (Section 15301, Chapter 3, Division 6, Title 14, California Code of Regulations).

**IT IS HEREBY ORDERED**, Henric Szopinski, 1731 Fifth Street, Los Osos, pursuant to Section 13301 of the California Water Code, shall comply with Basin Plan prohibition criteria as follows:

**A. PROHIBITIONS**

1. Discharge to areas other than the individual disposal area at 1731 Fifth Street, Los Osos, as shown on Attachment "A", is prohibited.
2. Discharge of any wastes, including overflow, bypass, surfacing and seepage from treatment or disposal systems to adjacent drainage ways or onto adjacent properties is prohibited.
3. Bypass of the treatment facility and discharge of untreated or partially treated wastes directly to the disposal area is prohibited.

**B. DISCHARGE SPECIFICATIONS**

1. Daily flow to the disposal area shall not exceed 375 gallons-per-day.
2. The public shall not have contact with sewage as a result of the treatment and disposal operations.

**C. PROVISIONS**

1. Discharger shall inform any subsequent owner of this Order and its requirements.

2. Discharger shall notify the Executive Officer in writing of any contemplated transfer of ownership at least 30 days prior to transfer of ownership.
3. Discharger shall comply with all applicable items of the attached "Standard Provisions and Reporting Requirements" dated January 1984. These provisions and reporting requirements require ongoing septic system maintenance until connection to the community-wide sewer system is completed.
4. Discharger shall achieve compliance with the Basin Plan as soon as possible.
5. Discharger shall connect to the community sewer system no later than 30 days after availability of the community sewer.
6. This Order replaces Cease and Desist Order No. 01-97. Cease and Desist Order No. 01-97 is hereby rescinded.

Nothing in this Order shall imply that the Discharger is excused from complying with the terms of the Basin Plan prohibition.

FAILURE TO COMPLY WITH PROVISIONS OF THIS ORDER MAY SUBJECT THE DISCHARGER TO FURTHER ENFORCEMENT ACTION INCLUDING ASSESSMENT OF CIVIL LIABILITY UNDER SECTIONS 13268 OR 13350 OF THE WATER CODE AND REFERRAL TO THE ATTORNEY GENERAL FOR INJUNCTIVE RELIEF AND CIVIL OR CRIMINAL LIABILITY.

**I, Roger W. Briggs, Executive Officer**, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Coast Region, on May 14, 2004.

\_\_\_\_\_  
Executive Officer