



California Regional Water Quality Control Board

Central Coast Region



Terry Tamminen
Secretary for
Environmental
Protection

Internet Address: <http://www.swrcb.ca.gov/rwqcb3>
895 Aerovista Place, Suite 101, San Luis Obispo, California 93401
Phone (805) 549-3147 • FAX (805) 543-0397

Arnold Schwarzenegger
Governor

October 6, 2004

CERTIFIED MAIL 7003 0500 0003 6424 9122

Mr. Kamil Azoury
General Mngr / District Engineer
Goleta Sanitary District
P.O. Box 906
Goleta, CA 93117

HEARING NOTICE FOR DRAFT WASTE DISCHARGE REQUIREMENTS ORDER NO. R3-2004-0129, NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT NO. CA0048160 – GOLETA SANITARY DISTRICT WASTEWATER TREATMENT FACILITY, SANTA BARBARA COUNTY, WDID 3 42 010 2001

Dear Mr. Azoury and Goleta Sanitary District Discharge Permit Interested Parties:

The attached Public Notice and Fact Sheet include procedural information and comment deadlines for the Goleta Sanitary District's NPDES Permit.

The Regional Board and USEPA will hold a hearing on the Permit on **November 19, 2004**. The date of the hearing may be changed to **December 3, 2004**. A change in the hearing date will not extend the comment period, which ends on **November 5, 2004**. (Please note that this is one day later than stated in or original Public Notice that was published in the newspaper.) At the hearing, the Regional Board may accept the staff recommendation described in the Fact Sheet; may deny concurrence in the proposed 301(h) waiver and deny water quality certification; or may condition its concurrence and certification on lower flow limits than those included in the draft permit, a shorter permit term, or other appropriate factors.

The Regional Board's Executive Officer and the District intend to enter a settlement, as described in the Fact Sheet. If the Executive Officer and the District agree to all terms of the settlement, they will sign the settlement agreement **before the hearing**. The District's proposal to upgrade to full secondary treatment is contingent upon having a final settlement agreement. If there is no final settlement agreement before the hearing date, Regional Board staff may withdraw or revise its recommendation and/or recommend that the Regional Board and USEPA reschedule the hearing.


If you have questions, please contact **Todd Stanley at (805) 542-4769**.

Sincerely,

Roger W. Briggs
Executive Officer

- Enclosures:
1. Joint Notice of Proposed Actions dated October 6, 2004
 2. Draft Waste Discharge Requirements Order No. R3-2004-0129

California Environmental Protection Agency



Item No. 6 Attachment No. 2
November 19, 2004 Meeting
Goleta Sanitary District
NPDES Permit No. CA 0048160

3. Draft Monitoring and Reporting Program No. R3-2004-0129
4. Draft Staff Report and Fact Sheet for Special Meeting of November 19, 2004, or Regular Meeting of December 3, 2004
5. Standard Provisions and Reporting Requirements

CC (with encl.): Goleta Sanitary District WWTP IPL (*Please file IPL copy with original letter*)

S:\NPDES\NPDES Facilities\Santa Barbara Co\Goleta\Permit\2004 Permit\GSD Hearing notice letter.doc
Task: 102-01
File: Discharger; Goleta SD / Goleta SD WWTP

