# STATE OF CALIFORNIA CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD CENTRAL COAST REGION

895 Aerovista Place, Suite 101 San Luis Obispo, California 93401

# MONITORING AND REPORTING PROGRAM NO. R3-2004-0106

Waste Discharger Identification No. 3 270203002

For

## CALIFORNIA ARMY NATIONAL GUARD CAMP ROBERTS MILITARY RESERVATION SAN LUIS OBISPO AND MONTEREY COUNTIES

Reporting responsibilities are specified in Sections 13225(a), 13267(b), 13383, and 13387(b) of the California Water Code. This Discharge Monitoring Program is issued in accordance with Provision C.2 of Regional Board Order No. R3-2004-0106.

#### WATER SUPPLY MONITORING

Representative samples of domestic supply water shall be collected and analyzed as follows:

Parameter/Constituent	Units	Sample Type	Minimum Sampling and Analyzing Frequency
General Minerals			
[Calcium, Magnesium, Sodium, Sulfate, Carbonate,			
Bi-Carbonate, Chloride, Total Hardness, Total			
Alkalinity, Total Dissolved Solids, pH, Electrical	ma/1	Croh	Innoverse of I
Conductivity, Boron, Iron, and Nitrate (as N).	mg/l	Grab	January and July
Sampling results for the Department of Health			
Services may be submitted to satisfy this			
requirement]			

#### **INFLUENT MONITORING**

Representative samples of the influent to each wastewater treatment plant shall be collected and analyzed for the constituents and at the frequencies specified below:

Parameter/Constituent	Units	Sample Type	Minimum Sampling and Analyzing Frequency
Flow Volume	MGD	Metered	Daily
Maximum Daily Flow	MGD	Metered	Monthly
Mean Daily Flow	MGD	Calculated	Monthly
BOD₅	mg/l	24 hr Composite	Monthly
Total Suspended Solids	mg/l	24 hr Composite	Monthly
Nitrite (as N)	mg/l	Grab	Semiannually (March & September)
Nitrate (as N)	mg/l	Grab	Semiannually (March & September)
Total Kjeldahl Nitrogen (as N)	mg/l	Grab	Semiannually (March & September)
Total Nitrogen (as N)	mg/l	Grab	Semiannually (March & September)

Item No. 21 Attachment No. 2 September 10, 2004 Meeting Camp Roberts Revised WDR R3-2004-0106

# **FACILITY MONITORING**

The Discharger shall make at least bi-weekly inspections of the treatment and disposal systems. During the inspections, the Discharger shall note compliance status with this Order. A log of these inspections shall be maintained and a summary of observations made during the inspections shall be submitted with each quarterly monitoring report.

The East Garrison treatment ponds shall be monitored as follows:

Constituent	Units	Sample Type	Minimum Sampling and Analyzing Frequency
На	-	Grab*	Weekly
Dissolved Oxygen	mg/l	Grab*	Weekly
Freeboard	Feet	Visual	Weekly

<sup>\*</sup> Grab sample to be taken at one-foot depth.

Each disposal pond shall be monitored as follows:

Constituent	Units	Sample Type	Minimum Sampling and Analyzing Frequency
Freeboard	Feet	Visual	Weekly
Presence of weeds	-	Visual	Quarterly (Dec., March, June, Sept.)
Presence of burrows	-	Visual	Quarterly (Dec., March, June, Sept.)

<sup>\*</sup> Grab sample to be taken at one-foot depth.

#### **EFFLUENT MONITORING**

Representative samples of wastewater being discharged to percolation areas shall be collected and analyzed for the constituents and at the frequencies specified below:

		Sample	Minimum Sampling and Analyzing Frequency	
Constituent	Units	Type	Main Garrison	East Garrison
Settleable Solids	ml/l	Grab	Weekly	Monthly
рН	-	Grab	Weekly	Monthly
BOD5	mg/l	Grab	Weekly	Monthly
Total Suspended Solids	mg/l	Grab	Weekly	Monthly
Total Dissolved Solids	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)
Volatile Solids	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)
Sodium	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)
Chloride	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)
Boron	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)
Sulfate	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)

		Sample	Minimum Sampling and Analyzing Frequency		
Constituent	Units	Type	Main Garrison	East Garrison	
Nitrite (as N)	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)	
Nitrate (as N)	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)	
Total Kjeldahl Nitrogen (as N)	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)	
Total Nitrogen (as N)	mg/l	Grab	Semiannually (March and September)	Semiannually (March and September)	
Aluminum	mg/l	Grab	Annually (September)	Annually (September)	
Antimony	mg/l	Grab	Annually (September)	Annually (September)	
Arsenic	mg/l	Grab	Annually (September)	Annually (September)	
Barium	mg/l	Grab	Annually (September)	Annually (September)	
Berylium	mg/l	Grab	Annually (September)	Annually (September)	
Cadmium	mg/l	Grab	Annually (September)	Annually (September)	
Chromium	mg/l	Grab	Annually (September)	Annually (September)	
Copper	mg/l	Grab	Annually (September)	Annually (September)	
Cyanide	mg/l	Grab	Annually (September)	Annually (September)	
Flouride	mg/l	Grab	Annually (September)	Annually (September)	
Lead	mg/l	Grab	Annually (September)	Annually (September)	
Mercury	mg/l	Grab	Annually (September)	Annually (September)	
Nickel	mg/l	Grab	Annually (September)	Annually (September)	
Selenium	mg/l	Grab	Annually (September)	Annually (September)	
Thalium	mg/l	Grab	Annually (September)	Annually (September)	
Zinc	mg/l	Grab	Annually (September)	Annually (September)	
VOCs	mg/l	Grab	Once/5 years (September)	Once/5 years (September)	
PCBs	mg/l	Grab	Once/5 years (September)	Once/5 years (September)	
Pesticides	mg/l	Grab	Once/5 years (September)	Once/5 years (September)	

#### SOLIDS/BIOSOLIDS MONITORING

The Discharger shall submit a summary of activities regarding solids handling with each quarterly monitoring report. Prior to biosolid removal or change in disposal practices (location, process, frequency), the Discharger shall submit all disposal information to the Executive Officer for approval. Representative samples of the biosolids to be disposed of shall be collected and analyzed for the constituents and at the frequencies specified below:

Parameter/Constituent *	Units	Sample Type	Minimum Sampling and Analyzing Frequency **
Quantity	Tons or yds <sup>3</sup>	Measured during removal	Each load
Moisture Content	%	Grab	Prior to transport/disposal
Nitrate (as N)	mg/kg	Grab	Prior to transport/disposal
Total Phosphorus	mg/kg	Grab	Prior to transport/disposal
pH	pH units	Grab	Prior to transport/disposal
Grease & Oil	mg/kg	Grab	Prior to transport/disposal
Arsenic	mg/kg	Grab	Prior to transport/disposal

Parameter/Constituent *	Units	Sample Type	Minimum Sampling and Analyzing Frequency **
Antimony	mg/kg	Grab	Prior to transport/disposal
Barium	mg/kg	Grab	Prior to transport/disposal
Beryllium	mg/kg	Grab	Prior to transport/disposal
Boron	mg/kg	Grab	Prior to transport/disposal
Cadmium	mg/kg	Grab	Prior to transport/disposal
Cobalt	mg/kg	Grab	Prior to transport/disposal
Copper	mg/kg	Grab	Prior to transport/disposal
Chromium, VI & Total	mg/kg	Grab	Prior to transport/disposal
Lead	mg/kg	Grab	Prior to transport/disposal
Mercury	mg/kg	Grab	Prior to transport/disposal
Molybdenum	mg/kg	Grab	Prior to transport/disposal
Nickel	mg/kg	Grab	Prior to transport/disposal
Selenium	mg/kg	Grab	Prior to transport/disposal
Silver	mg/kg	Grab	Prior to transport/disposal
Thallium	mg/kg	Grab	Prior to transport/disposal
Tin	mg/kg	Grab	Prior to transport/disposal
Vanadium	mg/kg	Grab	Prior to transport/disposal
Zinc	mg/kg	Grab	Prior to transport/disposal
Pesticides	mg/kg	Grab	Prior to transport/disposal***
Organic Lead	mg/kg	Grab	Prior to transport/disposal***
PCBs	mg/kg	Grab	Prior to transport/disposal***

- \* Characterization required by disposal facility may be submitted in place of this list.
- \*\* If no need for sludge/biosolids removal occurs during a given year, the Discharger will have no obligation for biosolids monitoring. Reporting in this case shall explain the absence of this monitoring.
- \*\*\* At least once every 5 years prior to transport or disposal.

## RECEIVING WATER MONITORING

Representative samples of groundwater shall be collected from shallow wells upgradient and downgradient of disposal areas and analyzed for the constituents and at the frequencies specified below:

Parameter/Constituent	Units	Sample Type	Minimum Sampling and Analyzing Frequency
Depth to Groundwater	feet	Measured	Semiannually (March and September)
pH	-	Grab	Semiannually (March and September)
Total Dissolved Solids	mg/l	Grab	Semiannually (March and September)
Sodium	mg/l	Grab	Semiannually (March and September)
Chloride	mg/l	Grab	Semiannually (March and September)
Boron	mg/l	Grab	Semiannually (March and September)
Sulfate	mg/l	Grab	Semiannually (March and September)
Nitrite (as N)	mg/l	Grab	Semiannually (March and September)
Nitrate (as N)	mg/l	Grab	Semiannually (March and September)
Total Kjeldahl Nitrogen (as N)	mg/l	Grab	Semiannually (March and September)
Total Nitrogen (as N)	mg/l	Grab	Semiannually (March and September)

## **REPORTING**

Monitoring reports are required quarterly, by the 30<sup>th</sup> of January, April, July, and October, and shall contain all data collected or calculated over the previous three months. Pursuant to Standard Provisions and Reporting Requirements, General Reporting Requirement C.16, an annual report is required by the 30<sup>th</sup> of January along with the 4<sup>th</sup> quarter monitoring report.

## **IMPLEMENTATION**

This monitoring and reporting program shall be implen	ented immediately.	
OR	DERED BY	
		Executive Officer
		Date
S:\WB\Central Watershed\WDRs\Camp Roberts\R3-2003-0046 MRP.de	oc	