

**STATE OF CALIFORNIA
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL COAST REGION**

SUPPLEMENTAL SHEET FOR REGULAR MEETING OF SEPTEMBER 9, 2005

Prepared on September 2, 2005

ITEM NUMBER: 7

SUBJECT: Olin Perchlorate Report: Update Regarding Standard Fusee Letter, Letter Responding to the Perchlorate Community Advisory Group's August 18, 2005 letter.

DISCUSSION

Standard Fusee Letter:

This supplemental sheet provides an update regarding Water Board staff's July 19, 2005 letter to Standard Fusee Corporation. The letter (attached to the perchlorate staff report) mentions that the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) claims against Standard Fusee were still pending (last sentence of first paragraph). The United States District Court, San Jose District, ruled on June 24, 2005, that the CERCLA claims against Standard Fusee have been dismissed. The court opinion has been placed in the Olin file.

Perchlorate Community Advisory Group (PCAG), August 24, 2005 letter:

Water Board staff have attached (Attachment 1) a letter from the PCAG that outlines the group's concerns with Olin Corporations recent sampling and reporting non-compliance. Water Board staff responded to the PCAG on September 1, 2005. The Water Board response is included as Attachment 2.

ATTACHMENTS

1. PCAG letter dated August 24, 2005
2. Water Board Staff response dated September 1, 2005.

