



Central Valley Regional Water Quality Control Board

18 May 2022

Chris Manteiga
Eddie Axner Construction, Inc.
5249 Old Oregon Trail
Redding, CA 96002

**NOTICE OF APPLICABILITY: STATE WATER RESOURCES CONTROL BOARD
CLEAN WATER ACT SECTION 401 GENERAL WATER QUALITY CERTIFICATION
OF ARMY CORPS OF ENGINEERS' 2021 NATIONWIDE PERMITS (ORDER NO.
WQ 2021-0048-DWQ), EDDIE AXNER COSTRUCTION, INC., MCCONNELL
FOUNDATION – MODOC LANE PROJECT (WDID NO. 5A45CR00616), SHASTA
COUNTY**

On 14 April 2022, Eddie Axner Construction Inc. (Applicant) filed a Notice of Intent (NOI) requesting coverage for the McConnell Foundation – Modoc Lane Project under State Water Resources Control Board's Clean Water Act Section 401 General Water Quality Certification of Army Corps of Engineers' 2021 Nationwide Permits (Order No. WQ 2021-0048-DWQ). After review of the NOI and supplemental materials submitted by the Applicant, the Central Valley Regional Water Quality Control Board (Central Valley Water Board) has determined that the McConnell Foundation – Modoc Lane Project (Project) qualifies for enrollment under this General Order.

The Central Valley Water Board is certifying this Project under Water Quality Order WQ 2021-0048-DWQ. This Notice of Applicability (NOA) is being issued at the request of Eddie Axner Construction, Inc. (hereinafter Enrollee) under the General Order pursuant to Section 3838 of the California Code of Regulations.

A copy of the General Order is enclosed. You can also access the General Order on [State Water Resources Control Board's General Orders Web Page](https://www.waterboards.ca.gov/water_issues/programs/cwa401/generalorders.html#yr_2021) (https://www.waterboards.ca.gov/water_issues/programs/cwa401/generalorders.html#yr_2021).

The Project must proceed in accordance with the requirements contained in this NOA and the General Order. Project Status Notifications in the General Order include a Commencement of Construction Notice at least seven days prior to start of initial disturbance activities and a Request for Notice of Project Complete Letter within 30 days following completion of all project activities, including post-construction monitoring. The Project is described in the NOI Form requesting coverage and supplementary

MARK BRADFORD, CHAIR | PATRICK PULUPA, ESQ., EXECUTIVE OFFICER

information (Application Package). If the Project is modified from that described in the Application Package, then coverage under the General Order is no longer valid.

I. Public Notice

The Central Valley Water Board provided public notice of the application from 22 April 2022 to 13 May 2022. The Central Valley Water Board did not receive any comments during the comment period.

II. Project Description

The proposed Project will replace an existing 42-inch culvert with a new 42-inch culvert, backfill with road base and slurry, and compact and grade the base back to original grade. Rock Slope Protection (RSP) will be installed on the inlet and outlet sides of the culvert.

III. Project Location

County: Shasta County

Nearest City: Redding

Latitude: 40.588281° and Longitude: -122.327009°

Maps showing the Project location are found in Attachment A of this NOA.

IV. Project Impact and Receiving Waters Information

The Project is located within the jurisdiction of the Central Valley Water Board. Receiving waters and groundwater potentially impacted by this Project are protected in accordance with the Water Quality Control Plan for the Sacramento River and San Joaquin River Basins, Fifth Edition, May 2018 (Basin Plan). The plan for the region and other plans and policies may be accessed at the [State Water Resources Control Board's Plans and Policies Web page](http://www.waterboards.ca.gov/plans_policies/) (http://www.waterboards.ca.gov/plans_policies/). The Basin Plan includes water quality standards, which consist of existing and potential beneficial uses of waters of the state, water quality objectives to protect those uses, and the state and federal antidegradation policies.

It is the policy of the State of California that every human being has the right to safe, clean, affordable, and accessible water adequate for human consumption, cooking, and sanitary purposes. This NOA promotes that policy by requiring discharges to meet maximum contaminant levels designed to protect human health and ensure that water is safe for domestic use.

Project impact and receiving waters information can be found in Attachment B. Table 1 of Attachment B shows the receiving waters and beneficial uses of waters of the state impacted by the Project. Individual impact location and quantity are shown in Tables 2 and 3 of Attachment B.

V. Description of Direct Impacts to Waters of the United States

The Project will impact 0.005 acre of Waters of the United States, specifically an unnamed intermittent drainage. These impacts include temporary impacts of 0.005 acre of stream channel.

Total Project fill/excavation quantities for all impacts are summarized in Table 1.

Table 1: Total Project Fill/Excavation Quantity for Temporary Impacts¹

Aquatic Resources Type	Acres	Cubic Yards	Linear Feet
Stream Channel	0.005		30

VI. California Environmental Quality Act (CEQA)

The Central Valley Water Board has determined that the Project is exempt from review under CEQA pursuant to California Code of Regulations, Title 14, section 15061. Specifically, the issuance of this Order and the activities described herein meet the exemption criteria under California Code of Regulations, Title 14, section 15301, Existing Facilities.

VII. Petitions for Reconsideration

Any person aggrieved by this action may petition the State Water Board to reconsider this Order in accordance with California Code of Regulations, title 23, section 3867. A petition for reconsideration must be submitted in writing and received within 30 calendar days of the issuance of this Order.

VIII. Fees Received

An application fee of \$2,417.00 was received on 25 April 2022. The fee amount was determined as required by California Code of Regulations, Title 23, sections 3833(b)(3) and 2200(a)(3), and was calculated as Category E – Low Impact Discharges (fee code 87) with the dredge and fill fee calculator.

IX. Compensatory Mitigation

No compensatory mitigation is required as no permanent impacts will occur. To the extent feasible, the Enrollee is required to restore and stabilize the area following disturbance.

¹ Includes only temporary direct impacts to waters of the state and does not include area of temporary disturbance which could result in a discharge to waters of the state. Temporary impacts, by definition, are restored to pre-project conditions and therefore do not include a physical loss of area or degradation of ecological condition.

X. Central Valley Regional Water Quality Control Board Contact:

If you have any questions regarding this Notice of Applicability, please contact Jerred Ferguson at (530) 224-4784 or Jerred.Ferguson@waterboards.ca.gov.

Original Signed by Clint E. Snyder, P.G. (for)
Patrick Pulupa, Executive Officer
Central Valley Regional Water Quality Control Board

5/18/2022
Date

Enclosure: State Water Resources Control Board's Clean Water Act Section 401
General Water Quality Certification of Army Corps of Engineers' 2021
Nationwide Permits (Order No. WQ 2021-0048-DWQ)

Attachments: Attachment A - Project Maps
Attachment B - Receiving Water, Impact, and Mitigation Information
Attachment C - CEQA

(This page intentionally left blank)

Figure 1. Project Location Map



Figure 2. Project Site Map



(This page intentionally left blank)

Receiving Waters, Impacts and Mitigation Information

The following table shows the receiving waters associated with each impact site.

Table 1: Receiving Waters Information

Site ID	Waterbody Name	Impacted Aquatic Resource Type	Water Board Hydrologic Units	Receiving Waters	Receiving Waters Beneficial Uses	303d Listing Pollutant	California Rapid Assessment Method (CRAM) ID
Stream Channel	Unnamed	Stream	508.10	Sacramento River (Shasta Dam to Colusa Basin Drain)	MUN, AGR, IND, POW, REC-1, REC-2, WARM, COLD, MIGR, SPWN, WILD, NAV	Not Applicable	Not Applicable

Individual Direct Impact Locations

The following tables show individual impacts.

Table 2: Individual Temporary Fill/Excavation Impact Information

Impact Site ID	Latitude	Longitude	Indirect Impact Requiring Mitigation?	Acres	Cubic Yards	Linear Feet
Stream Channel	40.588281	-122.327009	No	0.005		30

(This page intentionally left blank)

FINDINGS FOR CEQA EXEMPT PROJECT

The Central Valley Water Board has determined that the Project is exempt from review under CEQA pursuant to California Code of Regulations, title 14, section 15061.

Specifically, the issuance of this Order and the activities described herein meet the exemption criteria under California Code of Regulations, title 14, section 15301, Existing Facilities, which consists of the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of existing or former use.

Additionally, the Central Valley Water Board concludes that no California Code of Regulations, title 14, section exceptions to the CEQA exemption apply to the activities approved by this Order.

The Central Valley Water Board will file a Notice of Exemption with the State Clearinghouse within five (5) working days from the issuance of this Order. (California Code of Regulations., title 14, section 15062.)

DISTRIBUTION LIST

United States Environmental Protection Agency
Region 9, San Francisco
R9cwa401@epa.gov

Water Quality Certification Program
State Water Resources Control Board
StateBoard401@waterboards.ca.gov

Matthew Roberts
United States Army Corps of Engineers
Sacramento District Headquarters
Matthew.J.Roberts@usace.army.mil