## CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD CENTRAL VALLEY REGION

364 Knollcrest Drive, Suite 205, Redding, CA 96002

## **PUBLIC HEARING**

concerning

## TENTATIVE WASTE DISCHARGE REQUIREMENTS FOR SULARA ENTERPRISES, INC FOR SULARA DRILLING MUD DISPOSAL FACILITY GLENN COUNTY

Sulara Drilling Mud Disposal Facility (Sulara Landfill) is a closed waste disposal site owned and operated by Sulara Enterprises, Inc. (Discharger). Sulara Landfill covers approximately 33 acres, with approximately eight acres dedicated to waste disposal. The site is located one mile south of the City of Orland in Section 4 of T21N, R3W of the Mount Diablo Base and Meridian. The Facilities are currently regulated by Waste Discharge Requirements Order R5-2009-0053, which prescribes requirements for groundwater and facility monitoring.

A public hearing to consider adoption of revised Waste Discharge Requirements will be held during the Central Valley Regional Water Quality Control Board (Central Valley Water Board) meeting, which is scheduled for:

DATE: 26/27 February 2026

TIME: 8:30 a.m.

PLACE: 11020 Sun Center Drive #200, Rancho Cordova, CA 95670

The designated parties for this hearing are as follows:

Sulara Enterprises, Inc.

Designated parties, but not interested persons, will have these rights: to call and examine witnesses; to cross-examine opposing witnesses; to impeach any witness; and to rebut the evidence against him or her. Central Valley Water Board staff will prepare the administrative record, and may present evidence, make an oral presentation and cross-examine opposing witnesses.

**Interested persons** may not cross-examine witnesses, and will not be subject to cross- examination. Interested persons may submit evidence (e.g., photographs, eyewitness testimony, monitoring data) if the evidence is submitted in accordance with the deadlines for submitting evidence described below. Interested persons who present evidence may be subject to cross-examination. Interested persons may request status as a designated party for purposes of this hearing by submitting such request in writing to the Central Valley Water Board by 5:00 p.m. on **12 January 2025**. The request must

explain the basis for status as a designated party and in particular how the person is affected by the discharge.

The tentative Waste Discharge Requirements were issued on **11 December 2025**. Persons wishing to comment on this item must submit testimony, evidence, if any, and/or comments in writing to the Central Valley Water Board no later than by 5:00 p.m. on **12 January 2025**. Written materials submitted after 5:00 p.m. on the above date will not be accepted and will not be incorporated into the administrative record absent a ruling by the Central Valley Water Board Chair. A party requesting to submit late materials must demonstrate good cause for the late submission, and the Central Valley Water Board Chair must find that the late submission would not prejudice the Central Valley Water Board or any designated party.

All designated parties and interested persons may speak at the Central Valley Water Board meeting, and are expected to orally summarize their written submittals. Oral testimony and cross examination will be limited in time by the Central Valley Water Board Chair. Both designated parties and interested persons may be asked to respond to clarifying questions from Central Valley Water Board members, counsel staff or others, at the discretion of the Central Valley Water Board.

Anyone having questions on the tentative Waste Discharge Requirements should contact Patrick DeCarvalho at (530) 224-4786 or by email at <a href="mailto:Patrick.DeCarvalho@waterboards.ca.gov">Patrick.DeCarvalho@waterboards.ca.gov</a>. Interested parties may download the <a href="mailto:tentative Order and related documents">tentative Order and related documents</a> from the Central Valley Water Board's Internet website at

(http://www.waterboards.ca.gov/centralvalley/board\_decisions/tentative orders/)

Copies of these documents can also be obtained by contacting or visiting the office of the Central Valley Water Board at 364 Knollcrest Drive, Suite 205, Redding, California, 96002, weekdays between 8:00 a.m. and 5:00 p.m. by appointment.

<u>The final meeting agenda</u> will be available, at least ten days before the meeting, at (http://www.waterboards.ca.gov/board\_info/agendas/)

The agenda will provide the dates the Central Valley Water Board meeting will be held, indicate the anticipated order of agenda items, and may include staff revisions to the tentative order(s).

The procedures governing Central Valley Water Board meetings may be found at Title 23, California Code of Regulations, Section 647 et seq. and are available upon request. Hearings before the Central Valley Water Board are not conducted pursuant to Government Code section 11500 et seq. The <u>procedures may be obtained by accessing</u> (http://www.waterboards.ca.gov/laws\_regulations/).

<u>Information on meeting and hearing procedures</u> is also available on the Central Valley Water Board's website at (http://www.waterboards.ca.gov/centralvalley/board\_info/meetings/mtgprocd.shtml)

or by contacting any one of the Central Valley Water Board's offices. Questions regarding such procedures should be directed to <a href="mailto:agenda5@waterboards.ca.gov">agenda5@waterboards.ca.gov</a> or call (916) 464-4745.

The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to send an email to <a href="mailto:agenda5@waterboards.ca.gov">agenda5@waterboards.ca.gov</a> or call (916) 464-4745 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of anyone you know who would be interested in this matter.

Clint E. Snyder, Assistant Executive Officer