



#### **Lahontan Regional Water Quality Control Board**

August 9, 2013

WDID No. 6B151212004 401 WQC

Page Beykpour Crystal Geyser Roxane, LLC 55 San Francisco Street, Suite 410 San Francisco, CA 94133 Email: p.beykpour@cgroxane.com

ORDER NO. R6V-2013-0069, FOR CLEAN WATER ACT SECTION 401 WATER

QUALITY CERTIFICATION, CRYSTAL GEYSER ACCESS ROAD PROJECT, INYO **COUNTY, WDID NO. 6B151212004** 

The California Regional Water Quality Control Board, Lahontan Region (Water Board) has received project information from Crystal Geyser Roxane, LLC (Applicant) and an application filing fee to complete an application for Clean Water Act (CWA) Section 401 Water Quality Certification (WQC) for the Crystal Geyser Access Road Project (Project). The purpose of the Project is to construct a new access road across Cartageo Creek for the Crystal Geyser plant expansion. This Order for WQC is based upon the information provided in the application and subsequent correspondence received in support of the application.

Any person aggrieved by this action of the Water Board may petition the State Water Resources Control Board (State Water Board) to review the action in accordance with California Water Code (CWC), section 13320, and California Code of Regulations (CCR), title 23, sections 2050 and following. The State Water Board must receive the petition by 5:00 p.m., 30 days after the date of this Order, except that if the thirtieth day following the date of this Order falls on a Saturday, Sunday, or state holiday, the petition must be received by the State Water Board by 5:00 p.m. on the next business day. Copies of the law and regulations applicable to filing petitions may be found on the internet at http://www.waterboards.ca.gov/public\_notices/petitions/water\_quality, or will be provided upon request.

#### PROJECT DESCRIPTION

Project details, as presented in the application and subsequent correspondence, are summarized in the following table.

**Table of Project Information:** 

WDID Number	6B151212004
Applicant	Page Beykpour
	Crystal Geyser Roxane, LLC
	55 San Francisco Street, Suite 410
11	San Francisco, CA 94133
	Email: p.beykpour@cgroxane.com

**Table of Project Information:** 

Table of Project Informa	tion.						
Agent	Joe Drennan,	Garcia & Associa	ates				
Project Name	Crystal Geyser Access Road Project						
Project Purpose and	The purpose of the Project is to construct a new access road across						
Description	Cartago Creek for the Crystal Geyser plant expansion. The Project						
	will include the placement of four 42-inch diameter culverts, side by						
	side, in the bed of the creek. Project activities include removal of an						
	90 foot by 20 foot soction of riporion vegetation, and only an						
İ	80-foot by 20-foot section of riparian vegetation, grading and culvert						
	installation at the crossing location, and placement rock rip-rap						
Duri - I T	upstream and downstream of the culvert crossing.						
Project Type	Transportation, Roads and Highways						
Project Address or other							
Locating Information	town of Cartago, drive 0.36 miles south and turn east onto the						
	access road th	at leads into Pro	iect site, C	Cartago.	Invo Cou	ntv	
Latitude/Longitude	Latitude: 36.31		ude: -118.				
Hydrologic Unit(s)		ogic Unit 603.00;	Lower Ov	Mens Hyr	drologic A	vea	
· · · · · · · · · · · · · · · · · · ·	603.30	ogio <b>o</b> riit ooo.oo,	LOWCI O	WCHS Try	arologic F	li Ca	
Project Area	28 acres					<del>_</del>	
	20 acres						
Receiving Water(s)	Cartago Creek	, tributary to Owe	ens Lake				
Name				**			
Water Body Type(s)	Perennial strea						
Designated Beneficial	MUN, AGR, G	WR, REC-1, REC	C-2, COM	M, COLE	), WILD, S	SPWN	
Uses							
Potential Water Quality	Short term cha	nges in flow regi	me on the	Project	site mav	result in	
Impacts to Waters of		edimentation, silt					
the United States			ation, and	0.000	J11.		
(WOUS)							
IVVUUU							
	Waterbody	Permane	ent		Temporal	rv	
Project Impacts to	Waterbody	Permane		1	Temporal		
	Waterbody Type	Acres Linear	Cubic	Acres	Linear	Cubic	
Project Impacts to	Туре	Acres Linear Feet	Cubic Yards	Acres	Linear Feet	Cubic Yards	
Project Impacts to		Acres Linear	Cubic		Linear	Cubic	
Project Impacts to WOUS	Type  Stream	Acres Linear Feet 0.01 71	Cubic Yards 11.6	Acres 0	Linear Feet 0	Cubic Yards 0	
Project Impacts to	Stream The Applicant I	Acres Linear Feet 0.01 71 has applied for c	Cubic Yards 11.6	Acres 0 nder a U	Linear Feet 0	Cubic Yards 0 Corps of	
Project Impacts to WOUS	Stream The Applicant I Engineers (US	Acres Linear Feet 0.01 71 has applied for candidate ACOE) Nationwi	Cubic Yards 11.6 overage u	Acres 0 nder a U 14 (Line	Linear Feet 0	Cubic Yards 0 Corps of	
Project Impacts to WOUS  Federal Permit(s)	Stream The Applicant I Engineers (US. Projects) pursu	Acres Linear Feet  0.01 71  has applied for control ACOE) Nationwing and to section 40	Cubic Yards 11.6 Overage under Permit 04 of the C	Acres 0 nder a U 14 (Line	Linear Feet 0 .S. Army ar Transp	Cubic Yards 0 Corps of cortation	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory	Stream The Applicant I Engineers (US Projects) pursu	Acres Linear Feet  0.01 71  has applied for control ACOE) Nationwing Items (ACOE) Nationwing Items (AC	Cubic Yards 11.6  overage u de Permit 4 of the Count will follo	Acres 0 nder a U 14 (Line	Linear Feet 0 .S. Army ar Transp	Cubic Yards 0 Corps of portation	
Project Impacts to WOUS  Federal Permit(s)	Type  Stream  The Applicant I Engineers (US Projects) pursu During constructions (BMF)	Acres Linear Feet  0.01 71  has applied for control ACOE) Nationwing Including Control Acres Including Control Including	Cubic Yards 11.6  Overage under Permit 4 of the Count will follostruction s	Acres 0 nder a U 14 (Line WA. ow Best	Linear Feet 0 .S. Army ar Transp Managen er control	Cubic Yards 0 Corps of cortation	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation	Type  Stream  The Applicant I Engineers (US. Projects) pursu During constructions (BMF designed to mi	Acres Linear Feet  0.01 71  has applied for control ACOE) Nationwing to section 40 control to the Application, the Application, the Application including control to the short-	Cubic Yards 11.6  Overage u de Permit of of the Count will follostruction s term degree	Acres  0  14 (Line WA.  ow Best stormwate adation of	Linear Feet 0 S. Army ar Transp Managen er control of water q	Cubic Yards 0 Corps of cortation nent s uality.	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US Projects) pursue During construction Practices (BMF designed to mit To compensate	Acres Linear Feet  0.01 71  has applied for control ACOE) Nationwing and to section 40 ction, the Application, the Application, the Application including control for Project impage.	Cubic Yards 11.6  Overage under Permit 14 of the Count will followstruction sterm degracts, the A	Acres  0  nder a U  14 (Line CWA.  ow Best stormwate adation co	Linear Feet 0 S. Army ar Transp Managen er control of water q proposes	Cubic Yards 0 Corps of portation nent s uality.	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation	Type  Stream  The Applicant I Engineers (US Projects) pursue During construe Practices (BMF designed to mile To compensate preserve 1.43 and the stream of t	Acres Linear Feet  0.01 71  has applied for control ACOE) Nationwing Including Control Including Contr	Cubic Yards 11.6  Overage under Permit 4 of the Count will follows term degrates, the Anabitat and	Acres  0  14 (Line WA.  ow Best stormwate adation of pplicant d 2.18 ac	Linear Feet 0 S. Army ar Transp Managen er control of water q proposes cres of we	Cubic Yards 0 Corps of portation nent s uality.	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US. Projects) pursu.  During construer Practices (BMF designed to ming to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to compensate preserve 1.43 and habitat to compensate preserve 1.43 and habitat to compensate preserve 1.43 and habitat to compensate p	Acres Linear Feet  0.01 71  has applied for control ACOE) Nationwing and to section 40 acros of riparian hrough a fee title	Cubic Yards 11.6  Overage under Permit of the Count will follow struction sterm degrates, the Anabitat and transfer to	Acres  0  14 (Linest) WA.  ow Best electromwate adation of pplicant d 2.18 across the Cal	Linear Feet 0 S. Army ar Transp Managen er control of water q proposes cres of we	Cubic Yards 0 Corps of cortation nent s uality. to etland	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US. Projects) pursu.  During construer Practices (BMF designed to ming to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to stream to compensate preserve 1.43 and habitat onsite to compensate preserve 1.43 and habitat to compensate preserve 1.43 and habitat to compensate preserve 1.43 and habitat to compensate p	Acres Linear Feet  0.01 71  has applied for control ACOE) Nationwing and to section 40 acros of riparian hrough a fee title	Cubic Yards 11.6  Overage under Permit of the Count will follow struction sterm degrates, the Anabitat and transfer to	Acres  0  14 (Linest) WA.  ow Best electromwate adation of pplicant d 2.18 across the Cal	Linear Feet 0 S. Army ar Transp Managen er control of water q proposes cres of we	Cubic Yards 0 Corps of cortation nent s uality. to etland	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US Projects) pursue During construction Practices (BMF designed to mit To compensate preserve 1.43 a habitat onsite to Department of	Acres   Linear Feet   0.01   71   71   71   71   71   71   71	Cubic Yards 11.6  Overage under Permit 14 of the Count will follow struction sterm degrates, the Anabitat and transfer to The App	Acres  0  nder a U  14 (Line CWA.  ow Best stormwate adation c  pplicant d 2.18 ac o the Cal olicant als	Linear Feet 0 S. Army ar Transp  Managen er control of water q proposes cres of we lifornia so propos	Cubic Yards 0 Corps of portation nent suality. to etland ses to	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US Projects) pursue During construction Practices (BMF designed to mit To compensate preserve 1.43 a habitat onsite to Department of decommission	Acres   Linear Feet   0.01   71   has applied for control Nationwing   lant to section 40   ction, the Application, the Application   ction, the Application   ction, the Application   control of Project imparts   contro	Cubic Yards 11.6  Overage under Permit 14 of the Count will follow term degrates, the Anabitat and transfer to The Appago Creek	Acres  0  14 (Lines) WA. ow Best etormwate adation of pplicant d 2.18 across the Calculation to culvert of culvert of the culv	Linear Feet 0 S. Army ar Transp Managen er control of water q proposes cres of we lifornia so propos crossing	Cubic Yards 0 Corps of portation nent s uality. to etland sees to by	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US. Projects) pursu. Practices (BMF designed to ming to compensate preserve 1.43 a habitat onsite to Department of decommission removing the p	Acres   Linear Feet   0.01   71   has applied for control   ACOE) Nationwing to section 40   ction, the Applicates of including control   harden for Project imparances of riparian   hrough a fee title   Fish and Wildlife   the existing Cartipe culverts and	Cubic Yards 11.6  Diverage under Permit 4 of the Count will following the Automotion struction struction sterm degrates, the Automatical and transfer to The Appago Creek fill dirt from	Acres  0  14 (Line WA.  ow Best stormwate adation of pplicant d 2.18 acro the Cal plicant als c culvert in the cre	Linear Feet 0 S. Army ar Transp Managen er control of water q proposes cres of we lifornia so propos crossing l ek bed, re	Cubic Yards 0 Corps of cortation nent suality. to etland ses to by estoring	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US Projects) pursue Practices (BMF designed to mi To compensate preserve 1.43 a habitat onsite to Department of decommission removing the puthe creek banks	Acres Feet  0.01 71  has applied for control (ACOE) Nationwing the Application, the Application the Application, the Application the Application, the Application th	Cubic Yards 11.6  Overage under Permit of the Count will follow term degrates, the Anabitat and transfer to The Appago Creek fill dirt from the greek term degrates.	Acres  0  nder a U  14 (Line cWA.  ow Best stormwate adation o  pplicant d 2.18 ac o the Cal olicant als c culvert in the cre ion and o	Linear Feet  0  S. Army ar Transp  Managen er control of water q proposes cres of we lifornia so propos crossing l ek bed, re contour, a	Cubic Yards 0 Corps of portation nent suality. to etland sees to by estoring and by	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US Projects) pursus During construction Practices (BMF designed to mit To compensate preserve 1.43 a habitat onsite to Department of decommission removing the pathe creek banks removing concil	Acres   Linear Feet   0.01   71   has applied for control Nationwing   ant to section 40   ction, the Applicates) including continuize the shorter for Project imparate   acres of riparian   hrough a fee title   Fish and Wildliffer   the existing Cartiple culverts   and   s to match existing   rete and debris for	Cubic Yards 11.6  Overage under Permit 14 of the Count will follow truction sterm degrates, the Anabitat and transfer to The Appago Creek fill dirt from the character on the character on the character on the character of the Appago Creek fill dirt from the character on the character of the Appago Creek fill dirt from the character of the Appago Creek fill dirt from the character of the Appago Creek fill dirt from the character of the Appago Creek fill dirt from the character of the Appago Creek fill dirt from the Character of the Appago Creek fill dirt from the Character of the Appago Creek fill dirt from the Character of the Appago Creek fill dirt from the Character of the Appago Creek fill dirt from the Character of the Appago Creek fill dirt from the Character of the Appago Creek fill dirt from the Character of the Character of the Appago Creek fill dirt from the Character of the Character o	Acres  0  nder a U  14 (Line CWA.  ow Best stormwate adation co pplicant d 2.18 ac o the Cal olicant als c culvert in the cre ion and c annel in	Linear Feet  0  S. Army ar Transp  Managen er control of water of proposes cres of we lifornia so propos crossing lek bed, re contour, a the area	Cubic Yards 0 Corps of portation nent s uality. to etland ses to by estoring and by bounded	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US Projects) pursue During construction Practices (BMF designed to mile To compensate preserve 1.43 a habitat onsite to Department of decommission removing the public the creek banks removing concion the upstream	Acres Feet  0.01 71  has applied for control Nationwing and to section 40 ction, the Application including control including inc	Cubic Yards 11.6  Overage under Permit 14 of the Count will follow term degrates, the Amabitat and transfer to The Appago Creek fill dirt from the chay crossing	Acres  O  14 (Line WA.  OW Best stormwate adation of pplicant d 2.18 acro pplicant als c culvert in the cre ion and of annel in and on	Linear Feet  0  S. Army ar Transp  Managen er control of water q proposes cres of we lifornia so propos crossing lek bed, re contour, a the area the down	Cubic Yards 0 Corps of portation nent suality. to etland ses to by estoring and by bounded stream	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US. Projects) pursu. During construe Practices (BMF designed to mi To compensate preserve 1.43 a habitat onsite to Department of decommission removing the post the creek banks removing concion the upstream side by the decommission on the upstream side by the decommission of the upstream side side side side side side side side	Acres   Linear Feet	Cubic Yards 11.6  Overage under Permit of the Count will follow the American America	Acres  0  14 (Line WA.  ow Best stormwate adation of pplicant d 2.18 acro the Cal plicant als c culvert in the cre ion and on and on is mitiga	Linear Feet  0  S. Army ar Transp  Managen er control of water q proposes cres of we lifornia so propos crossing lek bed, re contour, a the area the down	Cubic Yards 0 Corps of portation nent suality. to etland ses to by estoring and by bounded stream	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory Mitigation	Type  Stream  The Applicant I Engineers (US Projects) pursu During construction Practices (BMF designed to mit To compensate preserve 1.43 a habitat onsite to Department of decommission removing the performed concept on the upstream side by the decomperformed concept.	Acres   Linear Feet   0.01   71   71   71   71   71   71   71	Cubic Yards 11.6  Overage under Permit 14 of the Count will follow truction sterm degrates, the Anabitat and transfer to The Appago Creek fill dirt from the chow crossing. The ct constructions of the construction of the chow crossing. The ct construction is the construction of the chow crossing.	Acres  0  14 (Line CWA.  ow Best stormwate adation of pplicant d 2.18 acro the Cal colicant als	Linear Feet  0  S. Army ar Transp  Managen er control of water of proposes cres of we lifornia so propos crossing lek bed, re contour, a the area the downs ation will be	Cubic Yards 0 Corps of portation nent suality. to etland ses to by estoring and by bounded stream	
Project Impacts to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory	Type  Stream  The Applicant I Engineers (US Projects) pursu During construction Practices (BMF designed to mit To compensate preserve 1.43 a habitat onsite to Department of decommission removing the performed concept on the upstream side by the decomperformed concept.	Acres   Linear Feet	Cubic Yards 11.6  Overage under Permit 14 of the Count will follow truction sterm degrates, the Anabitat and transfer to The Appago Creek fill dirt from the chow crossing. The ct constructions of the construction of the chow crossing. The ct construction is the construction of the chow crossing.	Acres  0  14 (Line CWA.  ow Best stormwate adation of pplicant d 2.18 acro the Cal colicant als	Linear Feet  0  S. Army ar Transp  Managen er control of water of proposes cres of we lifornia so propos crossing lek bed, re contour, a the area the downs ation will be	Cubic Yards 0 Corps of portation nent suality. to etland ses to by estoring and by bounded stream	

a 8

# **CEQA COMPLIANCE**

The Inyo County Planning Department (County) prepared an Environmental Impact Report (EIR) for the Project. The EIR was prepared pursuant to the California Environmental Quality Act (CEQA Public Resources Code 21000, et seq.) and circulated under State Clearinghouse No. 2011091055. The EIR was certified on February 19, 2013, following public review.

The Water Board, acting as a CEQA Responsible Agency in compliance with the CCR, title 14, section 15096, has considered the EIR for the Project and the mitigation measures incorporated into the Project to reduce potential water quality impacts to less than significant with mitigation. As a result of the analysis, the Water Board finds that the conditions required in this WQC Order and the mitigation measures in the EIR are adequate to reduce potential water quality impacts to less than significant.

# **SECTION 401 WATER QUALITY CERTIFICATION**

## **Authority**

CWA, section 401 (33 U.S.C., paragraph 1341), requires that any applicant for a CWA, section 404 permit, who plans to conduct any activity that may result in discharge of dredged or fill materials to WOUS, shall provide to the permitting agency a certification that the discharge will be in compliance with applicable water quality standards of the state in which the discharge will originate. No section 404 permit may be granted (or valid) until such certification is obtained. The Applicant submitted a complete application and the fees required for WQC under section 401 of the CWA for the Project. The USACOE will regulate the Project under Nationwide Permit 14 (Linear Transportation Projects) pursuant to section 404 of the CWA.

CCR, title 23, section 3831(e) grants the Executive Officer the authority to grant or deny WQC for projects in accordance with CWA section 401. The proposed Project qualifies for such WQC.

# **Standard Conditions**

Pursuant to CCR, title 23, section 3860, the following standard conditions are requirements of this certification:

- 1. This certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to CWC, section 13330 and CCR, title 23, section 3867.
- 2. This certification action is not intended and must not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license unless the pertinent certification application was filed pursuant to CCR, title 23, section 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.

- 3. The validity of any non-denial certification action must be conditioned upon total payment of the full fee required under CCR, title 23, section 3833, unless otherwise stated in writing by the certifying agency.
- 4. Neither Project construction activities nor operation of the Project may cause a violation of the *Water Quality Control Plan for the Lahontan Region* (Basin Plan), may cause a condition or threatened condition of pollution or nuisance, or cause any other violation of the CWC.
- 5. The Project must be constructed and operated in accordance with the Project described in the application for WQC that was submitted to the Water Board. Deviation from the Project description constitutes a violation of the conditions upon which the certification was granted. Any significant changes to this Project that would have a significant or material effect on the findings, conclusions, or conditions of this certification, including project operation, must be submitted to the Executive Officer for prior review and written approval.
- 6. This WQC is subject to the acquisition of all local, regional, state, and federal permits and approvals as required by law. Failure to meet any conditions contained herein or any conditions contained in any other permit or approval issued by the state of California or any subdivision thereof may result in the revocation of this WQC and civil or criminal liability.
- 7. The Water Board may add to or modify the conditions of this certification, as appropriate, to implement any new or revised water quality standards and implementation plans adopted or approved pursuant to the CWC or section 303 of the CWA, or as appropriate to coordinate the operations of this Project with other projects where coordination of operations is reasonably necessary to achieve water quality standards or to protect the beneficial uses of water. Notwithstanding any more specific conditions in this certification, the Project must be constructed and operated in a manner consistent with all water quality standards and implementation plans adopted or approved pursuant to the CWC or section 303 of the CWA.
- 8. This certification does not authorize any act which results in the taking of a threatened or endangered species or any act which is now prohibited, or becomes prohibited in the future, under the California Endangered Species Act (Fish and Game Code, section 2050 et seq.) or the federal Endangered Species Act (16 USC, section 1531 et seq.). If a "take" will result from any act authorized under this certification, the Applicant must obtain authorization for the take prior to construction or operation of the Project. The Applicant is responsible for meeting all requirements of the applicable Endangered Species Act for the Project authorized under this certification.

## **Additional Conditions**

Pursuant to CCR, title 23, section 3859, subdivision (a), the following additional conditions are required with this certification:

- 1. To compensate for Project impacts, the Applicant proposes to preserve 1.43 acres of riparian habitat and 2.18 acres of wetland habitat onsite through a fee title transfer to the California Department of Fish and Wildlife. The Applicant will also decommission the existing Cartago Creek culvert crossing by removing the pipe culverts and fill dirt from the creek bed, restoring the creek banks to match existing vegetation and contour, and by removing concrete and debris from the channel in the area bound on the upstream side by the new crossing and on the downstream side by the decommissioned crossing. This mitigation will be performed concurrent with Project construction.
- 2. All surface waters must be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other similar construction activity. If surface water diversions are anticipated, the Applicant must develop and implement a Surface Water Diversion Plan. The plan must include the proposed method and duration of diversion activities, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points. Diversion activities must not result in the degradation of beneficial uses or exceedance of water quality objectives for the receiving waters as defined and described in the Basin Plan. The Basin Plan can be accessed online at <a href="http://www.waterboards.ca.gov/lahontan/water\_issues/programs/basin\_plan/index.shtml">http://www.waterboards.ca.gov/lahontan/water\_issues/programs/basin\_plan/index.shtml</a>. A copy of the Surface Water Diversion Plan must be submitted to the Water Board prior to any water diversion activities.
- 3. To document the completion of the Project, the Applicant must submit a **Project Completion Report** to the Water Board by **December 31, 2014 (or within 60 days following completion)**. The Project Completion Report should include the following, at minimum: a summary of the construction activities, including the date(s) those activities were performed and the total length of channel disturbed during the Project; a summary of the activities related to water diversion, including dates, methods used, and results of any water quality monitoring; photo documentation of the completed Project; a summary of any activities that deviated from those described in the original application and supporting documents; and a summary of the status of the compensatory mitigation activities described in Additional Condition No. 1, above.
- 4. Work within the channel is authorized only during dry weather conditions. Should inclement weather occur, all work within the channel must stop and all equipment and materials must be removed from the channel.
- 5. No debris, cement, concrete (or wash water there from), oil, or petroleum products must be allowed to enter into or be placed where it may be washed from the Project site by rainfall or runoff into surface waters. When operations are completed, any excess material and/or soil must be removed from the Project work area and any areas adjacent to the work area where such material may be transported into surface waters.

- 6. An emergency spill kit must be at the Project site at all times during Project construction.
- 7. Construction vehicles and equipment must be monitored for leaks and proper BMPs must be implemented should leaks be detected or the vehicles/equipment must be removed from service, if necessary, to protect water quality.
- 8. The Applicant must permit Water Board staff or their authorized representative(s) upon presentation of credentials:
  - Entry onto Project premises, including all areas on which fill, excavation or mitigation is located or in which records are kept;
  - b. Access to copy any record required to be kept under the terms and conditions of this WQC;
  - c. Inspection of any treatment equipment, monitoring equipment, or monitoring method required by this WQC; and
  - d. Sampling of any discharge or surface water covered by this WQC.
- 9. The Applicant must maintain at the Project site a copy of this Order and a copy of the complete WQC application provided to the Water Board so as to be available at all times to site operating personnel and agencies.
- 10. The Applicant is responsible for informing any contractors of the specific conditions contained in this WQC Order.

#### **Enforcement**

- 1. In the event of any violation or threatened violation of the conditions of this certification, the violation or threatened violation will be subject to any remedies, penalties, processes or sanctions, as provided for under state law. For purposes of CWA, section 401(d), the applicability of any state law authorizing remedies, penalties, processes or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this WQC.
- 2. In response to a suspected violation of any condition of this certification, the State Water Board or the Water Board may require the holder of any permit or license subject to this WQC to furnish, under penalty of perjury, any technical or monitoring report that the State Water Board or Water Board deems appropriate, provided that the burden, including costs, of the reports must be in reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
- 3. In response to any violation of the conditions of this certification, the Water Board may add to or modify the conditions of this certification, as appropriate, to ensure compliance.

# Section 401 Water Quality Certification Requirements Granted

I hereby issue an Order certifying that any discharge from the referenced Project will comply with the applicable provisions of CWA, sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards), and with other applicable requirements of State law. This discharge is also regulated under State Water Board Order No. 2003-0017-DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received State WQC," which requires compliance with all conditions of this WQC. A copy of State Water Board Order No. 2003-0017-DWQ is enclosed for your reference.

- 7 -

Except insofar as may be modified by any preceding conditions, all WQC actions are contingent on (a) the discharge being limited and all proposed mitigation being completed in strict compliance with the Applicant's Project description and the terms specified in this WQC Order, and (b) compliance with all applicable requirements of the Basin Plan.

We look forward to working with you in your efforts to protect water quality. If you have questions, please contact Jan Zimmerman, Engineering Geologist, at (760) 241-7376 izimmerman@waterboards.ca.gov, or Patrice Copeland, Senior Engineering Geologist, at (760) 241-7404 pcopeland@waterboards.ca.gov. Please use the WDID referenced in the subject line of this WQC for future correspondence regarding this Project.

Chuck Curtis, P.E. **Acting Executive Officer** 

cc:

Enclosure: SWRCB Order No. 2003-0017-DWQ

Bruce Henderson, U.S. Army Corps of Engineers

(via email, Bruce.A.Henderson@usace.army.mil)

Heidi Sickler, California Department of Fish & Wildlife

(via email, heidi.sickler@wildlife.ca.gov)

Robert Leidy, Wetlands Regulatory Office (WTR-8), USEPA, Region 9

(via email, leidy.robert@epamail.epa.gov)

SWRCB, Division of Water Quality

(via email, stateboard401@waterboards.ca.gov)

R6V-2-13-0069\_CrystalGeyserCabinBarRanch\_6B151212004 U:\PATRICE'S UNIT\Jan\401 Certs & WDRs\401WQC\_CrystalGeyser.docx