



California Regional Water Quality Control Board

Los Angeles Region



Linda S. Adams
Cal/EPA Secretary

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>

Arnold Schwarzenegger
Governor

March 30, 2009

Mr. Peter Muzzunigro
Micro Matic USA, Inc.
19791 Bahama Street
Northridge, California 91324

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS
FOR MICRO MATIC USA, INC. – MICRO MATIC USA, INC, 19791 BAHAMA STREET,
NORTHRIDGE, CALIFORNIA (SCP NO. 420, FILE NO. 95-059, SITE ID NO. 2043600)**

Dear Mr. Muzzunigro:


In our letter dated August 31, 2007, we informed you that the subject discharge is regulated under Order No R4-2007-0019, Series No. 056, which also served as your Waste Discharge Requirements (WDR) for ozone and hydrogen peroxide injection for groundwater remediation.

By correspondence dated March 25, 2009, Mr. Jim Nguyen, of Brown and Caldwell, on your behalf, notified the Regional Board that any future ozone injection would be conducted under a new WDR (R4-2007-0019, Series No. 084) issued on March 5, 2009 by the Regional Board, and that WDR R4-2007-0019, Series No. 056 should be cancelled.

Coverage under WDR Order No. R4-2007-0019, Series No. 056, for the subject facility, is hereby terminated.


Please telephone Mr. Peter Raftery at (213) 576-6724 or email him at praftery@waterboards.ca.gov if you have any questions.

Sincerely,


Tracy J. Egoscue
Executive Officer

cc: Mr. Jim Nguyen, Brown and Caldwell, Irvine
Mr. Robert Paschke, 3M, Minneapolis
Mr. Jaisimha Kesari, Weston Solutions, Inc., West Chester, Pennsylvania

California Environmental Protection Agency



Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.