

California Regional Water Quality Control Board



Recipient of the 2001 Environmental Leadership Award from Keep California Beautiful



. 320 W. 4th Street, Suite 200, Los Angeles, California 90013

Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles

R.C. Davis Ranch 1380 Gridley Road Ojai, CA 93023

WATER QUALITY CERTIFICATION FOR PROPOSED STREAMBANK PROTECTION, THACHER CREEK, R.C. DAVIS RANCH PROJECT (Corps' Project No. 2008-01264-CLM), THACHER CREEK, CITY OF OJAI, VENTURA COUNTY (File No. 09-006)

Dear Mr. Davis:

Board staff has reviewed your request on behalf of Mr. Davis Jr. (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on December 8, 2009.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact LB Nye, Section 401 Program, at (213) 576-6759.

Tracy J. Egosoge
Executive Officer

Date

2/9/10

California Environmental Protection Agency

DISTRIBUTION LIST

West Coast Environmental Jared Varonin 1838 Eastman Ave, suite 200 Ojai, CA. 93023

Bill Orme (via electronic copy)
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Natasha Lohmus (via electronic copy) California Department of Fish and Game Streambed Alteration Team 4949 View Ridge Avenue San Diego, CA 92123

Crystal Huerta U.S. Army Corps of Engineers Regulatory Branch, Ventura Field Office 2151 Alessandro Drive, Suite 255 Ventura, CA 93001

Eric Raffini (via electronic copy)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

Vicki Clark, Staff Attorney Environmental Defense Center 906 Garden Street Santa Barbara, CA 93101

Jessie Altstatt Santa Barbara Channel Keeper 714 Bond Street Santa Barbara, CA 93103

Project Information File No.09-006

1. Applicant:

R.C. Davis

1380 Gridley Road

Ojai, CA 93023

Phone (805) 646-2296 Fax (805) 644-5929

2. Applicant's Agent:

West Coast Environmental

Heather Oravec

1838 Eastman Ave, suite 200

Ojai, CA 93023

Phone: (805) 644-7976 Fax: (805) 644-5929

3. Project Name:

Streambank Protection, Thacher Creek, R.C.Davis Ranch Project

4. Project Location:

Ventura County

<u>Latitude</u>	<u>Longitude</u>
decimal degrees	decimal degrees
34.27.89	119.113391
34.37629	. 119.113501
34.274.42	119.1136.07
34.27123	119.113771
34.265945	119. 113693
34.265911	119. 113834
34.27125	119.1136.93
34.27409	119.113506

5. Type of Project:

Slope stabilization

6. Project Purpose:

The project will provide increased protection to citrus trees adjacent to Thacher Creek and reduce the risk of stream bank erosion.

7. Project Description:

The project will re-shape slopes and install rock riprap and vegetation streambank protection along both sides of Thacher Creek in Ojai, California.

Grading will occur alongside and within 1150 feet of Thacher Creek between citrus groves. The grading in the upper 900 linear

Project Information File No.09-006

feet of the project will remove material but no material will be discharged as fill. The lower 250 linear feet will also be graded and approximately 130 cubic yards of compacted fill will be installed.

The project will also include the reconstruction of slopes outside the extent of waters of the United States. The new slopes will establish at least an 18 foot wide streambed (the streambed is now estimated at 14 ft). The new slopes will require approximately 5700 square yards of geotextile fabric, 4210 cubic yards of well graded rock riprap, and 6960 cubic yards of total earthwork.

The Natural Resources Conservation Service (NRCS) developed the re-vegetation plan which will include mulefat cuttings within the rock rip-rap (approximately 0.84 acres) and native planting on upland disturbed areas above the rip-rap (approximately 0.66 acres).

The approximately 3400 cubic yards of soil to be removed and will be spread in 1 foot lifts within the designated spoils area.

8. Federal Agency/Permit:

U.S. Army Corps of Engineers NWP No. 13 (Permit No. 2008-01264-CLM)

9. Other Required Regulatory Approvals:

California Department of Fish and Game Streambed Alteration Agreement

10. California
Environmental Quality
Act Compliance:

The proposed project is Categorically Exempt from CEQA pursuant to the CEQA Guidelines, Section 15302 Replacement or Reconstruction.

11. Receiving Water:

Thacher Creek tributary to Ventura River (Hydrologic Unit No. 402.32)

12. Designated Beneficial Uses:

MUN*, IND, PROC, AGR, GWR, REC-1, REC-2, WARM, COLD, WILD, MIGR, SPWN,

^{*}Conditional beneficial use

Project Information File No.09-006

13. Impacted Waters of the United States:

Non-wetland waters (streambed): 0.29 temporary acres and 0.08 permanent acres.

14. Dredge Volume:

`130 yards

15. Related Projects
Implemented/to be
Implemented by the
Applicant:

The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.

16. Avoidance/
Minimization
Activities:

The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:

- 1. Restrictions on Working during Precipitation Events.
- 2. No debris, soil, silt, sand, bark, slash, sawdust, rubbish, construction waste, concrete or washings thereof, or oil or petroleum products shall be allowed to enter into, or placed where it may be washed by rainfall or runoff into, waters of the State. When operations are completed, any excess materials or debris shall be removed from the work area. No rubbish shall be deposited within 150 feet of the high water mark of any stream or lake.
- 3. Erosion Control and Stabilization Measures will be in place.
- 4. Construction Management Techniques will be in place during construction activities.
- 5. Any equipment or vehicles driven and/or operated within or adjacent to the stream/lake shall be checked and maintained daily, to prevent leaks of materials that if introduced to water could be deleterious to aquatic life.
- 6. Monitoring of all Restoration/Enhancement Activities.
- 7. Staging/storage areas for equipment and materials shall be located outside of the stream/lake.
- 8. Any materials placed in seasonally dry portions of a stream or lake that could be washed downstream or could be deleterious to aquatic life shall be removed from the project site prior to inundation by high flows.
- 9. The applicant will not remove or otherwise disturb vegetation or

Project Information File No.09-006

conduct any other project activities on the project site from March 1 to September 1 to avoid impacts to breeding/nesting birds. If work during the breeding/nesting season can not be avoided, then prior to construction or site preparation activities, the applicant shall have a qualified biologist survey all breeding/nesting habitat within the project site and adjacent to the project site for breeding/nesting birds.

- 10. The Operator shall have a qualified wildlife biologist survey the area to confirm the presence/absence of species of concern likely to be found in the area during the proposed operations.
- 11. The Operator's activities within the stream course shall be limited to the dry period of the year from May 1 to October 1 and/or when the stream is not actively flowing and no measurable rain is forecasted within 72 hours. If measurable rain is predicted within 72 hours during construction, all activities shall cease and protective measures to prevent siltation/erosion shall be implemented/maintained.
- 12. A qualified biological monitor with all required collection permits shall be on site during operations and shall survey for species prior to construction. If any life stages of any native vertebrate species are found in the path of construction, the monitor shall relocate the species to a safe location. Exclusionary devices shall be erected to prevent the migration into or the return of species into the work site.
- 17. Proposed

 Compensatory

 Mitigation:

The Applicant has proposed to enhance 0.37 acres of habitat onsite.

18. Required
Compensatory
Mitigation:

The applicant will enhance, create or restore 0.37 acres of riparian habitat on site per the "Revegetation Plan, R.C. Davis Ranch, Thacher Creek, Ojai, CA" dated December 7, 2009.

See Attachment B, Conditions of Certifications, Additional Conditions for modifications and additions to the above proposed compensatory mitigation.

Conditions of Certification File No. 09-006

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

- 1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
- 2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
- 3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

- 1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Game's (CDFG) Streambed Alteration Agreement. These documents shall be submitted prior to any discharge to waters of the State.
- 2. The Applicant shall adhere to the most stringent conditions indicated with either this certification, the CDFG's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
- 3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the Water Quality Control Plan, Los Angeles Region (1994) as amended.
- 4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.

Conditions of Certification File No. 09-006

- 5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.
- 6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
- 7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
- 8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
- 9. All waste and/or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact the Land Disposal Unit, at (213) 620-6119 for further information.
- 10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
- 11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.

Conditions of Certification File No. 09-006

- 12. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
- 13. The Applicant shall not conduct any maintenance activities within waters of the State during a rainfall event, or at any period when site conditions would lead to excessive erosion. If any maintenance activities are to be held within five (5) days of a predicted rainfall event, the Applicant shall stage materials necessary to prevent water degradation on site, and shall ensure that all stabilization procedures are completed prior to the rainfall event.
- 14. If rain is predicted after operations have begun, grading activities must cease immediately and the site must be stabilized to prevent impacts to water quality, and minimize erosion and runoff from the site.
- 15. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum 5-foot buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a Report of Waste Discharge to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste. Sufficient time should be allowed to obtain any such permits (generally 180 days). If groundwater is encountered without the benefit of appropriate permits, the Applicant shall cease all activities in the areas where groundwater is present, file a Report of Waste Discharge to this Regional Board, and obtain any necessary permits prior to discharging waste.
- 16. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** (plan) to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points. Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:
 - •pH
 - temperature
 - dissolved oxygen
 - turbidity
 - total suspended solids(TSS)

Conditions of Certification File No. 09-006

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to diversion and then monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

- 17. The Applicant shall restore the proposed 0.29 acres of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species as appropriate. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.
- 18. The Applicant shall provide COMPENSATORY MITIGATION to offset the proposed temporary loss of 0.29 acres waters of the United States and permanent loss of 0.08 acres of waters of the United States by enhancing, creating or restoring riparian habitat at a minimum 1:1 area replacement ratio (0.37 acres). The mitigation site shall be located within the Ventura River Watershed unless otherwise approved by this Regional Board. The Applicant shall follow the "Revegetation Plan, R.C. Davis Ranch, Thacher Creek, Ojai, CA" dated December 7, 2009.
- 19. The Applicant shall submit to this Regional Board Annual Mitigation Monitoring Reports (Annual Reports) by January 1st of each year for a minimum period of five (5) years following this issuance of 401 Certification and until mitigation success has been achieved and documented. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration and mitigation efforts; including percent survival by plant species and percent cover. The Annual Reports shall describe the status of other agreements (e.g., mitigation banking) or any delays in the mitigation process. At a minimum the Annual Reports shall include the following documentation and answer appropriately whether or not mitigation has been performed:
 - (a) Color photo documentation of the pre- and post-project and mitigation site conditions;

Conditions of Certification File No. 09-006

- (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;
- (c) The overall status of project including a detailed schedule of work;
- (d) Copies of all permits revised as required in Additional Condition 1;
- (e) Water quality monitoring results for each reach (as required) compiled in an easy to interpret format;
- (f) A certified Statement of "no net loss" of wetlands associated with this project;
- (g) Discussion of any monitoring activities and exotic plant control efforts; and
- (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
- 20. All applications, reports, or information submitted to the Regional Board shall be signed:
 - (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
 - (b) For a partnership, by a general partner.
 - (c) For a sole proprietorship, by the proprietor.
 - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.
- 21. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

"I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the _	day o	f at	
-------------------	-------	------	--

Conditions of Certification File No. 09-006

•	(0:
	 (Signature)
	 (Title)"
	 (11010)

- 22. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number 09-006. Submittals shall be sent to the attention of the 401 Certification Unit.
- 23. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
- 24. The project shall comply with the local regulations associated with the Regional Board's Municipal Stormwater Permit issued to Ventura County and co-permittees under NPDES No. CAS004002 and Waste Discharge Requirements Order No. 09-0057. This includes the Stormwater Quality Urban Impact Mitigation Plan (SQUIMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) General Permit for storm water discharges associated with construction activity, Order No. 99-08-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.
- 25. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
- 26. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
- 27. Enforcement:

Conditions of Certification File No. 09-006

- (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
- (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
- (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
- 28. This Certification shall expire **five** (5) years from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.