

California Regional Water Quality Control Board

Los Angeles Region

Arnold Schwarzenegge

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles

Mr. John Madden U. S. Army Corps of Engineers, Los Angeles District 915 Wilshire Boulevard Los Angeles, CA 90017

WATER QUALITY CERTIFICATION FOR PROPOSED SAN GABRIEL RIVER DROP STRUCTURE AND MAINTENANCE PROJECT, SAN GABRIEL RIVER, CITY OF AZUSA, LOS ANGELES COUNTY (File No. 10-137)

Dear Mr. Madden:

Board staff has reviewed your request on behalf of U. S. Army Corps of Engineers (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on August 16, 2010.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo, Lead, Section 401 Program, at (213) 576-6759.

Samuel Unger

Executive Officer

9-16-10

Date

DISTRIBUTION LIST

Bill Orme (via electronic copy)
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Sarah Rains (via electronic copy)
California Department of Fish and Game
Streambed Alteration Team
4949 View Ridge Avenue
San Diego, CA 92123

Phuong Trinh
U.S. Army Corps of Engineers
Regulatory Branch, Los Angeles District
P.O. Box 532711
Los Angeles, CA 90053-2325

Eric Raffini (via electronic copy)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

Jim Bartel
U.S. Fish and Wildlife Service
6010 Hidden Valley Road
Carlsbad, CA 92009

Project Information File No. 10-137

1. Applicant:

U. S. Army Corps of Engineers- Los Angeles District

915 Wilshire Blvd. Los Angeles, CA 90017

Phone: (213) 452-3887

Fax: (213) 452-4204

2. Applicant's Agent:

John Madden

U. S. Army Corps of Engineers- Los Angeles District

915 Wilshire Blvd. Los Angeles, CA 90017

Phone: (213) 452-3887

Fax: (213) 452-4204

3. Project Name:

San Gabriel River Drop Structure Repair and Maintenance Project

4. Project Location:

San Gabriel River, City of Azusa, Los Angeles County

<u>Latitude</u>		Longitude
34.147631	•	117.929198
34.149704		117.926808
34.152076		117.924230
34.154396		117.921314
34.156567		117.919003
34.158226		117.916526
34.159770	:	117.914478
34.160729		117.911941

5. Type of Project:

Drop structure repair and sediment removal

6. Project Purpose:

The purpose of this project is to repair and maintain seven (7) existing drop structures within the San Gabriel River.

7. Project Description:

The proposed project consists of repairing seven (7) drop structures along a 1.3 mile reach of the San Gabriel River. The drop structures were originally constructed by the U.S. Army Corps of Engineers (Corps) to control energy and velocity of the San Gabriel River and to assist in flood control. The structures to be repaired

Project Information File No. 10-137

are Nos.: 3; 4; 5; 7; 8; 9; and 10. The construction components involved in the repair of each of the structures includes the following:

Construction/Removal of Access Ramps

Access routes to the drop structures will be established from the existing paved road on the east side of the river bank levee. The staging area and river channel crossing access will be situated from the west river bank at one location downstream from Structure 5. The temporary ramps will be constructed utilizing on-site soil and will be completely removed upon project completion.

Removal of Drop Structure Concrete Overlay

The 12-inch concrete overlay of the drop structure will be removed by sawcutting approximately five feet up the slope (from the base of the structure). After sawcutting the structure, the debris will be properly disposed of.

Removal of Accumulated Sediment

After the removal of the 12-inch overlay, sediments which have collected above the existing grouted stone will be removed and the area will be cleaned. Sediment removal and cleaning will take place with a water jet application. A small trench will then be excavated along the toe of the buried grouted stone.

Replacement of the Overlay

The removed overlay would be replaced with new concrete that will be applied with a shotcrete method that involves pressure spraying of the concrete mix. This stage will also include the finishing and curing of the new layer to strengthen the drop structures.

Dowel Drilling and Installation

Steel dowel (rods) will be inserted through the grouted stone and the new overlay layer, in order to fuse them together. Placement of the dowels will first require drilling of holes, which will be spaced approximately every 15 feet.

Weep Hole Repair

Weep holes in the outer concrete overlay which act as an outlet for water to move through, will be repaired. Each structure is estimated to have approximately 30 holes, ranging in diameter from 6-12 inches. Weep holes will be repaired on an as-needed basis.

Project Information File No. 10-137

Each of the structures is approximately 600 feet in length (across San Gabriel River). The work area will consist of a 50-foot width within the concrete apron of the drop structure and 50-foot area behind the drop structure where temporary impacts will occur. The impacts will consist of 0.7 acres of permanent impact (within the pre-existing drop structure area) and 0.7 acres of temporary impact behind each structure. A total of 1.4 acres of total impact will occur at each of the seven (7) structures.

The complete timeframe for the construction of all seven (7) structures is anticipated to be approximately seven (7) months. Work will not take place during times when flows are present or when rain is anticipated.

8. Federal Agency/Permit:

U.S. Army Corps of Engineers Nationwide Permit No. 3

9. Other Required Regulatory Approvals:

California Department of Fish and Game Streambed Alteration Agreement

10. California
Environmental Quality
Act Compliance:

The proposed project is Categorically Exempt from CEQA pursuant to the CEQA Guidelines, Section 15302 Replacement or Reconstruction.

11. Receiving Water:

San Gabriel River (Hydrologic Unit No. (405.43)

12. Designated Beneficial Uses:

MUN*, GWR, REC-1, REC-2, WARM, WILD, RARE, SPWN, WET

*Conditional beneficial use

13. Impacted Waters of the United States:

Non-wetland waters (vegetated streambed):

0.7 permanent acres per drop structure (concerte drop structure area and apron reconstruction) for a total of 4.9 acres; and 0.7 temporary acres per drop structure (sediment cleanout area

behind drop structure) for a total of 4.9 acres.

14. Dredge Volume:

None

Project Information File No. 10-137

15. Related Projects
Implemented/to be
Implemented by the
Applicant:

The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.

16. Avoidance/
Minimization
Activities:

The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:

- The project will be required to comply with all applicable construction requirements pertaining to stormwater and urban runoff, including the implementation of BMPs to control soil erosion and site runoff.
- Two acres of coastal sage scrub habitat disturbed during construction activities will be restored with native vegetation.
- Biologist will mark/flag work activity areas, location of access routes and any necessary nesting bird avoidance areas.
- Repair and drop structure will occur outside the Bell's vireo nesting season monitored by a qualified biologist.
- Mechanical hand treatment of invasive riparian weeds such as tamarisk and giant reed (Arundo) in the project vicinity will be conducted for one season, during or after project implementation, using appropriate eradication methods and protocols.
- Erosion control BMPs will be utilized in order to avoid water quality impacts associated with the proposed project.
- 17. Proposed
 Compensatory
 Mitigation:

The Applicant has not proposed any compensatory mitigation, as this project will repair concrete structures in-kind. No new permanent impacts will occur as a result of the proposed project. For temporary impacts to vegetation within the San Gabriel River, the Applicant has proposed to provide 2.0 acres of coastal sage scrub restoration on-site.

Project Information File No. 10-137

18. Required
Compensatory
Mitigation:

The Regional Board will not require any additional compensatory mitigation for impacts associated with the repair and/or construction of the drop structures. These are pre-existing concrete structures and only in-kind replacement will take place. For all impacts within vegetated areas, the Applicant shall restore the areas with native vegetation at a 1:1 ratio. More specifically, 2.0 acres of coastal sage scrub restoration on-site will be required.

See Attachment B, Conditions of Certifications, Additional Conditions for modifications and additions to the above proposed compensatory mitigation.

Conditions of Certification File No. 10-137

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

- 1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
- 2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
- 3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

- 1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Game's (CDFG) Streambed Alteration Agreement. These documents shall be submitted prior to any discharge to waters of the State.
- 2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, the CDFG's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
- 3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan*, Los Angeles Region (1994), as amended.
- 4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.
- 5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.

Conditions of Certification File No. 10-137

- 6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
- 7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
- 8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
- 9. All waste and/or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact the Land Disposal Unit, at (213) 620-6119 for further information.
- 10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
- 11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
- 12. In addition, the Applicant and any applicable Contractors shall ensure that impacts from wet concrete do not occur within waters of the U.S.
- 13. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.

Conditions of Certification File No. 10-137

- 14. Application of pesticides must be supervised by a certified applicator and be in conformance with manufacturer's specifications for use. Compounds used must be appropriate to the target species and habitat. All pesticides directed toward aquatic species must be approved by the Regional Board. Pesticide utilization shall be in accordance with State Water Resources Control Board Water Quality Order Nos. 2004-0008-DWQ and 2004-0009-DWQ.
- 15. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a five-day (5-day) clear weather forecast before conducting any operations within waters of the State.
- 16. If rain is predicted after operations have begun, grading activities must cease immediately and the site must be stabilized to prevent impacts to water quality, and minimize erosion and runoff from the site.
- 17. The Applicant shall utilize the services of a qualified biologist with expertise in riparian assessments during any vegetation clearing activities. The biologist shall be available on site during construction activities to ensure that all protected areas are marked properly and ensure that no vegetation outside the specified areas is removed. The biologist shall have the authority to stop the work, as necessary, if instructions are not followed. The biologist shall be available upon request from this Regional Board for consultation within 24 hours of request of consultation.

No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge** (ROWD) to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste.

- 18. All project/maintenance activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
- 19. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** (plan) to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points.

Conditions of Certification File No. 10-137

Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:

- •pH
- temperature
- dissolved oxygen
- turbidity
- total suspended solids(TSS)

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to diversion and then monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

- 20. The Applicant shall restore all areas of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State at a ratio of 1:1. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. The Applicant will be responsible for the restoration of 2.0 acres of coastal sage scrub habitat on-site, as well as ensuring success of the restoration in accordance with Annual Reporting requirements. Restored areas shall be monitored and maintained with native species as necessary for five years. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.
- 21. The Applicant shall submit to this Regional Board Annual Project Monitoring Reports (Annual Reports) by January 1st of each year for a minimum period of five (5) years following this issuance of 401 Certification or until restoration success has been achieved and documented. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration efforts; including percent survival by plant species and percent cover. At a minimum the Annual Reports shall include the following documentation:

Conditions of Certification File No. 10-137

- (a) Color photo documentation of the pre- and post-project and restoration area conditions;
- (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;
- (c) The overall status of project including a detailed schedule of work;
- (d) Copies of all permits revised as required in Additional Condition 1;
- (e) Water quality monitoring results for each reach (as required) compiled in an easy to interpret format;
- (f) A certified Statement of "no net loss" of wetlands associated with this project;
- (g) Discussion of any monitoring activities and exotic plant control efforts; and
- (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
- 22. Prior to any subsequent maintenance activities within the subject drainages/basin, including clearing, maintenance by-hand, and/or the application of pesticides, the Applicant shall submit to this Regional Board a NOTIFICATION of any such activity. Notification shall include: (a) the proposed schedule; (b) a description of the drainage's/basin's existing condition/capacity; (c) the area of proposed temporary impact within waters of the State; (c) a description of any existing aquatic resources (e.g., wetland/riparian vegetation); and (d) any proposed compensatory mitigation. Notifications must be submitted a minimum of three (3) weeks prior to commencing work activities.
- 23. All applications, reports, or information submitted to the Regional Board shall be signed:
 - (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
 - (b) For a partnership, by a general partner.
 - (c) For a sole proprietorship, by the proprietor.
 - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.

Conditions of Certification File No. 10-137

24. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

"I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the	day of	at	
		4	
			(Signature)
	•		(Title)"

- 25. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number 10-137. Submittals shall be sent to the attention of the 401 Certification Unit.
- 26. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
- 27. The project shall comply with the local regulations associated with the Regional Board's Municipal Stormwater Permit issued to Los Angeles County and co-permittees under NPDES No. CAS004001 and Waste Discharge Requirements Order No. 01-182. This includes the Standard Urban Storm Water Mitigation Plan (SUSMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges Associated with Construction Activity, Order No. 2009-009-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.
- 28. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
- 29. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant

Conditions of Certification File No. 10-137

becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.

30. Enforcement:

- (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
- (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
- (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
- 31. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.