



Los Angeles Regional Water Quality Control Board

Ms. Reyna Soriano
Los Angeles County Dept. of Public Works
P.O. Box 1460
Alhambra, CA 91802-1460

VIA CERTIFIED MAIL
RETURN RECEIPT REQUESTED
No. 7012 3460 0001 6366 0557

WATER QUALITY CERTIFICATION FOR PROPOSED OXFORD RETENTION BASIN MULTI-USE ENHANCEMENT PROJECT (CORPS' PROJECT NO. 2012-00355), OXFORD BASIN, MARINA DEL REY, LOS ANGELES (File No. 12-080)

Dear Ms. Soriano:

Board staff has reviewed your request on behalf of County of Los Angeles Department of Public Works (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on October 16, 2013.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

Please read this entire document carefully. The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo Zara, P.G., Lead, Section 401 Program, at (213) 576-6759.

Samuel Unger
Samuel Unger, P.E.
Executive Officer

Dec. 20, 2013
Date

DISTRIBUTION LIST

Bill Orme (via electronic copy)
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Jeff Humble (via electronic copy)
California Department of Fish and Wildlife
Streambed Alteration Team
4949 View Ridge Avenue
San Diego, CA 92123

Daniel P. Swenson (via electronic copy)
U.S. Army Corps of Engineers
Regulatory Branch, Los Angeles District
P.O. Box 532711
Los Angeles, CA 90053-2325

Paul Amato (via electronic copy)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

Jim Bartel
U.S. Fish and Wildlife Service
6010 Hidden Valley Road
Carlsbad, CA 92011

ATTACHMENT A

**Project Information
File No. 12-080**

1. Applicant: County of Los Angeles Department of Public Works
900 S. Fremont Avenue
Alhambra, CA 91803-1331

Phone: (626) 458-3902 Fax: (626) 458-3692
2. Applicant's Agent: Reyna Soriano
Programs Development Division, 11th Floor
P.O. Box 1460
Alhambra, CA 91802-1460

Phone: (626) 458-5192 Fax: (626) 458-3192
3. Project Name: Oxford Retention Basin Multi-Use Enhancement and Restoration Project
4. Project Location: Oxford Basin, Marina Del Rey, Los Angeles County

<u>Latitude</u>	<u>Longitude</u>
33.98587	118.45494
33.98561	118.45395
33.98441	118.45636
33.98457	118.45665
33.98496	118.45705
33.98527	118.45667
33.98582	118.45579
33.98526	118.45473

5. Type of Project: Retention basin restoration project
6. Project Purpose: The purpose of the proposed project is to restore and enhance the Oxford Basin; which will improve both habitat and water quality.
7. Project Description: Oxford Retention Basin Multiuse Enhancement project will include components to improve water quality, habitat quality, and recreational opportunities. The project includes the following components:

-Excavate 2,924 cubic yards (CY) of accumulated sediment at the bottom of Oxford Basin, which will restore the original capacity. The water in the basin will be drained into Basin E using the tide

ATTACHMENT A

Project Information

File No. 12-080

gate structure on Admiralty Way. Any remaining surface water will be diverted. The sediment will be excavated and disposed of according to required protocol for Class I and Class III landfill material.

-Construct a berm between the two existing tides gates to improve water circulation in the basin. Emergent wetlands will be placed along the berm.

-Construct a 3 foot deep cutoff wall for a new 14-foot wide boat ramp near the outlet of Project No. 3872 for routine maintenance, trash removal, and water quality monitoring.

-Remove and replace existing vegetation and contaminated soils along the perimeter of the basin with clean import fill and native vegetation. The sediment will be excavated and disposed of according to required protocol for Class I and Class III landfill material.

-Replace the existing two sluice gates at Oxford Basin. The existing two sluice gates at Oxford Retention Basin need to be replaced due to mechanical failures and deterioration of various sluice gate components that affect the operation to regulate tide water from entering and exiting the basin. The work will include replacing the wall thimbles and the Rodney Hunt sluice gate assembly, along with replacing the stem and Electric Motor Operator (EMO) for each gate. In addition the mounting wall for each gate will be modified to address the installation of the gates. The culverts to the Marina will be bulkhead by a bladder type dam on the Oxford basin side to dewater the working area around the sluice gates. The proposal is to bulk head the existing 84-inch pipe and 72"-inch box with a water filled bladder which will keep the marina water from entering the work area around the tide gate. A crane will be used to remove and replace the gates.

The multi-use enhancement project includes other components which are not located in waters. They include the following: construct a parapet wall along the northwestern and southern boundaries of the basin to prevent basin water from flowing onto Washington Blvd; modify existing catch basins; install trash BMPs at the storm drain outlets; construct a maintenance access ramp from Admiralty Way; install a steel-grated landing above the two

ATTACHMENT A

Project Information

File No. 12-080

tide gate inlet structures in the basin; construct a boat ramp near the outlet of Project No. 3872 to provide access for routine maintenance, trash removal, and water quality monitoring; construct a walking trail with wildlife-friendly lighting around the perimeter of the basin; reconstruct the sidewalk along Admiralty Way; reconstruct the slope along Admiralty Way to stabilize the underlying soils; install ornamental steel fencing around the perimeter of the basin; remove existing vegetation and properly dispose of approximately 6,691 CY of contaminated soils along the perimeter of the basin and replace with clean import fill and native vegetation; install an irrigation system; construct six observation areas with park benches overlooking the basin; install interpretative signage at the observation decks and along the walking trail for public use.

8. Federal Agency/Permit: U.S. Army Corps of Engineers
Permit No. SPL-2012-00355
9. Other Required
Regulatory Approvals: California Department of Fish and Wildlife
Streambed Alteration Agreement
10. California
Environmental Quality
Act Compliance: A Mitigated Negative Declaration was prepared for the proposed
project and was approved on December 3, 2013.
11. Receiving Water: Oxford Retention Basin (Hydrologic Unit No. 405.13)
12. Designated Beneficial
Uses: NAV, REC-1, REC-2, COMM, MAR, WILD, SHELL
13. Impacted Waters of the
United States: Federal jurisdictional wetlands: 0.48 temporary acres
Lake/Reservoir: 4.73 temporary acres
Temporary total impact: 5.21 acres
14. Dredge Volume: None
15. Related Projects
Implemented/to be
Implemented by the
Applicant: The Applicant has not identified any related projects carried out in
the last 5 years or planned for implementation in the next 5 years.

ATTACHMENT A

Project Information

File No. 12-080

Applicant:

16. Avoidance/
Minimization
Activities:

The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:

- Prior to any vegetation removal during the nesting season, a biologist will survey for nesting birds. No trees with active nest shall be removed until nests are vacated. A biologist will be present during activities that involve heavy construction near heron or egret rookeries to monitor the bird behavior and determine if additional measures need to be implemented to avoid disturbance
- Sediments shall not be discharged to receiving waters. Sediments generated on the Project site shall be contained within the project site.
- No construction-related materials shall be discharged from the project site to receiving waters.
- Non-storm water runoff from equipment, vehicle washing, or any other activity shall be contained within the project site.
- Any impact to the habitat will be temporary. Salicornia Marsh (0.34 acres) and Sea Lavender Marsh (0.16 acres) on the perimeter of the basin will be replaced with Coastal Salt marsh (0.78 acres). Additional wetlands plants will be installed in the new berm. There will be no loss of wetlands.

17. Proposed
Compensatory
Mitigation:

The Applicant has not proposed any compensatory mitigation in addition to the restoration of temporarily impacted areas described in the project description restoration project.

18. Required
Compensatory
Mitigation:

The Regional Board will not require any additional compensatory mitigation.

See *Attachment B, Conditions of Certifications, Additional Conditions* for modifications and additions to the above proposed compensatory mitigation.

ATTACHMENT B

Conditions of Certification File No. 12-080

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Wildlife's (CDFW) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, the CDFW's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.
5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.

ATTACHMENT B

Conditions of Certification

File No. 12-080

6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
9. All waste or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith.
10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
12. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
13. Application of pesticides must be supervised by a certified applicator and be in conformance with manufacturer's specifications for use. Compounds used must be appropriate to the target species and habitat. All pesticides directed toward aquatic species must be approved

ATTACHMENT B

Conditions of Certification File No. 12-080

by the Regional Board. Pesticide utilization shall be in accordance with State Water Resources Control Board Water Quality Order Nos. 2011-0002-DWQ and 2004-0009-DWQ.

14. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
15. The Applicant shall utilize the services of a qualified biologist with expertise in riparian assessments during any vegetation clearing activities. The biologist shall be available on site during construction activities to ensure that all protected areas are marked properly and ensure that no vegetation outside the specified areas is removed. The biologist shall have the authority to stop the work, as necessary, if instructions are not followed. The biologist shall be available upon request from this Regional Board for consultation within 24 hours of request of consultation.
16. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge (ROWD)** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste.

Sufficient time should be allowed to obtain any such permits (generally 180 days). If groundwater is encountered without the benefit of appropriate permits, the Applicant shall cease all activities in the areas where groundwater is present, file a Report of Waste Discharge to this Regional Board, and obtain any necessary permits prior to discharging waste.

17. All project activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
18. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** (plan) to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points. Contingency measures shall be a part of this plan to address various flow discharge rates.

ATTACHMENT B

Conditions of Certification File No. 12-080

The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:

- pH
- temperature
- dissolved oxygen
- turbidity
- total suspended solids(TSS)

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to diversion and then monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

19. The Applicant shall restore the proposed **5.21 acres** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. Restored areas shall be monitored and maintained with native species as necessary for five years.
20. The Applicant shall submit to this Regional Board **Annual Monitoring Reports** (Annual Reports) by **January 1st** of each year for a minimum period of **five (5) years** following this issuance of 401 Certification or until restoration success has been achieved and documented. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration and mitigation efforts; including percent survival by plant species and percent cover. At a minimum the Annual Reports shall include the following documentation:
 - (a) Color photo documentation of the pre- and post-project and restoration site conditions;
 - (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and restoration areas;

ATTACHMENT B

**Conditions of Certification
File No. 12-080**

- (c) The overall status of project with a detailed schedule including whether or not work has begun on the Project;
 - (d) Copies of all permits revised as required in Additional Condition 1;
 - (e) Water quality monitoring results for each reach (as required) compiled in an easy to interpret format;
 - (f) A certified Statement of "no net loss" of wetlands associated with this project;
 - (g) Discussion of any monitoring activities and exotic plant control efforts; and
 - (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
21. All applications, reports, or information submitted to the Regional Board shall be signed:
- (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
 - (b) For a partnership, by a general partner.
 - (c) For a sole proprietorship, by the proprietor.
 - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.
22. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

"I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the _____ day of _____ at _____.

(Signature)
(Title)"

ATTACHMENT B

Conditions of Certification File No. 12-080

23. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number **12-080**. Submittals shall be sent to the attention of the 401 Certification Unit.
24. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
25. The project shall comply with the local regulations associated with the Regional Board's **Municipal Stormwater Permit** issued to Los Angeles County and co-permittees under NPDES No. CAS004001 and Waste Discharge Requirements Order No. R4-2012-0175. This includes the Standard Urban Storm Water Mitigation Plan (SUSMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 2009-009-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.
26. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
27. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
28. *Enforcement:*
 - (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a

ATTACHMENT B

Conditions of Certification File No. 12-080

limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.

- (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
 - (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
29. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application at least 90 days prior to termination of this Certification if renewal is requested.

11/1/77

with me in the morning, and I will be in the office at 9:00 AM.

I will be in the office at 9:00 AM. I will be in the office at 9:00 AM.

I will be in the office at 9:00 AM. I will be in the office at 9:00 AM.

I will be in the office at 9:00 AM. I will be in the office at 9:00 AM.