



EDMUND G. BROWN JR.
GOVERNOR



MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

Artak Agamalian
5225 Weller Dr.
Woodland Hills, CA 91367

VIA CERTIFIED MAIL
RETURN RECEIPT REQUESTED
No. 7012 3460 0001 6366 0595

WATER QUALITY CERTIFICATION FOR PROPOSED 29836 TRIUNFO DR. RESIDENCE PROJECT (Corps' Project No. SPL-2012-00335), UNNAMED TRIBUTARY TO TRIUNFO CREEK, AGOURA HILLS, LOS ANGELES (File No. 13-039)

Dear Mr. Agamalian:

Board staff has reviewed your request for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on December 20, 2013.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

Please read this entire document carefully. The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo Zara, P.G., Lead, Section 401 Program, at (213) 576-6759.

Samuel Unger, P.E.
Executive Officer

Date

DISTRIBUTION LIST

Arto Kazarians (via electronic copy)
Kazarians Engineering
1528 Canada Blvd. Suite 206,
Glendale, CA 91208

Bill Orme (via electronic copy)
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Sarah Rains (via electronic copy)
California Department of Fish and Wildlife
Streambed Alteration Team
3883 Ruffin Rd Suite A
San Diego, CA. 92123-4813

Brianne McGuffie (via electronic copy)
U.S. Army Corps of Engineers
Regulatory Branch, Los Angeles District
P.O. Box 532711
Los Angeles, CA 90053-2325

Paul Amato (via electronic copy)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

Jim Bartel
U.S. Fish and Wildlife Service
6010 Hidden Valley Road
Carlsbad, CA 92011

ATTACHMENT A

**Project Information
File No. 13-039**

1. Applicant: Artak Agamalian
5225 Weller Dr.
Woodland Hills, CA 91367

Phone: (818) 482-4663, (818) 483-2013

2. Applicant's Agent: Arto Kazarians
Kazarians Engineering
1528 Canada Blvd. Suite 206,
Glendale, CA 91208

Phone: (818) 240-8763

3. Project Name: 29836 Triunfo Drive Residence

4. Project Location: Agoura Hills, Los Angeles County

<u>Latitude</u>	<u>Longitude</u>
34.113959	118.774671

5. Type of Project: Single Family Residence

6. Project Purpose: The proposed project is to build a single family residence.

7. Project Description: The project includes a two-story residence in Agoura Hills, with an access driveway. There is an existing ephemeral drainage through the property site for a length of 154 linear feet. At the upstream extent of the drainage, flows are entering through an underground culvert which daylights at the property. The culvert is from a larger development adjacent to the proposed project site. At the terminus of the ephemeral drainage, there is another culvert which directs flows into an underground storm drain.

In order to construct the residence, the ephemeral drainage will be permanently impacted for a length of 154 feet. In order to provide compensatory mitigation, the Applicant has proposed to allow for the design of the residence to include a relocation of the existing drainage, in order to avoid undergrounding this remaining segment. The relocated ephemeral drainage will be approximately 10 feet to the north and will be allowed to remain as a natural vegetated swale.

ATTACHMENT A

Project Information File No. 13-039

8. Federal Agency/Permit: U.S. Army Corps of Engineers
Permit No. 2012-00335-BM
9. Other Required Regulatory Approvals: California Department of Fish and Wildlife
Streambed Alteration Agreement
10. California Environmental Quality Act Compliance: A Negative Declaration was prepared for the proposed project.
11. Receiving Water: Unnamed Tributary to Triunfo Creek (Hydrologic Unit No. 404.24)
12. Designated Beneficial Uses: MUN*, REC-1, REC-2, WARM, WILD, RARE
*Conditional beneficial use
13. Impacted Waters of the United States: Non-wetland waters (streambed): 0.19 permanent acres (154 linear feet)
14. Dredge Volume: None
15. Related Projects Implemented/to be Implemented by the Applicant: The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.
16. Avoidance/Minimization Activities: The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:
- Low impact development practices will be implemented to minimize impacts on storm drain.
 - Storm water will be collected in barrels to be reused for irrigation and will be percolated into existing soil via permeable surfaces at driveway/ front court yard and rear yard.
17. Proposed Compensatory Mitigation: In order to provide compensatory mitigation for the permanent impact of 0.19 acres of unvegetated streambed, the Applicant has proposed to recreate 0.19 acres (154 linear feet) of vegetated streambed (swale) at a 1:1 replacement ratio onsite.

ATTACHMENT A

Project Information
File No. 13-039

18. Required
Compensatory
Mitigation:

The Regional Board will require the Applicant to provide compensatory mitigation as proposed above.

See *Attachment B, Conditions of Certifications, Additional Conditions* for modifications and additions to the above proposed compensatory mitigation.

ATTACHMENT B

Conditions of Certification File No. 13-039

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Wildlife's (CDFW) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, the CDFW's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.
5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.

ATTACHMENT B

Conditions of Certification

File No. 13-039

6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
9. All waste or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith.
10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
12. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
13. Application of pesticides must be supervised by a certified applicator and be in conformance with manufacturer's specifications for use. Compounds used must be appropriate to the target species and habitat. All pesticides directed toward aquatic species must be approved

ATTACHMENT B

Conditions of Certification

File No. 13-039

by the Regional Board. Pesticide utilization shall be in accordance with State Water Resources Control Board Water Quality Order Nos. 2011-0002-DWQ and 2004-0009-DWQ.

14. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
15. The Applicant shall utilize the services of a qualified biologist with expertise in riparian assessments during any vegetation clearing activities. The biologist shall be available on site during construction activities to ensure that all protected areas are marked properly and ensure that no vegetation outside the specified areas is removed. The biologist shall have the authority to stop the work, as necessary, if instructions are not followed. The biologist shall be available upon request from this Regional Board for consultation within 24 hours of request of consultation.
16. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge (ROWD)** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste.
17. All project/ maintenance activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
18. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** (plan) to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points. Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:
 - pH
 - temperature
 - dissolved oxygen
 - turbidity
 - total suspended solids(TSS)

ATTACHMENT B

Conditions of Certification

File No. 13-039

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to diversion and then monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

19. The Applicant shall restore **all acres** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. Restored areas shall be monitored and maintained with native species as necessary for five years. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.
20. The Applicant shall provide COMPENSATORY MITIGATION to offset the proposed permanent impacts to **0.19 acres** of vegetation within waters of the United States wetlands by creating/restoring riparian habitat at a minimum **1:1** area replacement ratio (**0.19 acres**). The mitigation site shall be located within the proposed project site. The Applicant shall submit a **Proposed Mitigation Report** which shall include:
 - (a) The boundary of the mitigation site shall be clearly identified on a map of suitable resolution and quality and shall also be defined by latitude and longitude.
 - (b) The type(s) of mitigation shall be described (e.g., removal of exotics and/or replanting with native species, etc.)
 - (c) Success criteria shall be established.

This information shall be submitted to this Regional Board for approval prior to any project activities which take place within waters of the United States and shall include copies of all agreements made between the Applicant and a third party organization regarding compensatory mitigation efforts.

21. The Applicant shall submit to this Regional Board **Annual Mitigation Monitoring Reports** (Annual Reports) by **January 1st** of each year for a minimum period of **five (5) years**

ATTACHMENT B

Conditions of Certification

File No. 13-039

a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.

29. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
30. *Enforcement:*
 - (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
 - (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
 - (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
31. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application at least 90 days prior to termination of this Certification if renewal is requested.