



North Coast Regional Water Quality Control Board

Notice of Proposed No Further Action

For

Santa Rosa DPW Garage No. 9
97 D Street
Santa Rosa, California

Case Number 1TSR092

Sonoma County

Notice Posting Date: October 22, 2024

End of Comment Period: December 23, 2024

A soil and groundwater investigation was conducted at the above-referenced site and a release of petroleum hydrocarbons was documented. Although some contamination remains, this site meets the conditions for closure under the State Water Resources Control Board's "Low-Threat Underground Storage Tank Case Closure Policy." Regional Water Board staff proposes that no further work be required. The purpose of this notice is to inform interested parties, including owners of nearby land, that the case is being considered for closure, and to invite public comment on this proposed decision.

Problem Description

A previous underground storage tank fuel system, taken out of service in 1988, released gasoline to soil and groundwater at this site. Soil and groundwater at and around the site have been investigated. Dual phase extraction removed significant source area contamination in 2015 and 2018. Groundwater monitoring at the site has shown contamination in groundwater in the immediate vicinity of the site, but the contamination is no longer spreading. No water supply wells were impacted by this contamination.

Proposed Action

Case closure is proposed. This site meets the conditions for closure under the State Water Resources Control Board's "[Low-Threat Underground Storage Tank Case Closure Policy](https://www.waterboards.ca.gov/water_issues/programs/ust/lt_cls_plcy.html)" (available on the internet at https://www.waterboards.ca.gov/water_issues/programs/ust/lt_cls_plcy.html).

Unless significant comments are received or new information is presented regarding this site, Regional Water Board staff plans to proceed with the closure process upon conclusion of the comment period. Please contact Craig Hunt at (707) 576-2469 or craig.hunt@waterboards.ca.gov with any questions or comments. Written comments may also be submitted to:

North Coast Regional Water Quality Control Board
Attention: Craig Hunt
5550 Skylane Blvd, Suite A
Santa Rosa, CA 95403

Regional Water Board site records comprise both a paper file and an electronic file. Beginning in 2005, select file material was uploaded to the State Water Resources Control Board's GeoTracker website and not necessarily included in the paper file. All new file material after 2014 is retained only electronically. [The GeoTracker records](#) are available at

http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0609700605.

The paper file ("Santa Rosa DPW Garage #9", Case No. 1TSR092) may be reviewed at the North Coast Regional Water Quality Control Board office from 8:30 a.m. to 5:00 p.m. Monday through Friday. Appointments are recommended and can be arranged by calling (707) 576-2220.