


commentletters - UST Case Closure, Petition of Cold Springs Store, 1628 Cold Springs Road,Placerville

From: <fred.sanford@edcgov.us>
To: <commentletters@waterboards.ca.gov>
Date: 5/19/2010 2:24 PM
Subject: UST Case Closure, Petition of Cold Springs Store, 1628 Cold Springs Road,Placerville
CC: <sconsole@eid.org>, <mjohnson@eid.org>, 'Mikkola' <kmikkola@eid.org>

The domestic well at 6722 Browns Road (APN # 323-020-14-100) which is impacted with MTBE should be destroyed/properly abandoned prior to case closure. Once close we see no reason to keep the well active. Our understanding there will be no further monitoring of the ground water by your agencies. This well will then serve as a potential conduit to further contaminate ground water and can serve as a cross connection to public water supplied to the residence.

Now is the time if the case is being closed to also properly eliminate this well.

Thanks,
Fred
Fred Sanford, REHS
Supervising Environmental Health Specialist
Environmental Management
(530) 621-7614



CONFIDENTIALITY NOTICE: This electronic communication with its contents may contain confidential and/or privileged information. It is solely for the use of the intended recipient(s). Unauthorized interception, review, use, or disclosure is prohibited and may violate applicable laws including the Electronic Communications Privacy Act. If you are not the intended recipient, or authorized to receive for the intended recipient, please contact the sender and destroy all copies of the communication. Thank you for your consideration.