

1 CITY OF LIVERMORE
JOHN POMIDOR, CITY ATTORNEY (SBN 104792)
2 AMARA MORRISON, ASSISTANT CITY ATTORNEY
(SBN 142584)
3 1052 SOUTH LIVERMORE AVENUE
LIVERMORE, CA 94550
4 (925) 960-4150
ALMORRISON@CI.LIVERMORE.CA.US
5

6
7
8 BEFORE THE
9 STATE WATER RESOURCES CONTROL BOARD
10

11
12 IN THE MATTER OF WASTE
DISCHARGE REQUIREMENTS FOR THE
13 SAN FRANCISCO BAY MUNICIPAL
REGIONAL STORMWATER PERMIT
14 (MRP), NPDES PERMIT CAS612008
15
16
17
18

CITY OF LIVERMORE'S PETITION
FOR REVIEW OF REGIONAL
WATER QUALITY CONTROL
BOARD - SAN FRANCISCO BAY
REGION ORDER NUMBER R2-
2009-0074

19 **I. INTRODUCTION**

20 The City of Livermore ("Petitioner")¹ hereby submits this Petition to the California State
21 Water Resources Control Board ("State Water Board") pursuant to section 13320(a) of the
22 California Water Code (the "Water Code"), requesting that the State Water Board review an
23 action by the California Regional Water Quality Control Board, San Francisco Bay Region
24 ("Regional Water Board"). Specifically, Petitioner seeks review of the Regional Water Board's
25 October 14, 2009 Municipal Regional Storm Water Permit Order No. R2-2009-0074, reissuing
26

27 ¹ Pursuant to the requirements of Cal. Code Regs. tit. 23 § 2050(a)(1), the Petitioner may be
28 contacted through person identified on the caption.

1 NPDES Permit No. CAS612008 (the "MRP")². Petitioner is not seeking immediate review of
2 this Petition and instead requests that it be held in abeyance pending further notice by Petitioner
3 to the State Water Board in the event that Petitioner wishes to request that the review process be
4 activated. Petitioner is one of 76 cities, towns, counties and other public entities subject to the
5 MRP. As such, it is aggrieved by the procedural and substantive legal defects in the MRP
6 described below.

7 After several iterations and nearly five years of work by its staff, permittees, and other
8 stakeholders, the Regional Water Board inexplicably and abruptly cut short Petitioner's rights to
9 meaningful public participation in the permitting process. On September 24, 2009—less than
10 three weeks before the meeting at which the full Regional Water Board adopted the MRP—the
11 Regional Water Board staff published what it then termed a "Final Tentative Order."³ In
12 addition, the Fact Sheet (98 pages) was not released until October 7, 2009, and Response to
13 Comments Received on the December 2007 Tentative Order (451 pages) and Response to
14 Comments Received on the February 2008 Tentative Order (676 pages) were not released until
15 October 5, 2009. The Final Tentative Order imposed numerous new substantive requirements
16 that had not appeared in the last version made available for public comment in February 2009.

17 The changes were significant. Indeed, one witness advocating for the new provisions at
18 the October 14, 2009 hearing described their addition to the MRP as "historic." The new
19 terms—including the far-reaching so-called "low impact development" or "LID" provisions and
20 extensive new requirements for trash capture—are heavily prescriptive, impose substantial new
21 financial burdens on Petitioner and other local governments that are subject to the MRP, and
22 could even entail temporal, longer term and/or cumulative consequences that adversely affect the
23

24 ² A copy of Order R2-2009-0074 may be accessed via the internet at
25 http://www.waterboards.ca.gov/sanfranciscobay/board_decisions/adopted_orders/2009/R2-2009-0074.pdf. As the Order and its attachments are 279 pages, a hardcopy is not being provided
26 concurrently with this Petition but will be provided to the State Water Board upon its further request
should that be deemed necessary.

27 ³ The final actually-adopted version of the MRP, containing additional changes in text, was
28 not made available until the day before the hearing.

1 environment on the whole. Yet the Regional Water Board did not adequately address these and
2 other issues and didn't even allow the public to submit additional written comments analyzing or
3 providing evidence concerning the new requirements in the Final Tentative Order. Instead,
4 Petitioner and most other participants were allotted only five minutes each at the Regional Water
5 Board's October 14, 2009 hearing to verbally explain their positions and lodge objections.

6 In addition to these and other serious defects, the Regional Water Board's adoption of the
7 MRP is legally inappropriate and invalid in a number of respects, including the following:

- 8 • The Regional Water Board's assertion that various MRP Provisions are required by
9 the "maximum extent practicable" ("MEP") standard set forth in the federal Clean
10 Water Act and its implementing regulations is not sufficiently supported by findings;
- 11 • In fact, some of the MRP requirements *exceed* the federal MEP standard, thereby
12 triggering legal obligations for the Regional Water Board to have conducted
13 additional analysis of technical feasibility and economic and environmental impacts
14 under section 13241 of the California Water Code and the California Environmental
15 Quality Act, none of which were adequately performed before adoption of the MRP;
- 16 • Some of the new requirements in the MRP—including the LID and structural trash
17 capture requirements—are so prescriptive that they effectively specify the means and
18 method of compliance in violation of Water Code section 13360; and
- 19 • The MRP illegally contains provisions extending beyond the maximum five-year
20 term of an NPDES permit, as limited by Water Code section 13378.

21 These defects render the MRP inappropriate and invalid and require action by the State Water
22 Board—preferably by means of a remand to the Regional Water Board— pursuant to its
23 authority under Water Code section 13320(c).

24 As set forth in more detail below, these (and many other) objections to the MRP have
25 been raised before the Regional Water Board before it acted, as will be reflected in the record to
26 be assembled.⁴

27 ⁴ Petitioner reserves the right to supplement and expand upon this Petition if it is taken out of
28 abeyance and once the record had been assembled.

1 **I. FACTUAL AND PROCEDURAL BACKGROUND.**

2 **A. Federal and State Statutory Scheme.**

3 The discharge of pollutants in storm water is governed by Clean Water Act Section
4 402(p), which governs permits issued pursuant to the National Pollutant Discharge Elimination
5 System (“NPDES”). 33 U.S.C. § 1342(p). With respect to a municipality’s discharge of storm
6 water from a municipal separate storm sewer system (“MS4”), Section 402(p)(3)(B) provides:

7 Permits for discharges from municipal storm sewers –

- 8 (i) may be issued on a system or jurisdiction-wide basis;
- 9 (ii) shall include a requirement to effectively prohibit non-storm water
10 discharges into the storm sewers; and
- 11 (iii) shall require controls to reduce the discharge of pollutants to the
12 maximum extent practicable, including management practices, control
13 techniques and system, design and engineering methods, and such other
14 provisions as the Administrator or the State determines appropriate for the
15 control of such pollutants.

16 33 U.S.C. § 1342(p)(3)(B).

17 California is among the states that are authorized to implement the NPDES permit
18 program. 33 U.S.C. § 1342(b). California’s implementing provisions are found in the Porter-
19 Cologne Water Quality Control Act. *See* Water Code §§ 13160 and 13370 *et seq.* Respondent
20 State Water Board is designated as the state water pollution control agency for all purposes
21 stated in the Clean Water Act. Water Code § 13160.⁵ State and Regional Water Boards are
22 authorized to issue NPDES permits. Water Code § 13377. NPDES permits are issued for terms
23 not to exceed five years. *Id.* § 13378 (“Such requirements or permits shall be adopted for a fixed
24 term not to exceed five years.”).

25 Thus, when a Regional Water Board issues a NPDES permit, it is implementing both
26 federal and state law. Permits issued by a Regional Water Board must impose conditions that are
27 at least as stringent as those required under the federal act. 33 U.S.C. § 1371; Water Code §

28 ⁵ Water Code Sections 13160 and 13370 *et seq.* reference the Federal Water Pollution Control
Act. After the Federal Water Pollution Control Act was amended, it commonly became known as the
Clean Water Act.

1 13377. But, relying on its state law authority or discretion, a Regional Water Board may also
2 impose permit limits or conditions in excess of those required under the federal statute as
3 “necessary to implement water quality control plans, or for the protection of beneficial uses, or to
4 prevent nuisance.” Water Code § 13377.

5 The Water Code requires the Regional Water Board, when issuing NPDES permits, to
6 implement “any relevant water quality control plans that have been adopted, and shall take into
7 consideration the beneficial uses to be protected, the water quality objectives reasonably required
8 for that purpose, other waste discharges, the need to prevent nuisance, and the provisions of
9 Section 13241.” Water Code § 13263(a). Section 13241 requires the consideration of a number
10 of factors, including technical feasibility and economic considerations. *Id.* § 13241.

11 Courts have read these provisions together to mean that the Regional Water Board cannot
12 rely on the requirement for consideration of economic conditions under section 13241 as
13 justification for imposing conditions that are *less stringent* than those required under the federal
14 Act. *City of Burbank v. State Water Resources Control Bd.*, 35 Cal. 4th 613, 626-27 (2005).
15 However, nothing in the federal or state statutory scheme prohibits consideration of economic
16 factors in fashioning permits that *meet* federal standards. *Id.* at 629 (J. Brown, concurring). And
17 as implied by the remand order issued by the court in the *City of Burbank*, sections 13236 and
18 13241 together *require* that economic factors must be considered when imposing conditions that
19 exceed federal requirements. *Id.* at 627 n.8 & 629 (remanding to the trial court “to decide
20 whether any numeric limitations, as described in the permits, are ‘more stringent’ than required
21 under federal law and thus should have been subject to ‘economic considerations’ by the Los
22 Angeles Regional Board before inclusion in the permits”).

23 Permit conditions that are imposed pursuant to state law reaching beyond the mandatory
24 requirements of the federal Clean Water Act would also trigger review of their environmental
25 impact under the California Environmental Quality Act, Pub. Res. Code § 21000 et seq.
26 (“CEQA”).⁶

27 ⁶ Issuance of NPDES permits as required to implement the Clean Water Act are exempt from
28 CEQA’s requirement of preparation of an environmental impact report for all projects that are
(Footnote continues on next page.)

1 **B. Procedural Requirements**

2 **1. Public participation.**

3 NPDES permits may be issued only “after opportunity for public hearing.” 33 U.S.C.
4 § 1342(a)(1). Indeed, public participation is a fundamental—and non-discretionary—
5 component of issuing a NPDES permit:

6 Public participation in the development, revision, and enforcement of any
7 regulation, standard, effluent limitation, plan, or program established by the
8 Administrator or any State under this Act *shall be provided for*, encouraged, and
9 assisted by the Administrator and the States.

10 33 U.S.C. § 1251(e) (emphasis added). Thus, among other things, federal regulations require a
11 state permitting agency to provide at least 30 days for public comment on a draft NPDES permit.
12 40 C.F.R. § 124.10(b)(1). This is particularly critical for a permit such as the MRP that has
13 taken so long in its development and applies to so many Permittees.

14 The federal regulations also require at least 30 days advance notice of a public hearing on
15 adoption of a draft NPDES permit. *Id.* § 124.10(b)(2). Adjudicative hearings held by the
16 Regional Water Board in consideration of an NPDES permit are governed by the Regional Water
17 Board’s own regulations, 23 Cal. Code Reg. § 648 et. seq., Chapter 4.5 of the Administrative
18 Procedure Act (commencing with § 11400 of the Government Code), sections 801-805 of the
19 Evidence Code, and section 11513 of the Government Code. *See* Cal. Code Regs., tit. 23, §
20 648(b). Government Code § 11513 provides that each party shall have the right to call and
21 examine witnesses, to introduce exhibits, to cross-examine opposing witnesses on any matter
22 relevant to the issues even though the matter was not covered in direct examination, to impeach
23 any witness, and to rebut the evidence against the party. Government Code § 11513(b). The
24 Regional Water Board’s procedural regulations also establish the right of a party in an
25 adjudicative hearing before the Regional Water Board to present evidence and cross-examine
26 witnesses. Cal. Code Regs, tit. 23, § 648.5(a).

27 (Footnote continued from previous page.)

28 expected to have a significant environmental impact. Water Code § 13389. But municipal storm
water permits that contain provisions exceeding the “maximum extent practicable” standard set by
the federal Clean Water Act fall outside the exemption established by section 13389.

1 The issuing agency is required to respond to comments received during the comment
2 period by: (1) specifying which, if any, provisions of the draft permit have been changed in the
3 final permit, and the reasons for the change; and (2) briefly describing and responding to all
4 significant comments on the draft permit raised during the public comment period or at the any
5 hearing on the permit. 40 C.F.R. § 124.17(a).

6 **2. Legally sufficient findings.**

7 Because issuing an NPDES permit is an adjudicative action, the Regional Water Board is
8 required to make “legally sufficient findings” in support of its conclusions. *See In re Petition of*
9 *Pacific Water Conditioning Assn., Inc.*, State Water Board Order WQ 77-16, at *7 (citing *City of*
10 *R. P. Verdes v. City Council of R. Hills, etc.*, 59 Cal.App. 3d 869, 129 Cal. Rptr. 173 (1976);
11 *Merced County Board of Supervisors v. California Highway Com'n*, 57 Cal.App. 3d 952, 129
12 Cal.Rptr. 504, (1976); *Myers v. Board of Supervisors of Cty. of Santa Clara*, 58 Cal.App. 3d 413,
13 129 Cal.Rptr. 902, (1976).) Adequate findings assure that the permit is the result of careful
14 consideration of the record before the agency and facilitates review. *Topanga Assn. for a Scenic*
15 *Community v. County of Los Angeles*, 11 Cal. 3d 506, 516-517 (1974).

16 In the context of a NPDES permit, particularly one that imposes conditions beyond the
17 requirements of federal law, such findings must, at a minimum, demonstrate that such conditions
18 are necessary to protect specific beneficial uses. *Southern Cal. Edison Co. v. State Water*
19 *Resources Control Bd.*, 116 Cal. App. 3d 751, 758-59 (1981) (rejecting conditions in an NPDES
20 permit based on the State Ocean Plan that were unsupported by findings that such standards were
21 “necessary to protect *specific beneficial uses* . . . The absence of such evidence makes it
22 impossible to determine whether stricter regulations than those found in the Ocean Plans are in
23 fact “necessary.”)

1 **II. ARGUMENT**

2 **A. The Regional Water Board's Adoption of the Final MRP Was**
3 **Procedurally Defective.**

4 **1. The Regional Water Board provided insufficient notice of the**
5 **October 14, 2009 hearing on the Final Tentative Order.**

6 The MRP is the culmination of nearly five years of work by the Regional Water Board,
7 permittees, and stakeholders. The process has been iterative, and the Regional Water Board has
8 established a pattern of allowing time between iterations to facilitate public participation. The
9 first draft permit was published for notice and comment on December 14, 2007. This was
10 followed by a public workshop held by the Regional Water Board in March 2008. Nearly a year
11 later, on February 11, 2009, the Regional Water Board produced a revised draft. On May 13,
12 2009, the Regional Water Board held a public hearing to discuss revisions to the December 2007
13 draft. At each preliminary stage of the permitting process, the Regional Water Board provided
14 sufficient notice and solicited public comment on revisions from the prior draft in keeping with
15 the public participation requirements in the federal statute and regulations. 33 U.S.C. § 1251(e);
16 40 C.F.R § 124.10(b)(2).

17 However, at the final stage, the Regional Water Board abruptly departed from its prior
18 efforts to provide for meaningful public participation. On September 24, 2009, the Regional
19 Water Board published a new "Final Tentative Order" reissuing the MRP, to be proposed for
20 adoption by the full Regional Water Board at its regularly scheduled October 14, 2009 meeting.
21 Not only did this truncated notice period deprive Petitioner and other stakeholders of a full and
22 meaningful opportunity for comment and participation, it failed to provide 30-day mandatory
23 advance notice required under the federal regulations. 40 C.F.R. § 124.10(b)(2) ("Public notice
24 of a public hearing *shall be given* at least 30 days before the hearing.") (emphasis added).)

25 **2. The Regional Water Board deprived Petitioner of the**
26 **opportunity to comment on substantive new requirements in**
27 **the MRP.**

28 There is no dispute that the September 24 Final Tentative Order contained significant
substantive changes from the February 2009 draft that was the subject of the Regional Water

1 Board's May 2009 hearing, or that the changes will result in additional costs and burdens on
2 permittees. (See Appendix B to Final Tentative Order, showing changes from February 2009
3 tentative order.)⁷ The new draft also replaced some more flexible provisions of the draft
4 tentative orders that provided continuity from past permit requirements with more prescriptive
5 and inflexible requirements. For example, for new development and redevelopment projects, the
6 Final Tentative Order included the following new LID-only requirements:

- 7 • A requirement that 100 percent of storm water from regulated projects be
8 treated onsite through a handful of prescribed methods, with alternatives such
9 as bioremediation allowed only where the permittee can demonstrate that the
10 preferred methods are infeasible;
- 11 • A requirement that the municipal permittees produce a report determining
12 feasibility or infeasibility of LID measures within the next 18 months;
- 13 • A requirement that the municipal permittees propose an LID treatment
14 reduction Special Project credit system within one year for projects that have
15 demonstrated environmental benefits to allow a portion of the storm water
16 runoff onsite to be treated by non-LID, or so-called "conventional," treatment
17 measures.⁸

18 (Final Tentative Order, sections C.3.c(i)(2)(b); C.3.c(ii); C.3.e(ii).)

19 The Final Tentative Order also introduced, without more meaningful opportunity for
20 comment or analysis, prescriptive and burdensome new structural requirements for the capture
21 and containment of trash. Regional Water Board staff acknowledged that these new provisions
22 would be costly to permittees; it estimated that the associated capital cost alone will be around
23 \$28 million dollars over the permit term, and further admitted that it has identified only \$5
24 million in available funds. (Appendix D to Final Tentative Order, at p. 6.)

25 Despite the extensive and substantive nature of the changes from the February 2009
26 Tentative Order, the Regional Water Board accepted no further written public comments or
27 evidence. Instead, participation by the permittees who would be subject to these burdensome
28 new requirements was limited to five-minute oral testimony at the Regional Water Board's

29 ⁷ Provision C.3.c. regarding LID was nearly completely rewritten and Provision C.10
30 regarding Trash Load Reduction was replaced in its entirety.

31 ⁸ This could relate to Brownfield Sites, low-income housing, senior citizen housing, transit
32 oriented development projects and other infill or redevelopment projects.

1 October 14, 2009 hearing on the MRP. (Transcript of October 14, 2009 Hearing (hereinafter
2 “Tr.”). The Regional Water Board’s statement that these revisions were the “outgrowth of
3 comments” submitted by Permittees and other interested persons is not accurate, is an
4 oversimplification of the changes, and does not justify the refusal to allow written comments on
5 these revisions.

6 During the hearing, members of the Regional Water Board and the witnesses who
7 testified agreed that the new provisions were significantly different from the draft discussed at
8 the May 2009 hearing. (*See, e.g.*, Tr. at p. 31 (comments of Mr. Moore: “particularly between
9 the pilot project work you just discussed, and the low impact development requirements.
10 Because I think they both progressed very – on a pretty significant pace since May.”) A witness
11 for a group favoring the new trash provisions testified that the changes were not just significant
12 but “historic.” (Tr. at p. 78 (comments of David Lewis: “This is a big improvement from May.
13 *And we call these historic changes . . .*”).)

14 Yet despite the nature, scope, and burdens of these new and controversial provisions and
15 the failure of the Regional Water Board to allow written comments, each interested entity was
16 allowed only five minutes to speak, and was encouraged by the chair to limit remarks to less than
17 three minutes. (Tr. at p. 51) Permittees who wished to present more than one witness were
18 required to split their five-minute allotment among those witnesses. (*Id.*) The only exception
19 was granted to a witness appearing on behalf of one group that favored the new provisions. This
20 witness was allotted ten minutes. (*Id.* at p. 92.) While the Regional Water Board staff was
21 allowed to respond to all comments with no time limit, and was questioned by the members of
22 the Regional Water Board, no additional time was allotted for Permittees to question staff
23 directly or to submit additional evidence. (*See, e.g.*, Tr. at p. 82 (refusing to allow a witness to
24 provide the Regional Water Board with a copy of written comments).)

25 Witnesses who appeared on behalf of Permittees objected to the imposition of these
26 costly, burdensome and inflexible new provisions being added so late in the process and without
27 the opportunity to provide more detailed comments, and testified to the lack of available public
28 resources to fund them. (*See, e.g.*, Tr. at p. 102 (comments of Melody Tovar: “We do look at

1 the new draft, though, and note some new changes in the permit, and that the revised draft was
2 not circulated for public review and comment, and we think it should have been. For us, that
3 means that my testimony here today does not benefit from the direction and feedback from our
4 City Council, and that is something we have thoughtfully done for every draft of this permit.”);
5 *see also*, Tr. at pp. 58, 83, 85, 111-113, 121-22, 129.)

6 Under similar circumstances, the State Water Board has expressed concern that such
7 proceedings were insufficient to assure that all participants were allowed adequate opportunity to
8 be heard:

9 But we are concerned that at the . . . hearing, interested persons and permittees
10 *were not given adequate time to review late revisions or to comment on them.*
11 *Given the intense interest in this issue, the Regional Water Board should have*
12 *diverged from its strict rule limiting individual speakers to three minutes and*
conducted a more formal process. Such a process should provide adequate time
for comment, including continuances where appropriate.

13 *In re The Cities of Bellflower et al.*, State Water Board Order WQ 2000-11, at *24 (Oct. 5, 2000)
14 (emphasis added). In the *Bellflower* case, the State Water Board admonished Regional Water
15 Boards to employ the proceedings for hearings set forth in section 648 of the Regional Board’s
16 regulations. *Id.* at *24 n.25 (“For future adjudicative proceedings that are highly controversial or
17 involve complex factual or legal issues, we encourage regional water boards to follow the
18 procedures for formal hearings set forth in Cal. Code of Regs., tit. 23, section 648 et seq.”)
19 Those regulations require the Regional Water Board to allow interested parties the opportunity to
20 cross-examine witnesses and present contrary evidence. Cal. Code Regs, tit. 23, § 648.5(a). The
21 Regional Water Board here ignored the State Water Board’s admonition. As a result, Petitioner
22 has thus far been denied the right to full and fair participation in the permitting process, as
23 required under both federal and state law. 33 U.S.C. § 1351(e); *Bellflower*, WQ 2000-11. It
24 should not be overlooked that these requirements apply to 76 Permittees in the San Francisco
25 Bay Region - that in itself provides for very complex and controversial issues.
26
27
28

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

3. The Regional Water Board Failed to Adequately Respond to Comments on its Prior Draft Tentative Orders.

Federal permitting regulations require that states issuing NPDES permits seek, consider, and provide responses to public comments on draft permits. 40 C.F.R. § 124.17(a). The Regional Water Board failed to provide timely responses to comments submitted on its draft tentative orders, and ignored or, at most, gave lip service to many comments suggesting pragmatic modifications that would, among other things, help avoid wasting resources and/or mitigate the economic impacts of the MRP on fiscally stressed municipalities.⁹ The Final Order indeed includes hundreds of pages of charts containing purported responses to written comments received on earlier iterations of the MRP. (See Appendices E and F of Final Order.)¹⁰ However, a closer examination of it reveals that it is insufficient. Each comment is summarized in a few sentences, and the responses are often limited to two or three words. (*Id.*) Few, if any, meaningful changes were made in response to comments submitted. In other words, despite providing a voluminous and nice-looking chart, the responses were substantively too little and too late to be meaningful as is required by law.

To better illustrate these deficiencies, a few illustrative examples of substantive and important issues that were not adequately addressed in the Regional Water Board’s responses to comments are discussed below.

Comments submitted by the Santa Clara Valley Urban Runoff Pollution Prevention Program, for example, requested that the Regional Water Board’s requirement for an initial desktop feasibility analysis of the provisions set forth in sections C.11 and C.12 of the February 2009 draft be used as a screening mechanism to determine whether and to what extent the pilot

⁹ Despite prior specific direction from Regional Water Board members to the staff to expedite getting responses to previously submitted written comments issued following the May 2009 hearing on the February 2009 revised tentative order, the *only* responses to written comments submitted over the five-year course of the MRP’s development (totaling well over 1,000 pages) were issued less than 10 days prior to the Regional Water Board’s October 14, 2009 adoption hearing further depriving Petitioner and others of a meaningful public participation opportunity.

¹⁰ The Final Order and all associated documents are available at http://www.swrcb.ca.gov/sanfranciscobay/water_issues/programs/stormwater/mrp.shtml.

1 diversions should be required. (Appendix F, at p. 438-39.) This suggestion – which would have
2 saved public resources by providing an equivalent amount of information with less paperwork –
3 was ignored: all five pilot diversion studies are mandated in the Final Order, *regardless of the*
4 *outcome of the initial feasibility analysis.* (*Id.*) In light of the overwhelming evidence of
5 financial distress suffered by municipal permittees in this economic environment, opportunities
6 for added efficiencies are of critical importance to the permittees, taxpayers, and the Regional
7 Water Board as a public entity. The Regional Water Board’s failure to meaningfully respond to
8 this suggestion is an example of its procedural failures in considering and responding to public
9 comments.¹¹

10 In addition, with respect to new and redevelopment requirements, several Permittees
11 provided evidence that vault-based systems for on-site treatment of storm water are effective in
12 removing pollutants and that there are situations in which these types of controls represent the
13 maximum practicable level of treatment. (*See, e.g.,* Comments of Santa Clara Valley Urban
14 Runoff Pollution Prevention Program (“SCVURPPP”), at pp. 4-5; Comments of the Alameda
15 Countywide Clean Water Program, and Comments of the City of Dublin, at p. 7.) The Regional
16 Water Board staff responded by asserting – without providing an evidentiary basis or citation to
17 EPA regulations or permitting guidance (since none exists) – that LID measures, rather than the
18 vault-based systems, represent the “maximum extent practicable” because they address a broader
19 range of pollutants and provide other benefits. (Response to Comments on February 2009
20 Draft.) This response is inadequate because it assumes, rather than finds with adequate support,
21 that LID measures are “practicable.” Indeed, as discussed in more detail below, the Regional
22
23

24 ¹¹ Likewise, the Santa Clara Program submitted comments on Provision C.15 of the MRP
25 noting that it had previously developed and obtained approval of a comprehensive non-stormwater
26 discharge management program. It asked the Regional Water Board staff to explain why that
27 program was no longer adequate or could not simply be grandfathered, thereby saving significant
28 public resources while continuing to protect water quality; it also asked the staff to explain where the
existing program had failed to protect water quality. The response fails to provide any data or
analysis, merely paying lip service to these important points while attempting to put the ball back in
the municipalities’ court. *Id.* at 502-503

1 Water Board has effectively admitted that it has no factual basis for such a conclusion by
2 requiring the Permittees to study the very *feasibility* of LID measures imposed in the MRP.

3 A number of commenters also requested more time for implementation of new
4 requirements in the February 2009 draft MRP based on the impacts that the new provisions for
5 development and redevelopment projects in that version of the permit would have on existing
6 Hydromodification (“HM”) programs that are already being implemented by Permittees. In the
7 response to comments, the Regional Water Board indicated that it had accommodated this
8 request by moving all immediate deadlines back. (Appendix E to Final Tentative Order, at pp. 2-
9 3.) However, because the Final Tentative Order fails to acknowledge that the new MRP will
10 have an immediate effect on changing the requirements in some existing HM programs, no such
11 revision was made to the deadlines for their implementation. (Final Tentative Order C.3.g.ii(5);
12 C.3.a.ii.) While the response therefore facially responds to the comment in question, its
13 identification of changes made in response is inaccurate and misleading, and it is therefore
14 inadequate and legally insufficient.

15 Each of these examples raises a significant point of importance to Permittees, and, more
16 important, only exemplifies the widespread and pervasive set of deficiencies in the Regional
17 Water Board’s response to comments and compliance with mandatory public participation
18 requirements. The Regional Water Board staff’s responses to many of the comments submitted
19 were either dismissive, non-existent, based on a mischaracterization of evidence before the
20 Regional Water Board, inaccurate and misleading, or non-responsive to the issue presented.
21 None satisfies the requirement for a reasonable response. 40 C.F.R. § 124.17.

22 **B. The Final MRP Is Legally Defective.**

23 The Final MRP fails to satisfy the requirements of federal and state law governing the
24 issuance of an NPDES permit. Two of the new provisions included in the final MRP – the LID
25 and trash provisions – are highlighted below. While the defects discussed here may also affect
26
27
28

1 other permit provisions, these two were the focus of much of the testimony presented at the
2 October 14, 2009 hearing, and are used here as illustrations.¹²

3 **1. The Regional Water Board's imposition of LID measures and**
4 **new requirements for trash capture are not supported by**
5 **legally sufficient findings and cannot be supported on the**
6 **record before it.**

7 The federal Clean Water Act requires storm water discharges to be controlled to the
8 "maximum extent practicable." 33 U.S.C. § 1342(p)(3)(B)(iii). This term is not defined in the
9 federal statute or its implementing regulation, but has been interpreted by the U.S.
10 Environmental Protection Agency and courts to require imposition of best management
11 practices, or "BMPs." *Defenders of Wildlife v. Browner*, 191 F.3d 1159, 1166-67 (9th Cir.
12 1999).

13 Neither the Final Tentative Order, nor the Final Order as approved by the Regional Water
14 Board, contains any additional findings supporting its conclusion that the new LID measures
15 required under the Final MRP represent the "maximum extent practicable." Indeed, the evidence
16 before the Regional Water Board was to the contrary. As the Regional Water Board staff
17 admitted, the permittees uniformly testified that the new requirements would be difficult and
18 expensive to implement, and may well be out of reach. (*See e.g.*, Tr. at pp. 53-54, 58, 83, 121-
19 122, 125.) As one Regional Water Board member summarized succinctly: "Well, the state of
20 the economy, or the state of the cities is such that, really, going backward, they cannot have it,
21 they cannot afford it." (Tr. at p. 159.)

22 To find the basis for the Regional Water Board's implementation of these requirements,
23 one must instead "grope through the record to determine whether some combination of credible
24 evidentiary items which supported some line of factual and legal conclusions supported the
25 ultimate order or decision of the agency," in contravention to the requirement for clear and

26 ¹² Comments in the record submitted by and on behalf of Bay Area municipalities raise the
27 issues to which this section of the Petition is addressed with respect to many other requirements of
28 the MRP, including, but not limited to: Provisions C.3 (e.g., C.3.g, C.3.i), C.8 (e.g., C.8.d.iii, C.8.f),
C.9e, C.11 (e.g., C.11.e, C.11.f, C.11.h, C.11.i, C.11.j), C.12 (e.g., C.12.e, C.12.f, X.12.h, C.12.i),
C.13 (e.g., C.13.e), and C.14. Should this Petition be removed from abeyance, Petitioner reserves the
right to elaborate on these and the illustrations above.

1 explicit findings. *Topanga Assn. for a Scenic Community v. County of Los Angeles*, 11 Cal. 3d
2 506, 516-517 (1974).

3 A search for such findings would also, in this instance, prove fruitless. Instead of
4 evidence-based findings, the Regional Water Board staff simply asserts in a separate document
5 that "LID is rapidly being established as the maximum extent practicable (MEP) standard for
6 new and redevelopment stormwater treatment." (Staff Report, at p. 2.)¹³ In fact, even this
7 somewhat equivocal and unsupported statement is belied by the very conditions of the final
8 MRP, which 1) requires permittees to conduct studies of whether the LID measures required
9 under section C.3 of the MRP are feasible (Final MRP at C.3.c.i(2)(b)(iv)-(v).), and 2) requires a
10 proposal from Permittees to support LID treatment reduction credits for Special Projects. (Final
11 MRP at C.3.e.ii.(1)&(2)). The fact that the Regional Water Board deems such studies necessary
12 confirms that it is not in possession of sufficient evidence to conclude that these measures are
13 "practicable." Thus, inclusion of these studies in the MRP is a tacit admission that the Regional
14 Water Board *cannot* make legally sufficient findings to support its conclusion that LID
15 represents MEP. In corollary, to make such findings would be an admission that the required
16 studies were excessive and unnecessary. Indeed, the Regional Water Board's insertion of these
17 requirements into the MRP before it has the supporting data is based on speculation, not
18 evidence.

19 **2. The Regional Water Board has failed to perform the analysis**
20 **of countervailing economic factors required under State law.**

21 Having failed to establish that LID is necessitated by the federal MEP standard, the
22 Regional Water Board has also failed to make any findings that would support a conclusion that
23 LID measures are necessary or appropriate under state law. Indeed, the evidence on the record
24 would not support such findings.

25
26 ¹³ Even if this rationale were sufficient and supported by evidence, a statement in the Staff
27 Report or other supporting document cannot substitute for findings in the permit. *In re City and*
28 *County of San Francisco et al.*, State Board Order WQ 95-4, at pp. *28-29 (Sept. 12, 1995).

1 Imposition of LID measures based solely as a measure that is more stringent than
2 required under federal law triggers the need for additional analysis. *City of Burbank v. State*
3 *Water Resources Control Bd.*, 35 Cal. 4th 613, 626-27, 629 (2005). As a start, the Regional
4 Water Board would have to undertake a careful analysis of technical feasibility and economic
5 reasonableness of its proposed requirements. Water Code §§ 13241(d), 13263(a). It did not do
6 so. In fact, at least one member of the Regional Water Board expressed the strong belief that the
7 LID provisions as written were too inflexible to be feasible, especially in the urban infill context
8 that many of the permittees will have to address. (Tr. at pp. 36-37.)

9 Numerous witnesses also provided testimony about the economic unreasonableness of the
10 MRP's requirements given the tenuous financial conditions facing municipal permittees.
11 Addressing the permit's extensive monitoring requirements, one witness in particular testified in
12 detail about the dire short-term and long-term economic realities facing elected officials and the
13 taxpayers who must fund the studies and other mandatory provisions in the new MRP, rebutting
14 the Regional Water Board's belief that deferring the most expensive provisions to the end of the
15 permitting period would alleviate such concerns:

16 This is great, we have a five year permit, we can look forward to the
17 future, the bar has been raised; but I caution all of you, as an elected
18 official, and you all know in your own communities, the budgetary
19 considerations are not just ending at the end of this year, they are going
20 to be next year, the year after. Concord alone will have \$9.7 million more
21 we will have to cut. We just lost close to 78 employees, 20 percent of our
22 workforce. We will be cutting again more staff. So these monitoring
23 requirements [are] still of concern, a very large concern, because the
24 amount of money it is going to take to [conduct] these studies, even
25 though they are spread over a period of time, you are still talking
26 anywhere from \$6 to \$43 million in capital costs throughout the permit
27 over that five years to address some of the issues identified in those
28 studies, possibly, and you are talking about \$12, 15, 18 million of studies,
of getting data. . . . I think, in reality, I want to go on record that you may
hear from us in another year or two, saying, "You know what? There is
not enough money to do all the studies that you ask for in the time frame
that you put out in this permit."

(Tr. at 111-113.)

26 Against this same fiscal backdrop, the Regional Water Board staff itself also estimated
27 that the new trash capture requirements will carry a capital cost price tag of \$28 million, and
28

1 admitted that they had identified only \$5 million dollars in public resources available to fund
2 implementation. (Staff Report, at p. 6.)

3 While the record is replete with such acknowledgements by the Regional Water Board
4 that the new requirements (LID, trash capture, monitoring, and others) are costly and
5 burdensome, it does not contain any actual analysis by staff of costs against the environmental
6 benefit to be gained by their imposition.¹⁴ For this reason, and on this record, the requirements
7 are unsustainable under State law.

8 Moreover, the Regional Water Board has not made any specific findings supporting the
9 conclusion that these new requirements are necessary to maintain any specific beneficial use tied
10 to local receiving waters. Instead, for LID, for example, the Regional Water Board simply points
11 in a staff report to storm water permits adopted in *other regions* that have implemented
12 “extensive requirements for LID measures.” (Staff Report, at p. 6.) It also failed to consider how
13 the more extensive new and redevelopment controls and hydromodification requirements
14 implemented in the permittees’ jurisdictions as a result of their prior permit compliance may
15 already be adequate to achieve protection of beneficial uses (as their prior permits’ findings
16 determined they would). This “fire, aim, ready” approach is simply not sufficient to justify
17 permit conditions in excess of those required under federal law. *Southern Cal. Edison Co. v.*
18 *State Water Resources Control Bd.*, 116 Cal. App. 3d 751, 758-59 (1981).

19 **3. The Regional Water Board has not analyzed the broader**
20 **environmental impacts of the new requirements.**

21 More than one witness testified at the October 14, 2009 hearing that the imposition of
22 rigid new LID requirements could actually have an *adverse* environmental impact, by
23 discouraging environmentally responsible infill projects. (See, e.g., Tr. at 121-23: “We have
24 strong concerns that fully implementing this requirement on certain types of projects will be very
25 difficult. In fact, complying with the LID requirement as it is written may not be possible for
26 some projects and may deter responsible redevelopment.”) Witness testimony also supported

27 ¹⁴ Municipalities submitted many such analyses, but these were dismissed or ignored.
28

1 revisions to the Final Tentative Order suggested by Regional Water Board members to allow
2 greater flexibility in choosing from among environmentally sound treatment methods by
3 eliminating language in the permit that discourages the use of bioremediation. (*See, e.g.*, Tr. at
4 pp. 105, 120, 124, 130.) These revisions were not included.

5 Because these provisions relating to LID and trash removal exceed MEP, they are not
6 exempt from the requirements of CEQA pursuant to section 13389 of the Water Code. Thus,
7 these and other potential environmental impacts of these provisions must be analyzed before they
8 may be applied solely pursuant to the authority provided under state law.

9 **4. The new LID provisions violate the prohibition on specifying**
10 **the means of compliance.**

11 Throughout the MRP development process, a number of commenters and witnesses
12 objected to the prescriptiveness of this permit. For example, the replacement in the final MRP of
13 more flexible approaches to responsible development that have previously been endorsed by the
14 State Water Board with more rigid, proscriptive LID requirements that severely limit options
15 available to permittees in planning new development and redevelopment projects was the subject
16 of specific testimony at the October 14 adoption hearing. (*See, e.g.*, Tr. at pp. 60-61.) At least
17 one Regional Water Board member admitted at that hearing that he felt the Regional Water
18 Board was “treading in dangerous territory here, from my perspective, in specifying the method
19 and means of compliance.” (Tr. at p. 171.) The member was correct. The Water Code
20 expressly prohibits permit terms that specify the means of compliance. Water Code § 13360
21 (“No waste discharge requirement or other order of a regional board or the state board or decree
22 of a court issued under this division shall specify the design, location, type of construction, or
23 particular manner in which compliance may be had with that requirement, order, or decree, and
24 the person so ordered shall be permitted to comply with the order in any lawful manner.”)¹⁵

25 ¹⁵ The LID requirements are again illustrative. First, they require all covered development
26 projects to treat 100% of storm water on site. (Final MRP, section C.3.c.i(2)(b).) This requirement
27 clearly specifies the “location” of treatment in contravention of section 13360. In addition, by
28 eliminating the use of underground vaults or bioremediation except where none of the prescribed
treatment methods are feasible, the MRP is specifying the design and type of construction, as well as
the manner of compliance. (*Id.*)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

5. The MRP contains provisions extending beyond the permit term.

Finally, the Final MRP identifies several items extending its reach well beyond the MRP's five-year term. For example:

The Permittees shall demonstrate compliance with Discharge Prohibition A.2 and trash-related Receiving Water Limitations through the timely implementation of control measures and other actions to reduce trash loads from municipal separate storm sewer systems (MS4s) by 40% *by 2014*, 70% *by 2017*, and 100% *by 2022* as further specified below.

(Final MRP, at section C.10 (emphasis added).) The MRP is effective December 1, 2009. By law, an NPDES permit term cannot exceed five years. Water Code § 13378. For this reason, only the 2014 date referenced above is legally valid and those extending beyond it should be stricken from the final MRP. When the MRP or another successor NPDES permit is reissued, the Regional Water Board can reassess the necessity, feasibility, and cost of additional reduction goals and impose any incremental increase as supported by the evidence before it at that time.

III. SERVICE OF COPIES PETITION ON REGIONAL BOARD.

Copies of this Petition have been served on the Regional Water Board and on all other Permittees other than the Petitioner.

IV. CONCLUSION.

For all of the reasons set forth above, and others which may be raised in other petitions or by a further review of the record once it is assembled and if this Petition is taken out of abeyance, the Final MRP is both procedurally and legally defective.

Dated: November 9, 2009

By: Linda Barton
Linda Barton
City Manager
City of Livermore