



Linda S. Adams
Secretary for
Environmental Protection

California Regional Water Quality Control Board San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA



Arnold Schwarzenegger
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
<http://www.waterboards.ca.gov/sandiego>

Supporting Document 2

CERTIFIED MAIL: 7008 1140 0002 8456 9960

February 27, 2009

In reply refer to:
ORGWU: oosibodu

Ms. Vicki Armentrout, Park Ranger Supervisor
Riverside County Regional Park & Open Space District
37701 Warren Road
Winchester, CA 92596

Dear Ms. Armentrout:

**SUBJECT: TENTATIVE ADDENDUM NO. 1 TO ORDER NO. 95-018
SKINNER LAKE RECREATION AREA**

Enclosed is a copy of tentative Addendum No. 1 to Order No. 95-018, *An Addendum Modifying Dissolved Oxygen Monitoring Requirements for the Skinner Lake Recreation Area Oxidation Ponds*, which is scheduled to be considered for adoption by the California Regional Water Quality Control Board, San Diego Region (Regional Board). If adopted, the tentative Addendum will allow the Riverside County Regional Park & Open Space District (District) to measure dissolved oxygen concentrations in the oxidation ponds with a portable dissolved oxygen meter, and would require the District to notify the Regional Board if the dissolved oxygen concentration in the oxidation ponds falls below 2.0 mg/L.

The tentative Addendum will be considered for adoption by the Regional Board at their scheduled meeting on Wednesday, April 8, 2009. The meeting will begin promptly at 9:00 AM and will be held at the following location:

Ocean Institute Conference Center
24200 Dana Point Harbor Drive
Dana Point, CA

Please review and comment on the tentative Addendum at your earliest convenience. Written comments should be submitted as soon as possible to enable staff to amend the tentative Addendum, if necessary, and allow changes to the tentative Addendum to be fully reviewed by the Regional Board and interested persons. To ensure that the Regional Board has the opportunity to fully study and consider written material, comments should be received in the Regional Board's office no later than 5:00 P.M. on

California Environmental Protection Agency

March 25, 2009. The final deadline for submittal of written comments, however, is April 1, 2009. Per Regional Board direction, written material submitted to the Regional Board office after this final submittal deadline date will not be provided to the Regional Board. Also, the Regional Board is not likely to accept written material on the day of the meeting.

The heading portion of this letter includes a Regional Board code number noted after "In reply refer to". In order to assist us in the processing of your correspondence please include this code number in the heading or subject line portion of all correspondence and reports to the Regional Board pertaining to this matter.

If you have any questions regarding the above, please contact Mr. Fisayo Osibodu at (858) 637-5594 or at osibodu@waterboards.ca.gov.

Sincerely,

Robert Morris, P.E
Senior WRC Engineer
Ground Water Basins Branch

RWM: oo

Enclosures: Tentative Addendum No. 1 to Order No. 95-018