

State of California
Regional Water Quality Control Board
San Diego Region

SUPPLEMENTAL
EXECUTIVE OFFICER SUMMARY REPORT
June 13, 2012

- ITEM: 7
- SUBJECT: Waste Discharge Requirements: Tentative Order for the Jonas Salk Elementary School Project (Tentative Order No. R9-2012-0007) (*Alan Monji*)
- PURPOSE: To consider adopting Tentative Order No. R9-2012-0007, *Waste Discharge Requirements for the San Diego Unified School District, Jonas Salk Elementary School Project, San Diego County.*
- RECOMMENDATION: Adoption of Tentative Order No. R9-2012-0007 is recommended.
- DISCUSSION: The written comment period closed on May 30, 2012. No written comments were received on the Tentative Order.
- An Errata Sheet (Supporting Document No. 4) has been prepared to address typographical errors, provide further clarification, and make the Table format consistent throughout the document.
- The conditions in the Tentative Order have not changed. Additional emphasis has been added to the requirement to maintain the mitigation sites, in perpetuity. However, this requirement was already stipulated elsewhere in the Tentative Order (in Mitigation Provision C.4 and C.7).
- LEGAL CONCERNS: None.
- SUPPORTING DOCUMENTS: (Supporting Documents 1 through 3 have already been provided to the San Diego Water Board Members and are not included here.) Supporting Document 4 is new material.
1. Location Map
 2. Tentative Order No. R9-2012-0007
 3. Notice of Availability
 4. Errata Sheet to Tentative Order No. R9-2012-0007

PUBLIC NOTICE:

Notification of this action was sent to the known interested parties via e-mail on April 30, 2012. The Tentative Order was noticed and posted on the San Diego Water Board website on the May 1, 2012. The public comment period closed on May 30, 2012.