

**Item Number 4**

**Supporting Document 3**

**Tentative Order No. R9-2021-0009  
Transmittal Letter**

**March 10, 2021**



---

## San Diego Regional Water Quality Control Board

December 18, 2020

Mr. Chris Ingersoll  
Skyline Ranch Country Club LLC  
18218 Paradise Mountain Road  
Valley Center, CA 92082  
[ingersollcj@gmail.com](mailto:ingersollcj@gmail.com)

**In reply refer to/attn.:**  
**257379:CKomeylyan**

**Subject: Notice of Public Hearing and Opportunity to Comment on Tentative Order No. R9-2021-0009, An Order Rescinding Order No. R9-2005-0258, Waste Discharge Requirements for the Skyline Ranch Country Club Wastewater Treatment Plant, San Diego County**

Mr. Ingersoll:

The California Regional Water Quality Control Board, San Diego Region (San Diego Water Board), is releasing Tentative Order No. R9-2021-0009, *An Order Rescinding Order No. R9-2005-0258, Waste Discharge Requirements for the Skyline Ranch Country Club Wastewater Treatment Plant, San Diego County* (Tentative Order), for public review and comment.

The enclosed Notice of Public Hearing and Written Comment Period provides detailed information on the procedures and deadlines for submittal of written comments on the Tentative Order. The enclosed notice also provides information on the scheduled March 10, 2021, public hearing for the San Diego Water Board to consider adoption of the Tentative Order. The enclosed documents are also available on the San Diego Water Board's website:

[https://www.waterboards.ca.gov/sandiego/board\\_decisions/tentative\\_orders/](https://www.waterboards.ca.gov/sandiego/board_decisions/tentative_orders/)

---

HENRY ABARBANEL, PH.D., CHAIR | DAVID GIBSON, EXECUTIVE OFFICER

2375 Northside Drive, Suite 100, San Diego, California 92108-2700 | [www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

In the subject line of any response, please include the reference **257379:CKomeylyan**. For questions or concerns regarding this letter, please contact Ms. Sherrie Komeylyan by phone at (619) 521-3366, or by email at [Chehreh.Komeylyan@waterboards.ca.gov](mailto:Chehreh.Komeylyan@waterboards.ca.gov).

Respectfully,

/S/

Roger Mitchell, PG  
Supervising Engineering Geologist  
Site Restoration and Groundwater Protection Branch

RNM:vv:sam:bb:ck

cc (via email): Dr. Alon Lebel, [invirotrat@earthlink.net](mailto:invirotrat@earthlink.net)

- Enclosures: (1) Tentative Order No. R9-2021-0009, *An Order Rescinding Order No. R9-2005-0258, Waste Discharge Requirements for the Skyline Ranch Country Club Wastewater Treatment Plant, San Diego County*  
(2) Notice of Public Hearing and Written Comment Period

Tech Staff Info & Use

Reg. Measure ID: 358243

Place ID: 257379

Party ID: 494127

Order Nos.: WQ-2014-0053-DWQ (General Order), R9-2005-0258 (Individual WDR)

PCA Code: 12601

FI\$CAL: A32000