



California Regional Water Quality Control Board

San Diego Region



Linda S. Adams
Secretary for
Environmental Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Arnold Schwarzenegger
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

July 16, 2009

Certified Mail – Return Receipt Requested
Article Number: 7008 1140 0002 8455 9824

Patrick Ryan, Operations Manager
City of Poway
P.O. Box 789
Poway, CA 92074

In reply refer to:
653562: mporter

Dear Mr. Ryan:

Subject: Action on Request to Amend Clean Water Act Section 401 Water Quality Certification No. 07C-068 for the Concrete Flood Control Channel Maintenance and Cleaning project.

The California Regional Water Quality Control Board, San Diego Region (Regional Board) is amending the Concrete Flood Control Channel Maintenance and Cleaning project, Certification number 07C-068. This amendment has been requested by the City of Poway to include two channel sections that were overlooked when the initial application for Certification was submitted.

The City of Poway is currently authorized under the 401 Water Quality Certification to maintain and clean, in accordance with the Certification conditions, forty-five channels within the limits of the City of Poway. The applicant is requesting the addition of two sections of channels to the existing certification:

1. Bounty Way Channel, 1,728 feet long by 4 feet long
2. Poway Channel, 924 feet long by 4 feet long

Any petition for reconsideration of this Certification must be filed with the State Water Resources Control Board within 30 days of certification action (23 CCR § 3867). If no petition is received, it will be assumed that City of Poway has accepted and will comply with all conditions of the Certification. Failure to comply with all conditions of this Certification may result in enforcement actions against the City of Poway.

Changes to the Certification are shown highlighted in yellow in the attachment to this letter. This attachment is "Attachment 5" to Certification number 07C-068.

California Environmental Protection Agency


Patrick Ryan
401 Amendment, 07C-068

- 2 -

July 16, 2009

In the subject line of any response, please include the requested "In reply refer to:" information located in the heading of this letter. For questions pertaining to the subject matter, please contact Mike Porter at (858) 467-2726 or mporter@waterboards.ca.gov.

Respectfully,



John H. Robertus
Executive Officer
San Diego Regional Water Quality Control Board

Cc via email:

Jeanette Baker
U.S. Army Corps of Engineers, Regulatory Branch
Jeanette.m.baker@usace.army.mil

David Smith
Wetlands Regulatory Office
U.S. Environmental Protection Agency, Region 9
R9-WTR8-Mailbox@epa.gov

Bill Orme
State Water Resources Control Board, Division of Water Quality
Stateboard401@waterboards.ca.gov

Enclosed: Attachment 5: List of Concrete Channel Sections

Tech Staff Info & Use	
File No.	07C-068
WDID	9 000001674
Reg. Measure ID	327661
Place ID	653562
Party ID	387178
Person ID	387179

ATTACHMENT 5 LIST OF CONCRETE CHANNEL SECTIONS

Concrete Channels '09

ID	Location / Description	Thos Coord	Anul	Inspect	Wed/Dry	Length	Width	Waddle Lf	Oil Boom Lf	Stream Length Impact Lf
PomChan 1	Monte Vista west to Pomerado Rd (Pharmacy)	1170 C6	Yes	5/1/2007	Dry	918'	3'	3	4	1
PomChan 2	Pharmacy south to Via Monte Claro	1170 C6	Yes	5/1/2007	Wet	345'	7' 8"	18	4	2
PomChan 3	Via Monte Claro south to Casa Avenida	1170 C6	Yes	5/1/2007	Wet	553'	7' 8"	18	4	2
PomChan 4	Casa Avenida south to Roberto Way	1170 C6	Yes	5/1/2007	Wet	529'	7' 8"	18	4	2
PomChan 5	Roberto Way to Kaitz St.	1170 C7	Yes	5/1/2007	Wet	1332'	6' 3"	15	4	2
PomChan 6	Kaitz St. looking south.	1170 C7	Yes	5/1/2007	Wet	461'	8'	18	4	2
PomChan 7	14975 Amso looking toward Jacala St.	1170 C7	Yes	5/1/2007	Wet	714'	10'	24	4	2
PomChan 8	Jacala St. south to Twin Peaks.	1190 C1	Yes	5/1/2007	Wet	500'	9'	18	4	2
PomChan 9	RCP pipes under shopping center	1190 C1	Yes	5/1/2007	Wet	192'	0	0	4	0.5
PomChan 10	Glen Oak south to Holland St.	1190 C2	Yes	5/1/2007	Wet	1295'	10'	24	4	2
PomChan 11	Holland St. to Vaughan St.	1190 C2	Yes	5/1/2007	Wet	1410'	10'	24	4	2
PomChan 12	Vaughan St. to foot bridge.	1190 C2 and C3	Yes	5/1/2007	Wet	1552'	10'	24	4	2
PomChan 13	Foot bridge to Tassel St.	1190 C3	Yes	5/1/2007	Wet	1206'	16' 8"	45	8	2.5
PomChan 14	Tassel St. to McFeron.	1190 C4	Yes	5/1/2007	Wet	999'	13'	30	4	2
PomChan 15	McFeron to Robison	1190 C4	Yes	5/1/2007	Wet	775'	10'	24	4	2
PomChan 16	Outlet at Brookview Apts.	1190 C5	Yes	5/1/2007	Wet	45'	0	0	4	0.5
PomChan 17	Outlet at Poway Rd. to Oak Knoll Rd.	1190 C5	Yes	5/1/2007	Wet	53'	0	0	4	0.5
PomChan 18	Outlet at Oak Knoll to 50' south of Oak Knoll.	1190 B5	Yes	5/1/2007	Wet	130'	0	0	4	0.5
FloralChan 1	Bowdoin to Fairburn	1190 J4	Yes	5/1/2007	Dry	600'	5' 4"	12	4	1
FloralChan 2	Fairburn to Garden Rd.	1190 J4	Yes	5/1/2007	Dry	825'	4' 9"	9	4	1
AllbrookChan1	East of Iola Wy.	1190 A5	Yes	5/1/2007	Dry	423'	2'	2	4	1
RedCloudChan1	West to Garden Rd	1190 H4	Yes	5/1/2007	Wet	408'	2'	2	4	1
SpringChan 1	Bowdoin south to Springvale	1190 H4	Yes	5/1/2007	Wet	587'	7' 6"	18	4	1.5
PowChan 1	Whilewater at Garden Rd.	1190 J4	Yes	5/1/2007	Wet	383'	30' / 16"	42	8	2.5
PowChan 2	Acton Ave to Standish	1190 H5	Yes	5/2/2007	Wet	1182'	14'	36	4	2
PowChan 3	Standish to Neddick	1190 H5	Yes	5/2/2007	Wet	306'	14'	36	4	2
PowChan 4	Neddick to Chaire	1190 H5	Yes	5/2/2007	Wet	585'	20' 5"	60	4	2
CarlClChan 1	South to Twin Peaks Rd	1190 H1	Yes	5/2/2007	Dry	836'	2' 5"	6	4	1
MtnRdChan 1	Mountain Rd. Ch. (west to Espola Rd.)	1170 G1	Yes	5/2/2007	Dry	218'	2' 3' / 8"	18	4	2
DurhulChan 1	South	1170 G7	Yes	5/2/2007	Dry	942'	3' 2"	9	4	2
DurhulChan 2	East to Espola Rd	1190 G1	Yes	5/2/2007	Dry	695'	10' 8"	24	8	2
DurhulChan 3	South on Espola Rd. to TwinPeaks	1190 G1	Yes	5/2/2007	Dry	840'	3' 2"	9	4	1.5
BudChan 1	South to RSCK	1190 F1	Yes	5/2/2007	Wet	720'	8'	18	4	1.5

Chan	Location	Project	Year	Wet/Dry	Length	Impact	Area	Notes
MidNorChan 1	Midland Rd. North Ch.	Orange Blossom south to Twin Peaks Rd.	5/2/2007	Dry	506'	12	4	1
RSCChan 1	RSCK Channel (Norwalk south to Aubrey St.)	Norwalk south to Aubrey St.	5/2/2007	Wet	918'	24	4	1.5
RSCChan 2	RSCK Channel (Hilleary Pk. south to Waneeta)	Hilleary Pk. south to Waneeta	5/2/2007	Wet	1161'	80	8	2.5
RSCChan 3	RSCK Ch. Community Pk. To Confluence Wall.		5/2/2007	Wet	1530'	60	8	2.5
AdahChan 1	Adah Ln. Channel (Poway Rd. south to Adah.)		5/2/2007	Dry	817'	24	4	2
Cedar TreeChan 1	Cedar Tree Channel.	East of Elmfield Ln.	5/2/2007	Wet	155'	12	4	1.5
LuisenoChan 1	Luiseno Bennyee Lee Channel.	Stone Canyon north to Luiseno.	5/2/2007	Wet	260'	12	4	1.5
IndianTrChan 1	Indian Trail Ch.	North of Bennyee Lee.	5/2/2007	Wet	151'	15	4	1.5
ReoRealChan 1	Reo Real Ch.	Blanco Ct. west past Reo Real.	5/2/2007	Dry	955'	9	4	1.5
ComMetChanS 1	Community Rd. Channel. South of Metate Ln.	Community Pk. To Confluence Wall	5/2/2007	Wet	1006'	12	4	1.5
ComMetChanN 2	Community Rd. Channel North of Metate Ln.	North of Metate Ln.	5/2/2007	Wet	328'	24	4	2
FranChan 1	Francine and Selma	Need Concrete Repair	5/2/2007	Dry	408'	6	4	2
BountyChan 1	Add Bounty Way Channel	Perrele's Bounty Way and Harrow Lane	4/15/2009	Dry	1728'	12	4	1
Met North 1	Add Poway Royal	From Metate north to Poway Creek	4/15/2009	Wet	924'	12	4	1
						Total Length If	898	76.5
						Total Impact Length		76.5
						BMP Footprint (feet)	0.5	
						Total Footprint (sq ft)	449	104
						Total BMP Footprint (sq ft)		553 SF
						Total BMP Foot Print (acre)		0.013 acre
						Total Cubic Yards	10.24	
						898*208=1108 ft		
						1106x.5x.5=276.5 cu		
						ft 276.5/27=10.24		

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

*Patrick Ryan
City of Poway
P.O. Box 789
Poway, CA 92074*

2. Article Number
(Transfer from service label)

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
 Addressee

X

B. Received by (Printed Name) C. Date of Delivery

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

7008 1140 0002 8455 9824

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF THE RETURN ADDRESS, FOLD AT DOTTED LINE

CERTIFIED MAIL™



7008 1140 0002 8455 9824
 7008 1140 0002 8455 9824
 7008 1140 0002 8455 9824

**U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT**
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$ 5.71
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 5.71

Postmark Here

Sent To *Patrick Ryan, City of Poway*
 Street, Apt. No. or PO Box No. *P.O. Box 789*
 City, State, ZIP+4 *Poway, CA 92074*

PS Form 3800, August 2006

See Reverse for Instructions