



Linda S. Adams
Secretary for
Environmental Protection

California Regional Water Quality Control Board San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA



Arnold Schwarzenegger
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

January 7, 2008

CERTIFIED MAIL – RETURN RECEIPT REQUESTED
7008 0150 0003 7457 8025

Mr. Mike Calvert
Water Reclamation Manager
Rancho California Water District
42135 Winchester Road
P.O. Box 9017
Temecula, CA 92589-9017

In reply refer to:
GWB:ORCU:agrove

Dear Mr. Calvert:


**SUBJECT: NOTICE OF VIOLATION NO. R9-2009-0013
SANTA ROSA WATER RECLAMATION FACILITY, TEMECULA, CA**

You are hereby notified of the following violations of Discharge Specifications B.3 and B.4 of Order No. 94-92, as amended. The violations of effluent limitations contained in Order No. 94-92 were identified upon review of the January 2008 – December 2008 monthly monitoring reports:

BASIS FOR ALLEGED VIOLATIONS:

1. Whereas Discharge Specification B.3 states that the daily maximum effluent limitation for Nitrate as NO_3 is 12 milligrams per liter (mg/l), the effluent concentration for Nitrate as NO_3 was reported as 35.2 mg/l on October 8, 2008.
2. Whereas Discharge Specification B.3 states that the 12-month average effluent concentration for Nitrate as NO_3 shall not exceed 10 mg/l, the average value for Nitrate as NO_3 for 2008 is 35.2 mg/l.
3. Whereas Discharge Specifications B.3 and B.4 state that the daily maximum effluent limitation for Total Dissolved Solids (TDS) is 825 mg/l, the effluent concentration for TDS was reported as 830 mg/l on June 3, 850 mg/l on June 17, 880 mg/l on July 2, and 900 mg/l on September 17, 2008.
4. Whereas Discharge Specifications B.3 and B.4 state that the 12-month average for TDS shall not exceed 750 mg/l, the 12-month average for TDS was reported as 760 mg/l for 2008.

California Environmental Protection Agency



6000111

CERTIFIED MAIL™
 PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT
 OF THE RETURN ADDRESS; FOLD AT DOTTED LINE.



7008 0150 0003 7457 8025
 7008 0150 0003 7457 8025

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)
 For delivery information visit our website at www.usps.com
OFFICIAL USE

Postage	\$ 42	Postmark Here
Certified Fee	2.65	
Return Receipt Fee (Endorsement Required)	2.15	
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees	\$ 5.22	

Sent To
 Mr. Mike Calver +
 Street, Apt. No., or PO Box No. 42135 Winchester Rd
 City, State, ZIP+4 Temecula, IA 92589-9017
 PS Form 3800, August 2006 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

1. Article Addressed to:
 Mr. Mike Calver +
 42135 Winchester Rd.
 P.O. Box 9017
 Temecula, IA 92589-9017

2. Article Number
 (Transfer from service label) 7008 0150 0003 7457 8025

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
 Addressee

B. Received by (Printed Name) C. Date of Delivery

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

Domestic Return Receipt
 PS Form 3811, February 2004 102595-02-M-1540

772009