

## **APPENDIX A**

### **AIR QUALITY CALCULATIONS**

#### **Appendix A Contents:**

Urbemis Combined Summer Emissions Report for Shoreline – 5 pages

Urbemis Combined Winter Emissions Report for Shoreline – 2 pages

Urbemis Combined Annual Emissions Report for Shoreline – 2 pages

The assumptions used for the Shoreline phase of the project are the same for the summer, winter, and annual reports and are shown in the summer report. Construction- and operation-related emissions are shown in these reports.

Urbemis Combined Summer Emissions Report for Terrace – 5 pages

Urbemis Combined Winter Emissions Report for Terrace – 2 pages

Urbemis Combined Annual Emissions Report for Terrace – 2 pages

The assumptions used for the Terrace phase of the project are the same for the summer, winter and annual reports and are shown in the summer report. Construction- and operation-related emissions are shown in these reports.

Marine Vessel Calculations – 2 pages

Summary of Emissions – 1 page

Greenhouse Gas (GHG) Emissions Calculations – 1 page

Urbemis 2007 Version 9.2.4

Combined Summer Emissions Reports (Pounds/Day)

File Name: C:\Users\Lois\Documents\Lois\Miller Env't Inc\Aramburu\Analysis\Aramburu Island.urb924

Project Name: Aramburu

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2010 TOTALS (lbs/day unmitigated)	4.23	34.99	20.71	0.01	111.29	1.82	113.11	23.25	1.67	24.92	3,774.20

AREA SOURCE EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.12	0.02	1.55	0.00	0.01	0.01	2.81

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.21	0.05	0.50	0.00	0.08	0.01	42.99

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.33	0.07	2.05	0.00	0.09	0.02	45.80

Construction Unmitigated Detail Report:

6/5/2010 2:57:25 PM

CONSTRUCTION EMISSION ESTIMATES Summer Pounds Per Day, Unmitigated

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
Time Slice 9/6/2010-10/1/2010 Active Days: 20	<b>4.23</b>	<b>34.99</b>	<b>20.71</b>	<b>0.01</b>	<b>111.29</b>	<b>1.82</b>	<b>113.11</b>	<b>23.25</b>	<b>1.67</b>	<b>24.92</b>	<b>3,774.20</b>
Mass Grading 09/06/2010-10/01/2010	4.23	34.99	20.71	0.01	111.29	1.82	113.11	23.25	1.67	24.92	3,774.20
Mass Grading Dust	0.00	0.00	0.00	0.00	111.24	0.00	111.24	23.23	0.00	23.23	0.00
Mass Grading Off Road Diesel	3.66	26.89	15.86	0.00	0.00	1.52	1.52	0.00	1.40	1.40	2,436.04
Mass Grading On Road Diesel	0.49	7.97	2.54	0.01	0.04	0.29	0.33	0.01	0.27	0.28	1,134.33
Mass Grading Worker Trips	0.08	0.13	2.32	0.00	0.01	0.01	0.02	0.00	0.00	0.01	203.82
Time Slice 10/4/2010-10/29/2010 Active Days: 20	3.05	25.09	13.92	0.00	111.24	1.25	112.50	23.23	1.15	24.39	2,376.51
Fine Grading 10/04/2010-10/29/2010	3.05	25.09	13.92	0.00	111.24	1.25	112.50	23.23	1.15	24.39	2,376.51
Fine Grading Dust	0.00	0.00	0.00	0.00	111.24	0.00	111.24	23.23	0.00	23.23	0.00
Fine Grading Off Road Diesel	3.01	25.01	12.47	0.00	0.00	1.25	1.25	0.00	1.15	1.15	2,249.12
Fine Grading On Road Diesel	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Worker Trips	0.05	0.08	1.45	0.00	0.01	0.00	0.01	0.00	0.00	0.00	127.39

Phase Assumptions

Phase: Fine Grading 10/4/2010 - 10/29/2010 - Default Paving Description

Total Acres Disturbed: 16.14

Maximum Daily Acreage Disturbed: 4.04

Fugitive Dust Level of Detail: Low

Onsite Cut/Fill: 75 cubic yards/day; Offsite Cut/Fill: 140.88 cubic yards/day

On Road Truck Travel (VMT): 0

Off-Road Equipment:

1 Graders (174 hp) operating at a 0.61 load factor for 6 hours per day

6/5/2010 2:57:25 PM

- 1 Pressure Washers (1 hp) operating at a 0.6 load factor for 8 hours per day
- 1 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 6 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 7 hours per day
- 1 Water Trucks (189 hp) operating at a 0.5 load factor for 8 hours per day

Phase: Mass Grading 9/6/2010 - 10/1/2010 - Default Fine Site Grading Description

Total Acres Disturbed: 16.14

Maximum Daily Acreage Disturbed: 4.04

Fugitive Dust Level of Detail: Low

Onsite Cut/Fill: 75 cubic yards/day; Offsite Cut/Fill: 140.88 cubic yards/day

On Road Truck Travel (VMT): 281.75

Off-Road Equipment:

- 2 Dumpers/Tenders (16 hp) operating at a 0.38 load factor for 8 hours per day
- 1 Excavators (168 hp) operating at a 0.57 load factor for 8 hours per day
- 1 Graders (174 hp) operating at a 0.61 load factor for 6 hours per day
- 1 Pressure Washers (1 hp) operating at a 0.6 load factor for 8 hours per day
- 1 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 6 hours per day
- 1 Skid Steer Loaders (44 hp) operating at a 0.55 load factor for 8 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 7 hours per day

Operational Unmitigated Detail Report:

OPERATIONAL EMISSION ESTIMATES Summer Pounds Per Day, Unmitigated

Source	ROG	NOX	CO	SO2	PM10	PM25	CO2
City park	0.21	0.05	0.50	0.00	0.08	0.01	42.99
TOTALS (lbs/day, unmitigated)	0.21	0.05	0.50	0.00	0.08	0.01	42.99

Operational Settings:

Does not include correction for passby trips

Does not include double counting adjustment for internal trips

Analysis Year: 2010 Temperature (F): 85 Season: Summer

Emfac: Version : Emfac2007 V2.3 Nov 1 2006

Summary of Land Uses

Land Use Type	Acreage	Trip Rate	Unit Type	No. Units	Total Trips	Total VMT
City park		0.37	acres	16.14	5.97	44.53
					5.97	44.53

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Light Auto	53.7	1.3	98.3	0.4
Light Truck < 3750 lbs	12.9	2.3	94.6	3.1
Light Truck 3751-5750 lbs	19.8	0.5	99.5	0.0
Med Truck 5751-8500 lbs	6.6	0.0	100.0	0.0
Lite-Heavy Truck 8501-10,000 lbs	0.9	0.0	77.8	22.2
Lite-Heavy Truck 10,001-14,000 lbs	0.6	0.0	50.0	50.0
Med-Heavy Truck 14,001-33,000 lbs	1.0	0.0	20.0	80.0
Heavy-Heavy Truck 33,001-60,000 lbs	0.4	0.0	0.0	100.0
Other Bus	0.1	0.0	0.0	100.0
Urban Bus	0.1	0.0	0.0	100.0
Motorcycle	3.2	68.8	31.2	0.0

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
School Bus	0.1	0.0	0.0	100.0
Motor Home	0.6	0.0	83.3	16.7

Travel Conditions

	Residential			Commercial		
	Home-Work	Home-Shop	Home-Other	Commuter	Non-Work	Customer
Urban Trip Length (miles)	10.8	7.3	7.5	9.5	7.4	7.4
Rural Trip Length (miles)	16.8	7.1	7.9	14.7	6.6	6.6
Trip speeds (mph)	35.0	35.0	35.0	35.0	35.0	35.0
% of Trips - Residential	32.9	18.0	49.1			
% of Trips - Commercial (by land use)						
City park				5.0	2.5	92.5

Urbemis 2007 Version 9.2.4

Combined Winter Emissions Reports (Pounds/Day)

File Name: C:\Users\Lois\Documents\Lois\Miller Env't Inc\Aramburu\Analysis\Aramburu Island.urb924

Project Name: Aramburu

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2010 TOTALS (lbs/day unmitigated)	4.23	34.99	20.71	0.01	111.29	1.82	113.11	23.25	1.67	24.92	3,774.20

AREA SOURCE EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.00	0.00	0.00	0.00	0.00	0.00	0.00

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.05	0.07	0.55	0.00	0.08	0.01	37.20

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.05	0.07	0.55	0.00	0.08	0.01	37.20





Urbemis 2007 Version 9.2.4

Combined Annual Emissions Reports (Tons/Year)

File Name: C:\Users\Lois\Documents\Lois\Miller Env't Inc\Aramburu\Analysis\Aramburu Island.urb924

Project Name: Aramburu

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2010 TOTALS (tons/year unmitigated)	0.07	0.60	0.35	0.00	2.23	0.03	2.26	0.46	0.03	0.49	61.51

AREA SOURCE EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.01	0.00	0.14	0.00	0.00	0.00	0.25

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.03	0.01	0.09	0.00	0.01	0.00	7.49

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.04	0.01	0.23	0.00	0.01	0.00	7.74



Urbemis 2007 Version 9.2.4

Combined Summer Emissions Reports (Pounds/Day)

File Name: C:\Users\Lois\Documents\Lois\Miller Env't Inc\Aramburu\Analysis\Aramburu Island Opt 1.urb924

Project Name: Aramburu

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2011 TOTALS (lbs/day unmitigated)	3.53	25.95	17.65	0.00	158.04	1.46	159.50	33.01	1.34	34.35	2,715.68

AREA SOURCE EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.12	0.02	1.55	0.00	0.01	0.01	2.81

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.20	0.05	0.45	0.00	0.08	0.01	42.96

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.32	0.07	2.00	0.00	0.09	0.02	45.77

Construction Unmitigated Detail Report:

**6/5/2010 3:01:41 PM**

CONSTRUCTION EMISSION ESTIMATES Summer Pounds Per Day, Unmitigated

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
Time Slice 5/2/2011-6/3/2011 Active Days: 25	<b>3.53</b>	<b>25.95</b>	<b>17.65</b>	<b>0.00</b>	<b>158.04</b>	<b>1.46</b>	<b>159.50</b>	<b>33.01</b>	<b>1.34</b>	<b>34.35</b>	<b>2,715.68</b>
Mass Grading 05/02/2011-06/03/2011	3.53	25.95	17.65	0.00	158.04	1.46	159.50	33.01	1.34	34.35	2,715.68
Mass Grading Dust	0.00	0.00	0.00	0.00	158.03	0.00	158.03	33.00	0.00	33.00	0.00
Mass Grading Off Road Diesel	3.43	25.36	15.36	0.00	0.00	1.43	1.43	0.00	1.32	1.32	2,436.04
Mass Grading On Road Diesel	0.03	0.48	0.15	0.00	0.00	0.02	0.02	0.00	0.02	0.02	75.69
Mass Grading Worker Trips	0.07	0.12	2.14	0.00	0.01	0.01	0.02	0.00	0.00	0.01	203.95
Time Slice 6/6/2011-7/1/2011 Active Days: 20	2.87	23.53	13.31	0.00	158.04	1.18	159.21	33.01	1.08	34.09	2,376.59
Fine Grading 06/06/2011-07/01/2011	2.87	23.53	13.31	0.00	158.04	1.18	159.21	33.01	1.08	34.09	2,376.59
Fine Grading Dust	0.00	0.00	0.00	0.00	158.03	0.00	158.03	33.00	0.00	33.00	0.00
Fine Grading Off Road Diesel	2.83	23.46	11.97	0.00	0.00	1.17	1.17	0.00	1.08	1.08	2,249.12
Fine Grading On Road Diesel	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Fine Grading Worker Trips	0.04	0.07	1.34	0.00	0.01	0.00	0.01	0.00	0.00	0.00	127.47

Phase Assumptions

Phase: Fine Grading 6/6/2011 - 7/1/2011 - Default Paving Description

Total Acres Disturbed: 16.14

Maximum Daily Acreage Disturbed: 4.04

Fugitive Dust Level of Detail: Low

Onsite Cut/Fill: 967.67 cubic yards/day; Offsite Cut/Fill: 7.83 cubic yards/day

On Road Truck Travel (VMT): 0

Off-Road Equipment:

1 Graders (174 hp) operating at a 0.61 load factor for 6 hours per day

6/5/2010 3:01:41 PM

- 1 Pressure Washers (1 hp) operating at a 0.6 load factor for 8 hours per day
- 1 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 6 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 7 hours per day
- 1 Water Trucks (189 hp) operating at a 0.5 load factor for 8 hours per day

Phase: Mass Grading 5/2/2011 - 6/3/2011 - Default Fine Site Grading Description

Total Acres Disturbed: 16.14

Maximum Daily Acreage Disturbed: 4.04

Fugitive Dust Level of Detail: Low

Onsite Cut/Fill: 967.67 cubic yards/day; Offsite Cut/Fill: 7.83 cubic yards/day

On Road Truck Travel (VMT): 18.8

Off-Road Equipment:

- 2 Dumpers/Tenders (16 hp) operating at a 0.38 load factor for 8 hours per day
- 1 Excavators (168 hp) operating at a 0.57 load factor for 8 hours per day
- 1 Graders (174 hp) operating at a 0.61 load factor for 6 hours per day
- 1 Pressure Washers (1 hp) operating at a 0.6 load factor for 8 hours per day
- 1 Rubber Tired Dozers (357 hp) operating at a 0.59 load factor for 6 hours per day
- 1 Skid Steer Loaders (44 hp) operating at a 0.55 load factor for 8 hours per day
- 1 Tractors/Loaders/Backhoes (108 hp) operating at a 0.55 load factor for 7 hours per day

Operational Unmitigated Detail Report:

OPERATIONAL EMISSION ESTIMATES Summer Pounds Per Day, Unmitigated

Source	ROG	NOX	CO	SO2	PM10	PM25	CO2
City park	0.20	0.05	0.45	0.00	0.08	0.01	42.96
<b>TOTALS (lbs/day, unmitigated)</b>	<b>0.20</b>	<b>0.05</b>	<b>0.45</b>	<b>0.00</b>	<b>0.08</b>	<b>0.01</b>	<b>42.96</b>

Operational Settings:

Does not include correction for passby trips

Does not include double counting adjustment for internal trips

Analysis Year: 2011 Temperature (F): 85 Season: Summer

Emfac: Version : Emfac2007 V2.3 Nov 1 2006

Summary of Land Uses

Land Use Type	Acreage	Trip Rate	Unit Type	No. Units	Total Trips	Total VMT
City park		0.37	acres	16.14	5.97	44.53
					5.97	44.53

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
Light Auto	53.8	0.9	98.7	0.4
Light Truck < 3750 lbs	12.8	1.6	95.3	3.1
Light Truck 3751-5750 lbs	19.8	0.5	99.5	0.0
Med Truck 5751-8500 lbs	6.6	0.0	100.0	0.0
Lite-Heavy Truck 8501-10,000 lbs	0.9	0.0	77.8	22.2
Lite-Heavy Truck 10,001-14,000 lbs	0.6	0.0	50.0	50.0
Med-Heavy Truck 14,001-33,000 lbs	1.0	0.0	20.0	80.0
Heavy-Heavy Truck 33,001-60,000 lbs	0.4	0.0	0.0	100.0
Other Bus	0.1	0.0	0.0	100.0
Urban Bus	0.1	0.0	0.0	100.0
Motorcycle	3.2	62.5	37.5	0.0

Vehicle Fleet Mix

Vehicle Type	Percent Type	Non-Catalyst	Catalyst	Diesel
School Bus	0.1	0.0	0.0	100.0
Motor Home	0.6	0.0	83.3	16.7

Travel Conditions

	Residential			Commercial		
	Home-Work	Home-Shop	Home-Other	Commuter	Non-Work	Customer
Urban Trip Length (miles)	10.8	7.3	7.5	9.5	7.4	7.4
Rural Trip Length (miles)	16.8	7.1	7.9	14.7	6.6	6.6
Trip speeds (mph)	35.0	35.0	35.0	35.0	35.0	35.0
% of Trips - Residential	32.9	18.0	49.1			
% of Trips - Commercial (by land use)						
City park				5.0	2.5	92.5

Urbemis 2007 Version 9.2.4

Combined Winter Emissions Reports (Pounds/Day)

File Name: C:\Users\Lois\Documents\Lois\Miller Env't Inc\Aramburu\Analysis\Aramburu Island Opt 1.urb924

Project Name: Aramburu

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2011 TOTALS (lbs/day unmitigated)	3.53	25.95	17.65	0.00	158.04	1.46	159.50	33.01	1.34	34.35	2,715.68

AREA SOURCE EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.00	0.00	0.00	0.00	0.00	0.00	0.00

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.04	0.07	0.49	0.00	0.08	0.01	37.14

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (lbs/day, unmitigated)	0.04	0.07	0.49	0.00	0.08	0.01	37.14





Urbemis 2007 Version 9.2.4

Combined Annual Emissions Reports (Tons/Year)

File Name: C:\Users\Lois\Documents\Lois\Miller Env't Inc\Aramburu\Analysis\Aramburu Island Opt 1.urb924

Project Name: Aramburu

Project Location: Bay Area Air District

On-Road Vehicle Emissions Based on: Version : Emfac2007 V2.3 Nov 1 2006

Off-Road Vehicle Emissions Based on: OFFROAD2007

Summary Report:

CONSTRUCTION EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10 Dust</u>	<u>PM10 Exhaust</u>	<u>PM10</u>	<u>PM2.5 Dust</u>	<u>PM2.5 Exhaust</u>	<u>PM2.5</u>	<u>CO2</u>
2011 TOTALS (tons/year unmitigated)	0.07	0.56	0.35	0.00	3.56	0.03	3.59	0.74	0.03	0.77	57.71

AREA SOURCE EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.01	0.00	0.14	0.00	0.00	0.00	0.25

OPERATIONAL (VEHICLE) EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.03	0.01	0.09	0.00	0.01	0.00	7.49

SUM OF AREA SOURCE AND OPERATIONAL EMISSION ESTIMATES

	<u>ROG</u>	<u>NOx</u>	<u>CO</u>	<u>SO2</u>	<u>PM10</u>	<u>PM2.5</u>	<u>CO2</u>
TOTALS (tons/year, unmitigated)	0.04	0.01	0.23	0.00	0.01	0.00	7.74



## Marine Vessel Calculations

Project Name: Aramburu Island

In general, emissions were estimated using the activity and construction or operational information described in the project description.

Emission factors for marine vessels are expressed in terms of grams of emissions (of a particular pollutant) per kiloWatt-hour and

are based on EPA's Analysis of Commercial Marine Vessels Emissions and Fuel Consumption Data formula

KiloWatt-hours are the product of in-use horsepower converted to kiloWatts times hours of use.

Project emissions were then calculated by kiloWatt-hours and then converted from grams to pounds

### Emission Factor Formula

$E=a*(FL)^{-x}+b$ FL=fractional load	Pollutant	x	b	a	Source
	PM	1.50	0.26	0.01	U.S. EPA, 2000, pg 5-3
	NOx	1.50	10.45	0.13	
	SO2	na	ns	2.37	
	CO	1.00	0.00	0.84	
	CO2	1.00	648.60	44.10	

Non-Oceangoing Engine Load Factor	Cruising	Slow Cruising	Maneuvering	Source
	0.80	0.40	0.20	U.S. EPA, 2000, pg 5-6

For sulfur	Source
$E=a(\text{Fuel Sulfur Flow})+b$	U.S. EPA, 2000, pg 5-3
Fuel consumption=14.12/load +205.717	U.S. EPA, 2000, pg 5-3
Sulfur % of fuel	0.02 City of Richmond, 2008, pg D-8

### Emission Factors (grams/kiloWatt-hour)

Emission Factor	grams/kW-hr		
	Cruising	Slow Cruising	Maneuvering
PM	0.26	0.28	0.32
NOx	10.62	10.95	11.85
SO2	7.95	8.58	9.84
CO	1.05	2.09	4.19
CO2	703.73	758.85	869.10

### Construction Activity Assumptions

	Horsepower	Kilowatt	Conversion	Source
Transport Barge Engine Size	460	343.02	1.34	<a href="http://www.pushboats-barges.com/2078.html">http://www.pushboats-barges.com/2078.html</a>
Ferry Barge Engine Size	230	171.51	1.34	<a href="http://www.pushboats-barges.com/2078.html">http://www.pushboats-barges.com/2078.html</a>

### Round Trips per Day

To calculate maximum emissions per day, assumed construction activity plus barge activity

As shown below, analysis assumed a maximum of 6 round trips per day by ferry barge from staging area to island for equipment or material delivery

	Estimated maximum trips per day (equipment or material)				Hours per Day		
	Miles (one-way)	MPH	Barge Quantity	Round Trips per Day	Cruising	Slow Cruising	Maneuvering
Transport Barge Engine Size	1.50	6	1	0	0	0.0	0.0
Ferry Barge Engine Size (Staging area to island)	2.00	6	1	6	0	4.0	0.5
Ferry Barge Engine Size (deep water to island)	0.50	6	1	0	0	0.0	0.0

### Construction Emissions (pounds/day)

Emissions	pounds/day				Total	pounds/gram Conversion
	Cruising	Slow Cruising	Maneuvering			
PM	0.00	0.42	0.06	0.48	0.002	
NOx	0.00	16.52	2.24	18.76		
SO2	0.00	12.95	1.86	14.81		

CO	0.00	3.16	0.79	3.95
CO2	0.00	1,145.33	163.97	1,309.29

### Round Trips per Year

Assumed up to 300 trips per year by ferry barge from staging area to island for equipment or material delivery

	Transport Barge	Ferry Barge	Total
Equipment	0.00	32.00	32.00
Materials		268.00	268.00
Total			300.00
Construction Days			40.00

Total trips per year (Equipment and material transportation)				Hours per Year	Hours per Year	Hours per Year
	Miles	MPH	Quantity	Cruising	Slow Cruising	Maneuvering
Transport Barge Engine Size	1.50	6	1	0	0.0	0.0
Ferry Barge Engine Size (Staging area to island for equipment)	2.00	6	1	300	200.0	25.0
Ferry Barge Engine Size (Staging area to deep water)	1.50	6	1	0	0.0	0.0
Ferry Barge Engine Size (deep water to island for material)	0.50	6	1	0	0.0	0.0

### Construction Emissions (tons/year)

Emissions	Cruising	tons/year		Total	ton-day/pound-year Conversion
		Slow Cruising	Maneuvering		
PM	0.000000	0.000029	0.000004	0.00003	
NOx	0.000000	0.001132	0.000153	0.00128	
SO2	0.000000	0.000887	0.000127	0.00101	
CO	0.000000	0.000217	0.000054	0.00027	
CO2	0.000000	0.078447	0.011231	4.48388	730,000

### Operational Activity Assumptions

Motor Boat Engine Size	Horsepower	Kilowatt	Conversion
	20	14.91	1.34

Motor Boat Operations	Quantity	Round Trips per Day (1x/2 months)	Hours per Day		
			Cruising	Slow Cruising	Maneuvering
	1	1	1	1	1

### Operational Emissions (pounds/day)

Emissions	Cruising	pounds/day		Total	pounds/gram Conversion
		Slow Cruising	Maneuvering		
PM	0.01	0.01	0.01	0.03	0.002
NOx	0.35	0.36	0.39	1.10	
SO2	0.26	0.28	0.32	0.87	
CO	0.03	0.07	0.14	0.24	
CO2	23.09	24.90	28.52	76.50	

### Operational Emissions (tons/year)

Emissions	Cruising	tons/year		Total	ton-day/pound-year Conversion
		Slow Cruising	Maneuvering		
CO2	0.00019	0.00020	0.00023	0.00063	730,000

### Sources

City of Richmond, Honda Port of Entry Environmental Impact Report, Volume I and Volume II-Technical Appendices, 2008.  
U.S. Environmental Protection Agency, Analysis of Commercial Marine Vessels Emissions and Fuel Consumption Data, February 2000.

## Summary of Emissions

Project Name: Aramburu Island

Operational Emissions (2011)							lb/day	ton/year
Urbemis	ROG	NOX	CO	SO2	PM10	PM2.5	CO2	
summer	0.32	0.07	2	0	0.09	0.02	7.74	
winter	0.04	0.07	0.49	0	0.08	0.01		
Marine Vessels		1.10	0.24	0.87	0.03		0.00	
Total	0.32	1.17	2.24	0.87	0.12	0.02	7.74	
Threshold	54.00	54.00			82.00	54.00		
Significant Impact?	No	No			No	No		

Construction Emissions (2010)											lb/day	ton/year
Urbemis	ROG	NOX	CO	SO2	PM10 dust	PM10 exhaust	PM10	PM2.5 dust	PM2.5 exhaust	PM2.5	CO2	
summer	4.23	34.99	20.71	0.01	111.29	1.82	113.11	23.25	1.67	24.92	119.22	
winter	4.23	34.99	20.71	0.01	111.29	1.82	113.11	23.25	1.67	24.92		
Marine Vessels		18.76	3.95	14.81		0.48					4.48	
Total	4.23	53.75	24.66	14.82	111.29	2.30	113.11	23.25	1.67	24.92	123.70	
Threshold	54	54				82			54			
Significant Impact?	No	No				No			No			

Construction-related CO2 emissions assumes the total for the whole year or the sum of the construction-related CO2 emissions modeled for 2010 and 2011

## Greenhouse Gas (GHG) Emissions Calculations

**Project Name: Aramburu Island**

### Greenhouse Gas (GHG) Emissions from Area Sources and Vehicles

	Scenario 1		
	Annual Emissions		
	pounds (lbs.)	Tons	Metric Tons
URBEMIS2007 Area Emissions	0	0	0
URBEMIS2007 Vehicle Emissions	15,481	7.74	7.02
<b>Total Emissions (area sources + vehicles)</b>	<b>15,481</b>	<b>8</b>	<b>7</b>

### Indirect Greenhouse Gas (GHG) Emissions from Project use of Electricity (Power Plant Emissions)

Estimated Project Annual Electrical Use: 0 kWh (kilowatt hours)/year  
0 mWh (megawatt hours)/year

Indirect GHG gases	Emission Factor lb/mWh	Annual		CO2 Equivalent Factor	Annual
		Project Electricity mWh	GHGs metric tons		CO2 Equivalent Emissions (metric tons)
Carbon Dioxide (CO2)	521	0	0	1	0
Nitrous Oxide (N2O)	0.0037	0	0.0	296	0
Methane (CH4)	0.0067	0	0.0	23	0
<b>Total Indirect GHG Emissions from Project Electricity Use=</b>					<b>0</b>

### Total Annual Greenhouse Gas (GHG) Emission from Project Operations -- All Sources (CO2 equivalent Metric Tons)

Area Sources	0	0.0%
Vehicles	7.02	100.0%
Electrical Use	0	0.0%
<b>Total=</b>	<b>7.02</b>	<b>100.0%</b>

#### Notes and References:

Total Emissions from Indirect Electricity Use  
Formula and Emission Factor from The California Climate Action Registry Report Protocol  
Reporting Entity-wide Greenhouse Gas Emissions 2008  
Pg. 33 (CCARRP) gives Equations

Pg. 36 (CCARRP - April 2008 update) gives CO2 output emission rate (lbs/mWh)  
878.71 (lbs/mWh)

Pg. 36 (CCARRP) gives CO2 equivalency factors

Pg. 36 (CCARRP) gives Methane and Nitrous Oxide electricity emission factors (lbs/mWh)  
Methane - 0.0067 (lbs/mWh)  
Nitrous Oxide - 0.0037 (lbs/mWh)

PG&E Carbon Footprint Calculator gives CO2 output emission rate (lbs/kWh)  
PG&E 2010 estimate 0.521 lbs/kWh

lbs/metric ton = 2204.62

Percentage of 25,000 0.02809%  
Percentage of 169 Million 0.00000416%

Maximum Year	Tons from URBEMIS	Metric Tons
Construction CO2	123.7	112