### CALIFORNIA REGIONAL MATER QUALITY CONTROL BUARD SAN FRANCISCO BAY REGION

## RESOLITION NO. 70-65

# POLICY STATISHEST WITH RESPECT TO WASTE DISCHARGES FROM VESSELS TO TIMAL WATERS OF SAM FRANCISCO DAY

### MATIEFAS THIS REGIONAL HOARD HAS CONSIDERED

- It is estimated that 85 million gallons of untreated sewage are discharged annually to Son Francisco Bay by commercial, public and pleasure vessels.
- The most positive control of waster from watercraft and most effective reans of precenting pollution is to provide for the disposal of waste to choreside sewerage facilities by use of holding tanks and/or connection to dorbide severs.
- 3. This Regional Board in its water quality control plan for San Francisco Bay stated its intent to protect the public health related to the use of the waters for retreational purposes. That plan has been approved by both the State Water Resources Centrel Board and conditionally approved by the Sections of the Interior.
- 4. This Board har implemented that plan by requiring all shorewide dischargers of sewage to adequately disinfect their wastes and has instituted formal sufficient int proceedings against many of those dischargers to gain compliance.
- b. The Sun Francisco Ray Conservation and Development Consission in its "San Francisco Buy Ilan' stated its policy that "Unter quality in all parts of the Bay should be sufficiently high to parmit water contact sports and to provide a suitable habital for all indigenous and desirable forms of aquatic life". This Legional board has urged the San Francisco Boy Con creation and Development Consission to require deckside severs and pump-out facilities to receive easter from all vessels.
- 5. The State Mater Resources Control Board is investigating the valor quality problems caused by the discharge of waste from watercraft and is drafting regulatory legislation for consideration during the 1971 Legislative Session.
- 7. This legional Board has requested the Tederal Government to regulate the discharge of sewage to San Francisco Bay from vessels under the juri-diction of foreign mations and the United States Government.
- 8. Section 13 of the Federal Water Quality Control Act provides that:
  - "... the Secretary ... shall promulgate Federal standards of performance for marine samitation devices ... which shall be designed to prevent the discharge of untreated or inadequately treated sawage ...".

"Upon application by a Statu, and where the Secretary determines that any applicable water quality standards require such a prohibition, he shall by regulation completely prohibit the discharge from a wasel of any sewage (whether treated or not) into those waters of such State which are subject of the application and to which such standards apply."

"The provisions of this section and the standards and regulations promulgated hereunder apply to wessels owned and operated by the United Status unless the Secretary of Defense finds that compliance would not be in the interest of national security."

#### RESOLVED BY THIS RECICIAL BOARD

- 1. This Board bereby finds that sowage and other waste waters discharged from wessels cause nuisance, pollution and baserds to public health.
- This Regional Seard strongly recommends that all emers of bertling facilities and merines provide dockeide severage facilities to receive wastes from vessels and that all emera and operators of vessels with sanitary facilities install holding tanks and connections for discharging wastes to shoreside aguers.
- This Regional Board believes it is imperative that the State Vater Resources Control Board request the facretary(ics) of the appropriate Tederal department(s) to
  - Prohibit all vaste discharges from private and public wessels to waters
    of San Francisco Day.
  - b. Require holding ranks on said wascals for the containment of wastes and connections for discharge of times weeneds to about adds senses.
- 4. This Regional Board also believes it is imporative that the State Water Resources Control heard request the Lagislature to adopt, during its 1971 session, legislation which will require wante holding tanks on all vessels with sanitary facilities and shoreside connections and pumpout facilities for purping these wastes to severage facilities.

- 5. This heard intends to consider the prohibition of discharges of wants from weerels in the amendment of its votes quality central plane.
- 6. This Regional heard recognises the most for tight yet reasonable time schedules for implementing this policy and attempty recommends that all concerned persons work diligently to develop such schedules.

WILLIAM C. WIBER Chairman

August 27, 1970

I, Fred P. Dierkes, hereby certify that the faregoing is a true and correct copy of Passistion No. 70-65 adopted by the California Regional Pater Quality Control Board, San Francisco Ray Region at its regular meeting on August 27, 1970.

PRED M. DII PKER

Faccutive Officer

CALIFORNIA REGIONAL WATER QUALITY CONTROL

BOARD, SAIL FRANCISCO MAY PEGICAL