

Critical and Dry Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	20 cfs	44 cfs	<b>44 cfs</b>
December	20 cfs	51 cfs	<b>51 cfs</b>
January	20 cfs	50 cfs	<b>50 cfs</b>
February	20 cfs	46 cfs	<b>46 cfs</b>
March	25 cfs	51 cfs	<b>51 cfs</b>

Normal Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	30 cfs	44 cfs	<b>44 cfs</b>
December	30 cfs	51 cfs	<b>51 cfs</b>
January	30 cfs	50 cfs	<b>50 cfs</b>
February	30 cfs	46 cfs	<b>46 cfs</b>
March	30 cfs	51 cfs	<b>51 cfs</b>

Wet Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	40 cfs	44 cfs	<b>44 cfs</b>
December	40 cfs	51 cfs	<b>51 cfs</b>
January	40 cfs	50 cfs	<b>50 cfs</b>
February	40 cfs	46 cfs	<b>46 cfs</b>
March	40 cfs	51 cfs	<b>51 cfs</b>

\*State Water Resources Control Board has adopted an Order in the matter of the PG&E Spring Gap-Stanislaus Hydroelectric Project, which asserts minimum instream flow requirement at USGS gage 11292000 as summarized in the above table.

**Web Link to Water Right Order:**

[Water Right Order #2009-0039 for the Spring Gap-Stanislaus Hydroelectric Project](#)