

AquaLab Water Analysis
 P.O. Box 356
 Twain Harte CA 95383

State Certification # 1359
 (209) 586-3400
 Fax: (209) 586-1492

BACTERIOLOGICAL EXAMINATION OF WATER

Name: CSEK C
 Mailing Address: Box 396
Twain Harte CA 95383

Physical Address:

Phone: 209 586 7440

Date: 6/12/09

Sampler: Stephens, L. Myers

Source			Reason			Type		
1) Surface/ Spring	4) Reservoir	A) Routine	C) Total Coliform					
2) Well Head	5) Distribution	B) Repeat	F) Fecal Coliform					
3) Well Distribution	6) Treatment Plant	C) Special	H) Heterotrophic Plate Count					
			E) <i>E. coli</i>					

Collection Data							Five Portions							Presence/Absence				
Lab ID Bottle ID	Time	Location	CL2	Source	Reason	Type	Vol mL	# Positive Tubes							Coliform			CFU mL 35 C @ 48HR
								Prsmp		Confirmed					P/A or MPN			
								24	48	24	24	48	48	#	Total	Fecal	E.coli	
<u>N</u> <u>935</u>	<u>1:56</u> <u>PM</u>	<u>LRM</u> <u>NTU = 0.78</u>		<u>1</u>	<u>C</u>	<u>E</u>	<u>10.0</u> <u>1.0</u> <u>0.1</u>	<u>0</u> <u>0</u> <u>0</u>	<u>3</u> <u>4</u> <u>0</u>	<u>0</u> <u>0</u> <u>0</u>	<u>0</u> <u>0</u> <u>0</u>	<u>3</u> <u>2</u> <u>1</u>	<u>3</u> <u>2</u> <u>0</u>	<u>14</u>	<u>12</u>	<u>12</u>	<u>70</u>	
<u>O</u> <u>551</u>	<u>12:37</u> <u>PM</u>	<u>UFG</u> <u>NTU = 0.35</u>		<u>1</u>	<u>C</u>	<u>E</u>	<u>10.0</u> <u>1.0</u> <u>0.1</u>	<u>4</u> <u>0</u> <u>0</u>	<u>1</u> <u>1</u> <u>1</u>	<u>4</u> <u>-</u> <u>-</u>	<u>0</u> <u>0</u> <u>0</u>	<u>1</u> <u>1</u> <u>1</u>	<u>5</u> <u>1</u> <u>1</u>	<u>50</u>	<u>13</u>	<u>13</u>	<u>205</u>	
<u>P</u> <u>N=0</u>	<u>12:03</u> <u>PM</u>	<u>BR</u> <u>NTU = 1.6</u>		<u>1</u>	<u>C</u>	<u>E</u>	<u>10.0</u> <u>1.0</u> <u>0.1</u>	<u>1</u> <u>1</u> <u>0</u>	<u>4</u> <u>1</u> <u>1</u>	<u>1</u> <u>1</u> <u>0</u>	<u>0</u> <u>0</u> <u>0</u>	<u>4</u> <u>1</u> <u>1</u>	<u>5</u> <u>2</u> <u>1</u>	<u>70</u>	<u>7</u>	<u>7</u>	<u>134</u>	
<u>Q</u> <u>171</u>	<u>10:42</u> <u>AM</u>	<u>BM</u> <u>NTU = 0.21</u>		<u>1</u>	<u>C</u>	<u>E</u>	<u>10.0</u> <u>1.0</u> <u>0.1</u>	<u>4</u> <u>0</u> <u>0</u>	<u>1</u> <u>5</u> <u>1</u>	<u>4</u> <u>-</u> <u>1</u>	<u>1</u> <u>5</u> <u>1</u>	<u>5</u> <u>5</u> <u>1</u>	<u>300</u>	<u>4</u>	<u>4</u>	<u>352</u>		

Notification/Comments:

Set-Up: Date/Time/By: 6-12 1030 ALT

Completed: Date/By: 6-16-09 CAB