




Summary for San Francisco Bay San Mateo Bridge (SFSM)

The following graphs show trends at San Francisco Bay San Mateo Bridge from years 1986-2009 for the following constituents: Butyltin, Chlordane, Total DDT, Dieldrin, Total PAH, PCBs, Zinc (Zn), Silver (Ag), Aluminum (Al), Arsenic (As), Cadmium (Cd) , Chromium (Cr), Copper (Cu), Iron (Fe), Mercury (Hg), Manganese (Mn), Nickel (Ni), Lead (Pb), Selenium (Se), Antimony (Sb), Silicon (Si) and Tin (Sn).


San Francisco Bay San Mateo Bridge (SFSM)









Trend of
Zn concentration at San Francisco Bay San Mateo Bridge




Trend of
Ag concentration at San Francisco Bay San Mateo Bridge




Trend of
Al concentration at San Francisco Bay San Mateo Bridge




Trend of
As concentration at San Francisco Bay San Mateo Bridge






Trend of
Cd concentration at San Francisco Bay San Mateo Bridge




Trend of
Cr concentration at San Francisco Bay San Mateo Bridge












Trend of
Sb concentration at San Francisco Bay San Mateo Bridge



Trend of
Se concentration at San Francisco Bay San Mateo Bridge



**Trend of
Si concentration at San Francisco Bay San Mateo Bridge**



**Trend of
Sn concentration at San Francisco Bay San Mateo Bridge**

