

WARREN D. WILLIAMS
General Manager-Chief Engineer



1995 MARKET STREET
RIVERSIDE, CA 92501
951.955.1200
951.788.9965 FAX
www.floodcontrol.co.riverside.ca.us

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

January 31, 2006

Mr. Craig J. Wilson
Post Office Box 1977
Water Quality Assessment Unit
Division of Water Quality
State Water Resources Control Board
Sacramento, CA 95812-1977

Dear Mr. Wilson:



Re: Draft Clean Water Act Section 303(d)
List of Water Quality Limited Segments

303 (d) Deadline: 1/31/06

Excel File Included - Email
Only

The Riverside County Flood Control and Water Conservation District (District) appreciates the opportunity to comment on the Draft Clean Water Act Section 303(d) List of Water Quality Limited Segments for 2006 (303(d) List). This letter provides comments on proposed listings and delistings in the Santa Ana Regional Water Quality Control Board (RWQCB) (Region 8) and San Diego RWQCB (Region 9) jurisdictions.

Region 8 – Inappropriate listing of Lake Elsinore for polychlorinated biphenyls

The District notes comments submitted by:

- Rish Sciences on behalf of the Big Bear Lake TMDL group;
- The Santa Ana RWQCB; and
- Orange County

regarding concerns of the use of the OEHHA screening value for polychlorinated biphenyls as the basis for including waterbodies on the 303(d) List. The District is also concerned with the use of fish tissue samples without supporting ancillary evidence of chemical toxicity. The District requests the removal of Lake Elsinore from the 303(d) List for polychlorinated biphenyls.

Region 8 – Support de-listing of Lake Elsinore for sedimentation/siltation

The District supports the de-listing of Lake Elsinore for sediments/siltation.

Region 9 – Oppose listing of Murrieta Creek for Arsenic, Copper, Iron, Manganese, and Zinc

The District has reviewed the data supporting the proposed listing of Murrieta Creek for arsenic, copper, iron, manganese, and zinc. The District believes that Murrieta Creek was inappropriately listed for these constituents for the following reasons:

Mr. Craig J. Wilson

- 2 -

January 31, 2006

Re: Draft Clean Water Act Section 303(d)
List of Water Quality Limited Segments

Exceedances do not meet the criteria of Section 6.1.5.3 of the Water Quality Control Policy for Developing California's Clean Water Act Section 303(d) List (Listing Policy), and therefore do not meet the criteria of Table 3.1 of the Listing Policy

All five of these constituents were listed based on the same two sets of data:

- Data collected by RWQCB9 on June 9, 1998 - Two samples were collected on June 9, 1998 at two different locations on Murrieta Creek. Both samples were analyzed for the aforementioned constituents and both exceeded the criteria for each of the aforementioned constituents.
- Data collected by LAW Crandall from 1997 to 2000 - Eleven samples were collected and analyzed for each of the aforementioned constituents. Zero of the samples were in exceedance for each of the aforementioned constituents.

Murrieta Creek is an ephemeral wash with no sustained flows during the dry season at the Calle del Oso Road location, monitored by Regional Board staff. The Cement Factory location received POTW flows, which have since been permanently ceased. Our rainfall records indicate there were no summer rain showers that would have been responsible for the flow at Calle del Oso Road. The samples most likely reflect specific conditions occurring during the day the samples were collected (perhaps an illegal discharge) rather than a chronic water quality condition. Section 6.1.5.3 of the Water Quality Control Policy for Developing California's Clean Water Act Section 303(d) List (Listing Policy) states that:

"Samples should be representative of the critical timing that the pollutant is expected to impact the water body. Samples used in the assessment must be temporally independent. If the majority of samples were collected on a single day or during a single short-term natural event (e.g. a storm, flood or wildfire), the data shall not be used as the primary data set to support the listing decision... In general, samples should be available from two or more seasons or from two or more events when the effects or water quality objective exceedances would be expected to be clearly manifested".

It is clear that the exceedances for all five constituents, which are based on two samples from different reaches of Murrieta Creek, were collected on a single date (June 9, 1998). The District requests that these two data points be considered representative of a single exceedance of each Water Quality Objective, consistent with the requirements of Section 6.1.5.3 of the Listing Policy. Based on only a single exceedance of Water Quality Objectives, the constituent would not exceed the allowable frequency listed in Table 3.1, and therefore none of the aforementioned constituents should be listed.

Mr. Craig J. Wilson

- 3 -

January 31, 2006

Re: Draft Clean Water Act Section 303(d)
List of Water Quality Limited Segments

Additional Water Quality Data collected as part of the District's NPDES MS4 Permit Monitoring and Reporting Program supports delisting of Arsenic, Copper, and Zinc.

Please find attached a summary table of data collected by the District on Murrieta Creek from 1994 to 2005 as part of the Santa Margarita Watershed NPDES MS4 Permit Monitoring and Reporting Program (Board Orders R9-2004-001 and R9-1998-002). This data was collected and analyzed under an appropriate quality assurance project plan consistent with Section 6.1.4 of the Listing Policy. The data is summarized below:

- Arsenic - Data collected by the District per the requirements of its NPDES MS4 Permit from 1994 to 2005. Thirty-nine samples were collected. Zero samples were in exceedance of Basin Plan Objectives.
- Copper - Data collected by the District per the requirements of its NPDES MS4 Permit from 1994 to 2005. Forty-three samples were collected. Zero samples were in exceedance of Basin Plan Objectives.
- Zinc - Data collected by the District per the requirements of its NPDES MS4 Permit from 1994 to 2005. Forty-three samples were collected. Zero samples were in exceedance of Basin Plan Objectives.

Based on this additional data, for each of arsenic, copper, and zinc, there would be at most, two exceedances and at minimum, fifty-two data points not in exceedance. Based on the criteria contained in Table 3.1 of the listing policy, this additional data would not support the listing of Murrieta Creek for arsenic, copper, or zinc.

The District has supplied this data in electronic and paper copies on the pdqflat_2.xls format originally requested by State Board staff in 2004. If additional supporting information regarding this data is required, the District will be glad to add this information in a supplemental request.

The District has not collected or analyzed any samples for Manganese or Iron to date.

Region 9 – Oppose listing of the Lower Santa Margarita River for Mercury

The Lower Santa Margarita River was listed for Mercury based on two exceedances of the Mercury standard in eight fish tissue samples collected between 1979 and 1999. Besides the fish tissue samples, no ancillary evidence exists to support a listing for Mercury. It is not clear what type of fish was sampled, whether the fish was migratory in nature, or whether the fish tissue samples were from the liver or other organs. If the fish are migratory in nature and may range outside of the Lower Santa Margarita River, then the listing would be inappropriate. Further, the listing policy specifically prohibits the use of liver tissue as a measure of bioaccumulation of pollutants in aquatic life tissue. In any case, the District opposes the use of fish or other tissue samples as the sole criteria for listing without consideration for the migratory nature of the aquatic life form or other chemical indicators of the pollutant within the waterbody.

Mr. Craig J. Wilson

- 4 -


January 31, 2006

Re: Draft Clean Water Act Section 303(d)
List of Water Quality Limited Segments

Closing

In closing, the District would like to thank the State Board for developing a listing policy that provides the basis for the listing/delisting of waterbody/pollutant combinations. Although the District believes that the policy requires continued refinement, such as, requiring supporting chemical evidence for listing based on tissue samples, it is a clear improvement over the efforts in past years. The District looks forward to working with the State Water Resources Control Board and the RWQCBs on programs to further improve the quality of our Receiving Waters. If you have any questions regarding the comments within this letter, please contact Jason Uhley at 951.955.1273.

Very truly yours,



STEPHEN E. STUMP
Chief of Regulatory Division

c: Alex Gann, County Executive Office
Riverside County Management Steering Committee
Riverside County Technical Advisory Committee
Santa Ana RWQCB
San Diego RWQCB
San Diego MS4 Permittees

JEU:cw
P8/104639

ANALYTICNAME	CASNUMBER	ANALYTEDESCR	ANALYTICCODE	FRACTION	MATRIX	ANALYTICALMETHOD	SAMPLEDATE	SAMPLETIME	SAMPLETYPE	SAMPLECOMMENTS	SAMPLEDEPTH_M	FIELD_SAMPLE_ID	FIELD_REPLICATE_ID
Zinc	74406866			1700.00	Total	samplewater	EPA_200.8	08:30	Grab		0.15 L58414-003		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	8/11/1989 09:15	0.15 L60022-001		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	9/23/1989 09:15	0.15 L60022-005		
Zinc	7440688			1700.00	Total	samplewater	EPA_200.8		Grab	9/23/1989 09:15	0.15 L60022-001		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	2/23/2000 14:15	0.15 L60061-003		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	12/05/2000 14:15	0.15 L60061-003		
Zinc	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	2/23/2000 14:15	0.15 L60061-003		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	4/3/2000 11:00	0.15 L68142-002		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	4/13/2000 11:00	0.15 L68142-002		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	6/21/2000 13:05	0.15 L68142-002		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	8/24/2000 13:05	0.15 L70878-002		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	9/19/2000 11:25	0.15 L70878-002		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	9/19/2000 11:25	0.15 L74623-002		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	9/19/2000 11:25	0.15 L85375-002		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	6/14/2001 12:00	0.15 L85375-002		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	11/12/2003 15:50	0.15 ASA0746-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	3/29/2001 13:00	0.15 ASA0746-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	7/17/2003 13:00	0.15 ASA0746-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	8/14/2001 12:00	0.15 ASA0746-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	6/14/2001 12:00	0.15 ASA0746-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	3/13/2003 12:25	0.15 ASA0746-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	5/29/2003 12:25	0.15 ASA0746-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	5/29/2003 12:25	0.15 ASA0746-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	5/29/2003 12:25	0.15 ASA0746-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	11/17/2003 13:00	0.15 ASA0746-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	6/14/2003 12:00	0.15 ASA0746-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	3/13/2003 12:25	0.15 ASA0746-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	10/12/2003 15:50	0.15 AAE0857-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	5/29/2003 10:10	0.15 AAE0857-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	5/29/2003 10:10	0.15 AAE0857-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	6/26/2003 10:10	0.15 AAE0857-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	7/24/2003 11:35	0.15 AEE1179-02		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	7/24/2003 11:35	0.15 AEE1179-02		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	7/24/2003 11:35	0.15 AEE1179-02		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	4/1/2004 12:50	0.15 AEA1986-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	4/1/2004 12:50	0.15 AEA1986-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	4/1/2004 12:50	0.15 AEA1986-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	10/10/2003 12:30	0.15 AED0064-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	10/10/2003 12:30	0.15 AED0064-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	11/29/2004 12:30	0.15 AEG1131-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	1/29/2004 12:30	0.15 AEG1131-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	1/29/2004 12:30	0.15 AEG1131-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	1/29/2004 12:30	0.15 AEG1131-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	4/1/2004 12:50	0.15 AEA1986-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	4/1/2004 12:50	0.15 AEA1986-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	4/1/2004 12:50	0.15 AEA1986-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	7/14/2004 13:40	0.15 AJJ7846-01		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	7/14/2004 13:40	0.15 AJJ7846-01		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	7/14/2004 13:40	0.15 AJJ7846-01		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	10/6/2004 10:45	0.15 AJJ7846-01		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	10/6/2004 10:45	0.15 AJJ7846-01		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	10/20/2004 10:40	0.15 AJJ7846-01		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Integrated	10/20/2004 10:40	0.15 AJJ7846-01		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Integrated	10/20/2004 10:40	0.15 AJJ7846-01		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Integrated	10/20/2004 10:40	0.15 AJJ7846-01		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Integrated	12/28/2004 12:50	0.15 AJG51131-03		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Integrated	12/28/2004 12:50	0.15 AJG51131-03		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Integrated	12/28/2004 12:50	0.15 AJG51131-03		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Integrated	2/11/2005 11:20	0.15 AJB1124-01		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Integrated	2/11/2005 11:20	0.15 AJB1124-01		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Integrated	5/11/2005 08:10	0.15 AEF0591-01		
Arsenic	7440382			1070.00	Total	samplewater	EPA_200.8		Grab	5/11/2005 08:10	0.15 AEF0591-01		
Copper	7440508			1210.00	Total	samplewater	EPA_200.8		Grab	5/11/2005 08:10	0.15 AEF0591-01		
Zinc	7440686			1700.00	Total	samplewater	EPA_200.8		Grab	5/11/2005 08:10	0.15 AEF0591-01		

FIELD_SAMPLE_ID	FIELD_RESULT	FIELD_RESULT_UNITS	FIELD_RESQUAL_CODE	FIELD_QA_CODE	FIELD_CALIBRATION_DATE	FIELD_RESULTS COMMENTS	LAB_SAMPLEID	LAB_BATCH	LAB_PREF_DESC	LAB_ANALYSISDATE
917	917									91/12/1994
917	917									91/12/1994
918	918									91/12/1994
918	918									91/22/1994
919	919									91/22/1994
919	919									91/22/1994
920	920									91/22/1995
920	920									91/22/1995
921	921									91/22/1995
921	921									91/22/1995
921	921									91/22/1995
923	923									91/12/1995
923	923									91/12/1995
924	924									91/12/1995
924	924									91/12/1995
925	925									91/12/1995
925	925									91/12/1995
926	926						L21504-001			91/19/1995
926	926						L21504-001			91/19/1995
927	927						L21504-001			91/19/1995
927	927						L21504-001			91/19/1995
927	927						L21504-001			91/19/1995
927	927						L24007-001			91/19/1995
927	927						L24007-001			91/19/1995
928	928						L24007-001			91/19/1995
928	928						L24007-001			91/19/1995
929	929						L24007-001			91/19/1995
929	929						L24007-001			91/19/1995
930	930						L24007-002			91/19/1995
930	930						L30102-002			91/19/1995
931	931						L30102-002			91/19/1995
931	931						L30102-002			91/19/1995
932	932						L33522-001			91/19/1995
932	932						L33522-001			91/19/1995
933	933						L33522-001			91/19/1995
933	933						L33522-001			91/19/1995
934	934						L37325-001			91/19/1995
934	934						L37325-002			91/19/1995
934	934						L37325-002			91/19/1995
935	935						L39866-005			91/17/1998
935	935						L39866-005			91/17/1998
936	936						L40868-004			91/17/1998
936	936						L40868-004			91/17/1998
937	937						L40868-004			91/17/1998
937	937						L40868-004			91/17/1998
938	938						L42877-001			91/17/1998
938	938						L42877-001			91/17/1998
939	939						L42877-001			91/17/1998
939	939						L42877-001			91/17/1998
940	940						L46324-004			91/23/1998
940	940						L46324-004			91/23/1998
940	940						L46324-004			91/23/1998
941	941						L49867-001			91/19/1999
941	941						L49867-001			91/19/1999
941	941						L49867-001			91/19/1999
942	942						L53847-002			4/15/1999
942	942						L53847-002			4/15/1999
943	943						L53847-002			4/15/1999
943	943						L53847-003			8/11/1999
944	944						L53847-003			8/11/1999
944	944						L53847-003			8/11/1999

FIELD_SAMPLE_ID	LAB_RESULT	RESULT_UNITS	LAB_RESQUALCODE	LAB_SIGFIG	LAB_INDL	LAB_RL	LAB_EXPECTEDVALUE	PROJECT_ID	PROJECT_NAME	PROJECT_NOTES	STATIONCODE
917	-0.01000	mg/L	5	0.01000		BAB					778
917	0.01000	mg/L	5	0.01000		BAB					778
917	0.01000	mg/L	5	0.01000		BAB					778
918	0.01000	mg/L	5	0.01000		BAB					778
918	0.01000	mg/L	5	0.01000		BAB					778
919	0.01000	mg/L	5	0.01000		BAB					778
919	0.01000	mg/L	5	0.01000		BAB					778
920	0.01000	mg/L	5	0.01000		BAB					778
920	0.01000	mg/L	5	0.01000		BAB					778
920	0.01000	mg/L	5	0.01000		BAB					778
921	0.01000	mg/L	5	0.01000		BAB					778
921	0.01000	mg/L	5	0.01000		BAB					778
922	0.01000	mg/L	5	0.01000		BAB					778
922	0.02000	mg/L	5	0.02000		BAB					778
922	0.01000	mg/L	5	0.01000		BAB					778
923	0.01000	mg/L	5	0.01000		BAB					778
923	0.02000	mg/L	5	0.02000		BAB					778
924	0.01000	mg/L	5	0.01000		BAB					778
924	0.01000	mg/L	5	0.01000		BAB					778
925	0.01000	mg/L	5	0.01000		BAB					778
925	0.01000	mg/L	5	0.01000		BAB					778
925	0.01000	mg/L	5	0.01000		BAB					778
926	0.01000	mg/L	5	0.01000		BAB					778
926	0.01000	mg/L	5	0.01000		BAB					778
927	0.01000	mg/L	5	0.01000		BAB					778
927	0.01000	mg/L	5	0.01000		BAB					778
927	0.01000	mg/L	5	0.01000		BAB					778
927	0.01000	mg/L	5	0.01000		BAB					778
928	0.01000	mg/L	5	0.01000		BAB					778
928	0.01000	mg/L	5	0.01000		BAB					778
929	0.01000	mg/L	5	0.01000		BAB					778
929	0.01000	mg/L	5	0.01000		BAB					778
930	0.01000	mg/L	5	0.01000		BAB					778
930	0.01000	mg/L	5	0.01000		BAB					778
931	0.01000	mg/L	5	0.01000		BAB					778
931	0.01000	mg/L	5	0.01000		BAB					778
931	0.01000	mg/L	5	0.01000		BAB					778
932	0.01000	mg/L	5	0.01000		BAB					778
932	0.01000	mg/L	5	0.01000		BAB					778
932	0.01000	mg/L	5	0.01000		BAB					778
933	0.01000	mg/L	5	0.01000		BAB					778
933	0.01000	mg/L	5	0.01000		BAB					778
933	0.01000	mg/L	5	0.01000		BAB					778
934	0.01000	mg/L	5	0.01000		BAB					778
934	0.01000	mg/L	5	0.01000		BAB					778
934	0.01000	mg/L	5	0.01000		BAB					778
935	0.00500	mg/L	5	0.00500		BAB					778
935	0.01000	mg/L	5	0.01000		BAB					778
935	0.01000	mg/L	5	0.01000		BAB					778
L46324-001	0.00500	mg/L	5	0.00500		BAB					778
L46324-001	0.01000	mg/L	5	0.01000		BAB					778
L53047-002	0.01000	mg/L	5	0.01000		BAB					778
L53047-002	0.02000	mg/L	5	0.02000		BAB					778
L53047-002	0.00500	mg/L	5	0.00500		BAB					778
L53047-003	0.01000	mg/L	5	0.01000		BAB					778

