



State Water Resources Control Board

February 17, 2023

Los Angeles County Metropolitan Transportation Authority
Attention: Heather Severin, REHS
One Gateway Plaza
Los Angeles, CA 90012
[Via email only] Severinh@metro.net

Dear Ms. Severin:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR LACMTA DIVISION 4 MAINTENANCE FACILITY, 7878 TELEGRAPH ROAD, DOWNEY, LOS ANGELES COUNTY

This letter confirms completion of site investigation and remedial action for the underground storage tank (UST) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T10000013672
- Los Angeles Regional Water Quality Control Board, Case No. R-10111

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former UST are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your UST site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to Section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

E. JOAQUIN ESQUIVEL, CHAIR | EILEEN SOBECK, EXECUTIVE DIRECTOR

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

If you have any questions regarding this matter, please contact Mr. Matthew Cohen at (916) 341-5751 or Matthew.Cohen@waterboards.ca.gov.

Sincerely,

A handwritten signature in blue ink that reads "Karen Mogus". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Karen Mogus, Deputy Director
Division of Water Quality

cc: [Via email only]

Hugh Marley, Assistant Executive Officer
Los Angeles Regional Water Quality Control Board
(Hugh.Marley@waterboards.ca.gov)

Yue Rong
Los Angeles Regional Water Quality Control Board
(Yue.Rong@waterboards.ca.gov)

Ann Lin
Los Angeles Regional Water Quality Control Board
(Ann.Lin@waterboards.ca.gov)

Noman Chowdhury
Los Angeles Regional Water Quality Control Board
(Noman.Chowdhury@waterboards.ca.gov)

cc: Continued next page

cc: (Continued)

Maria Bambico
Los Angeles Regional Water Quality Control Board
(Maria.Bambico@waterboards.ca.gov)

Tamarin Austin
State Water Resources Control Board
(Tamarin.Austin@waterboards.ca.gov)

Adriana Nunez
State Water Resources Control Board
(Adriana.Nunez@waterboards.ca.gov)

Sophie Froelich
State Water Resources Control Board
(Sophie.Froelich@waterboards.ca.gov)

Merswind Reyer
State Water Resources Control Board
(Merswind.Reyer@waterboards.ca.gov)

Cheryl Prowell
State Water Resources Control Board
(Cheryl.Prowell@waterboards.ca.gov)

Matthew Cohen
State Water Resources Control Board
(Matthew.Cohen@waterboards.ca.gov)

Tim Smith
Los Angeles County Department of Public Works
(TSmith@pw.lacounty.gov)

Lusi Mkhitarian
County of Los Angeles, Department of Public Health Services, Drinking Water
Program
(Waterquality@ph.lacounty.gov)

Lloyd Guss
TRC Solutions, Inc.
(LGuss@trccompanies.com)