
State Water Resources Control Board

June 28, 2024

G&M Oil Company, Inc.
Attention: Hortensia Navarro
16868 A Lane
Huntington Beach, CA, 92647
[Via email only]
Hnavarro@gmoc.com

Dear Ms. Hortensia Navarro:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR WRIGHT PETROLEUM (AKA G&M OIL COMPANY STATION #40), 23991 EL TORO ROAD, LAGUNA HILLS, ORANGE COUNTY

This letter confirms completion of site investigation and remedial action for the underground storage tank (UST) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0605900466
- Santa Ana Regional Water Quality Control Board, Case No. 083000580T
- Orange County Health Care Agency, Case No. 85UT052
- Underground Storage Tank Cleanup Fund Claim No. 18621

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your UST site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to Section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date

E. JOAQUIN ESQUIVEL, CHAIR | ERIC OPPENHEIMER, EXECUTIVE DIRECTOR

of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

If you have any questions regarding this matter, please contact Dayna Cordano at (916) 341-5385 or Dayna.Cordano@waterboards.ca.gov.

Sincerely,



Phillip Crader, Deputy Director
Division of Water Quality

cc: [Via email only]

Jayne Joy, Executive Officer
Santa Ana Regional Water Quality Control Board
(Jayne.Joy@waterboards.ca.gov)

Eric Lindberg
Santa Ana Regional Water Quality Control Board
(Eric.Lindberg@waterboards.ca.gov)

Maile Gee
Santa Ana Regional Water Quality Control Board
(Maile.Gee@waterboards.ca.gov)

Kyle Wright
Santa Ana Regional Water Quality Control Board
(Kyle.Wright@waterboards.ca.gov)

Katharine Bramble
State Water Resources Control Board
(Katharine.Bramble@waterboards.ca.gov)

cc: Continued next page

cc: (Continued)

Merswind Reyer
State Water Resources Control Board
(Merswind.Reyer@waterboards.ca.gov)

Cheryl Prowell
State Water Resources Control Board
(Cheryl.Prowell@waterboards.ca.gov)

Dayna Cordano
State Water Resources Control Board
(Dayna.Cordano@waterboards.ca.gov)

Karl H. Kerner, P.E.
Atlas Environmental Engineering, Inc.
(Karl@aeei.com)