



State Water Resources Control Board

November 7, 2024

Amerco Real Estate Company
Attention: Valentina Smith
2727 North Central Avenue, Ste. 500
Phoenix, AZ 85004
[Via email only]
valentina_smith@uhaul.com

Dear Ms. Valentina Smith:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR U-HAUL/LYNWOOD MOVING CENTER, 11716 LONG BEACH BOULEVARD, LYNWOOD, LOS ANGELES COUNTY

This letter confirms completion of site investigation and remedial action for the underground storage tank (UST) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0603792883
- Los Angeles Regional Water Quality Control Board, Case No. R-12239

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your UST site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to Section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

E. JOAQUIN ESQUIVEL, CHAIR | ERIC OPPENHEIMER, EXECUTIVE DIRECTOR

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

If you have any questions regarding this matter, please contact Dayna Cordano at (916) 341-5385 or Dayna.Cordano@waterboards.ca.gov.

Sincerely,



Phillip Crader, Deputy Director
Division of Water Quality

cc: [Via email only]

Susana Arredondo, Executive Officer
Los Angeles Regional Water Quality Control Board
(Susana.Arredondo@waterboards.ca.gov)

Jillian Ly
Los Angeles Regional Water Quality Control Board
(Jillian.Ly@waterboards.ca.gov)

Weixing Tong
Los Angeles Regional Water Quality Control Board
(Weixing.Tong@waterboards.ca.gov)

Maryam Renard
Los Angeles Regional Water Quality Control Board
(Maryam.Renard@waterboards.ca.gov)

Arman Toumari
Los Angeles Regional Water Quality Control Board
(Arman.Toumari@waterboards.ca.gov)

cc: Continued next page

cc: (Continued)

Maria Bambico
Los Angeles Regional Water Quality Control Board
(Maria.Bambico@waterboards.ca.gov)

Adriana Nunez
State Water Resources Control Board
(Adriana.Nunez@waterboards.ca.gov)

Stephanie Yu
State Water Resources Control Board
(Stephanie.Yu@waterboards.ca.gov)

Amelia Carder
State Water Resources Control Board
(Amelia.Carder@waterboards.ca.gov)

Merswind Reyer
State Water Resources Control Board
(Merswind.Reyer@waterboards.ca.gov)

Dayna Cordano
State Water Resources Control Board
(Dayna.Cordano@waterboards.ca.gov)

Eric Clark
EEC Environmental
(eclark@eecworld.com)

Murray Einarson
Haley & Aldrich
(meinarson@haleyaldrich.com)

Leo Rebele
Ramboll US Consulting, LLC
(lrebele@ramboll.com)