
State Water Resources Control Board

NOTICE OF OPPORTUNITY FOR PUBLIC COMMENT

**PROPOSED UNDERGROUND STORAGE TANK CASE CLOSURE
PURSUANT TO HEALTH AND SAFETY CODE SECTION 25296.10 AND
THE STATE WATER RESOURCES CONTROL BOARD
LOW-THREAT UNDERGROUND STORAGE TANK CASE CLOSURE POLICY
UNITED STATES DEPARTMENT OF THE NAVY (RESPONSIBLE PARTY)
NAF EL CENTRO TANK 428, AREA 5 (SOUTHEASTERN CORNER OF WEST
PLACE AND D STREET), EL CENTRO, IMPERIAL COUNTY**

NOTICE IS HEREBY GIVEN THAT the State Water Resources Control Board (State Water Board) will accept comments on the proposed underground storage tank (UST) case closure for Colorado River Basin Regional Water Quality Control Board, case number 7DODT22430047.

Upon review of the case, the State Water Board may close or require the closure of any UST case if it is determined that corrective action has been completed in accordance with Health and Safety Code section 25296.10. Pursuant to State Water Board Resolution No. 2012-0061, the Executive Director or Chief Deputy Director of the State Water Board may close or require closure of cases that meet the criteria specified in the State Water Board's Low-Threat Underground Storage Tank Case Closure Policy (Policy) adopted by State Water Board Resolution No. 2012-0016.

State Water Board UST Cleanup staff has completed a review of the case identified above, determined that the case meets the general and media-specific criteria of the Policy, and will be making a recommendation to the Chief Deputy Director for UST case closure. The recommendation is based upon the facts and circumstances of this particular UST case. The UST case record that is the basis for determining compliance with the Policy is available on the State Water Board's GeoTracker database.

GeoTracker Case Record:

http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T060250802

A copy of this notice has been provided to the responsible party, owner/operator, environmental consultant on record, the applicable Regional Water Quality Control Board and local agency that has been overseeing corrective action, agencies with authority to issue building permits, owners and occupants of the impacted property, owners and occupants of all parcels adjacent to impacted properties, the water

E. JOAQUIN ESQUIVEL, CHAIR | EILEEN SOBECK, EXECUTIVE DIRECTOR

replenishment district, the local water purveyor, the municipal water district, county water district, and special act district with groundwater management authority.

DOCUMENT AVAILABILITY

A Case Closure Summary has been prepared that contains information about the UST case that forms the basis for the UST Cleanup Unit staff's recommendation to the Chief Deputy Director for the UST case closure. A draft order has been prepared that describes the proposed requirements for case closure. Both documents are available to view or download on the State Water Board's [website](https://www.waterboards.ca.gov/water_issues/programs/ustcf/prop_closure_cases.html):

https://www.waterboards.ca.gov/water_issues/programs/ustcf/prop_closure_cases.html

Paper copies of the Case Closure Summary and the draft order are available upon request by writing to Matthew Cohen, Division of Water Quality, State Water Resources Control Board, P.O. Box 2231, Sacramento, CA 95812; by calling Matthew Cohen at (916) 341-5751; or by email at: Matthew.Cohen@waterboards.ca.gov.

SUBMISSION OF WRITTEN COMMENTS

Interested persons are encouraged to submit their comments, evidence, and other material electronically. Comment letters can be submitted by e-mail to:

USTClosuresComments@waterboards.ca.gov (if less than 10 megabytes in total size) or by fax at (916) 341-5808 with the subject "**Comment Letter – NAF El Centro Tank 428, Proposed UST case Closure.**" Written comments may also be mailed to:

Underground Storage Tank Program, 15th Floor
State Water Resources Control Board
P.O. Box 2231, Sacramento, CA 95812
or hand delivered to the following address:
State Water Resources Control Board
1001 I Street, 15th Floor, Sacramento, CA 95814

In order to be fully considered, written comments must be received by:
12:00 noon on Friday, March 13, 2020.

Please direct questions about this notice to Matthew Cohen at (916) 341-5751 or Matthew.Cohen@waterboards.ca.gov; or Therese Barakatt (Attorney) at (916) 327-5186 or Therese.Barakatt@waterboards.ca.gov.



January 8, 2020

Matthew Cohen, P.G.
Senior Engineering Geologist
Division of Water Quality

Date