

---

## State Water Resources Control Board

November 6, 2014

Mr. Joe Lentini  
Equilon Enterprises LLC dba Shell Oil Products US  
20945 South Wilmington Avenue  
Carson, CA 90810-1039

Dear Mr. Lentini:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR SHELL SERVICE STATION,  
1410 SOUTH SOTO STREET, LOS ANGELES, LOS ANGELES COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This Site has the following identifying numbers:

- Geotracker No. T0603753581
- City of Los Angeles Case No. TTXS0000246

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the UST Cleanup Fund more than 365 days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

If you have any questions regarding this matter, please contact Mr. George Lockwood at (916) 341-5752 or [George.Lockwood@waterboards.ca.gov](mailto:George.Lockwood@waterboards.ca.gov).

Sincerely,



Victoria A. Whitney, Deputy Director  
Division of Water Quality

cc: [Via email only]

Mr. Samuel Unger, Executive Officer  
Los Angeles Regional Water Quality Control Board  
([Samuel.Unger@waterboards.ca.gov](mailto:Samuel.Unger@waterboards.ca.gov))

Mr. Yue Rong  
Los Angeles Regional Water Quality Control Board  
([Yue.Rong@waterboards.ca.gov](mailto:Yue.Rong@waterboards.ca.gov))

Ms. Frances McChesney  
State Water Resources Control Board  
([Frances.McChesney@waterboards.ca.gov](mailto:Frances.McChesney@waterboards.ca.gov))

Mr. Eloy Luna  
City of Los Angeles  
([Eloy.Luna@lacity.org](mailto:Eloy.Luna@lacity.org))

Mr. George Lockwood  
State Water Resources Control Board  
([George.Lockwood@waterboards.ca.gov](mailto:George.Lockwood@waterboards.ca.gov))

Mr. Matthew Cohen  
State Water Resources Control Board  
([Matthew.Cohen@waterboards.ca.gov](mailto:Matthew.Cohen@waterboards.ca.gov))

Mr. John Huff  
Wayne Perry, INC.  
[Jhuff@wpinc.com](mailto:Jhuff@wpinc.com)