

A024462

PETITION FOR EXTENSION OF TIME

2008 APR 22 PM 3:47

WATER USERS:

Application 24462 Permit 17650

Water Code section 1396 requires an applicant to exercise due diligence in developing a water supply for beneficial use. The State Water Resources Control Board (State Water Board), in considering requests for extension of time, will review the facts presented to determine whether there is good cause for granting an extension of time to complete the project. Where diligence in completing the project is not fully substantiated, the State Water Board may set the matter for hearing to determine the facts upon which to base formal action relating to the permit. Formal action may involve:

1. Revoking the permit for failure to proceed with due diligence in completing the project.
2. Issuing a license for the amount of water heretofore placed to beneficial use under the terms of the permit.
3. Granting a reasonable extension of time to complete construction work and/or full beneficial use of water.

The time previously allowed in your permit within which to complete construction work and/or use of water has either expired or will expire shortly.

Please check below the action you wish taken on this permit.

The project has been abandoned and I request revocation of the permit.

Signature

Full use of water has been made, both as to amount and season, and I request license be issued.

Signature

The project is not yet complete. I request the State Water Board's consideration of the following petition for an extension of time. *Please see attached letter from law firm for extension explanation.*

PETITION FOR EXTENSION OF TIME
If START of construction has been delayed

Complete items 1, 2, and 3.

1. What has been done since permit was issued toward commencing construction?

The project was completed/finished in 1965, Treatment Plant, Storage facility, Distribution system and meters to all lots. Approximately 50 lots are undeveloped. To put water to full beneficial use the remaining lots need to be developed.

2. Estimate date construction work will begin. *NA, project completed in 1965*

3. Reasons why construction work was not begun within the time allowed by the permit.

NA all work was completed within the Permit time frame

*9/16 4/23/08
1000.
850.*

**PETITION FOR EXTENSION OF TIME
If construction work is proceeding**

If construction work and/or use of water is proceeding but is not complete, an extension of time may be petitioned by completing items 4 through 16. Statements must be restricted to construction or use of water only under this permit.

4. A 10 - year extension of time is requested to complete construction work and/or beneficial use of water. (Must be consistent with the time frame allowed in California Code of Regulations sections 840 through 844)
5. How much water has been used? 22,978,577 gals / 74.5 acre-feet/year 1.5 cfs
6. How many acres have been irrigated? NONE But most houses have large Gardens
7. How many houses or people have been served water? 189 houses 756 residents
8. Extent of past use of water for any other purpose. Large Gardens, landscaping, swimming Pools
9. What construction work has been completed during the last extension? Fire Protection NONE Project completed 1965
10. Approximate amount spent on project during last extension period. \$ 25,000.00 Maintenance + Repairs
11. Estimate date construction work will be completed. completed 1965
12. Estimated year in which water will be fully used. 2018
13. Reasons why construction and/or use of water were not completed within time previously allowed. 50 lots remain to be developed before water can be put to full beneficial use in the Trinity Village Water Company service area

If the use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by public agencies and use of the water has commenced, but additional time is needed to reach full use contemplated, the following information must be provided.

14. What water conservation measures are in effect or feasible within the place of use?
Periodic letters are sent to customers telling them to check for leaks, freezing pipes and to conserve water daily.
 15. How much water is being conserved or is it feasible to conserve using these conservation measures?
? acre-feet per annum.
 16. How much water per capita is used during the maximum 30-day period? 345 gpd. 7,826,591 gals Sept 2002
260,886 per day - for domestic, large gardens, swimming Pools, landscaping
- I (we) declare under penalty of perjury that the above is true and correct to the best of my (our) knowledge and belief.**

Dated: 4/23/08, 2008, at Sacramento, California
Danny Walsh President 916 393-4825
 Signature(s) Trinity Village Water Co Telephone No.
DANNY WALSH, 60 Reyes Ct SACRAMENTO Ca 95831
 PLEASE PRINT YOUR NAME AND ADDRESS

NOTE: A \$1,000 filing fee, for each Application listed, made payable to the State Water Resources Control Board must accompany a petition for an extension of time. An \$850 fee made payable to the Department of Fish and Game must accompany all but the first petition for an extension of time.