

~~KDD~~
29213
30382

PETITION FOR EXTENSION OF TIME

WATER USERS:
Application 29213 Permit 20460
Application 30382 Permit 20781

Water Code section 1396 requires an applicant to exercise due diligence in developing a water supply for beneficial use. The State Water Resources Control Board (State Water Board), in considering requests for extension of time, will review the facts presented to determine whether there is good cause for granting an extension of time to complete the project. Where diligence in completing the project is not fully substantiated, the State Water Board may set the matter for hearing to determine the facts upon which to base formal action relating to the permit. Formal action may involve:

1. Revoking the permit for failure to proceed with due diligence in completing the project.
2. Issuing a license for the amount of water heretofore placed to beneficial use under the terms of the permit.
3. Granting a reasonable extension of time to complete construction work and/or full beneficial use of water.

The time previously allowed in your permit within which to complete construction work and/or use of water has either expired or will expire shortly.

Please check below the action you wish taken on this permit.

The project has been abandoned and I request revocation of the permit.

Signature

Full use of water has been made, both as to amount and season, and I request license be issued.

Signature

The project is not yet complete. I request the State Water Board's consideration of the following petition for an extension of time.

2008 MAY -2 PM 1:32

PETITION FOR EXTENSION OF TIME If START of construction has been delayed

Complete items 1, 2, and 3.

1. What has been done since permit was issued toward commencing construction?

N/A

2. Estimate date construction work will begin. N/A

3. Reasons why construction work was not begun within the time allowed by the permit. N/A

REC'D
MAY 29 2008
MAY 29 2008
MAY 29 2008

**PETITION FOR EXTENSION OF TIME
If construction work is proceeding**

If construction work and/or use of water is proceeding but is not complete, an extension of time may be petitioned by completing items 4 through 16. Statements must be restricted to construction or use of water only under this permit. *twenty-five (25) see contract report 8/13/08*

4. A ten (10) - year extension of time is requested to complete construction work and/or beneficial use of water. (Must be consistent with the time frame allowed in California Code of Regulations sections 840 through 844)
5. How much water has been used? 23.17 acre-feet/year 0.032 cfs
6. How many acres have been irrigated? 0
7. How many houses or people have been served water? 1 Commercial; 11 Metered lots under construction; 104 Houses; 38 metered vacant lots;
8. Extent of past use of water for any other purpose. 0
9. What construction work has been completed during the last extension? Water Facility Construction is completed
10. Approximate amount spent on project during last extension period. \$ N/A
11. Estimate date construction work will be completed. N/A
12. Estimated year in which water will be fully used. when full build-out occurs. unable as yet to be determined.
13. Reasons why construction and/or use of water were not completed within time previously allowed. Full build-out of subdivision/water District by individual property owners has not yet been completed. 38 metered are vacant lots, 11 metered are under construction, 116 lots are as yet unmetered

If the use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by public agencies and use of the water has commenced, but additional time is needed to reach full use contemplated, the following information must be provided.

14. What water conservation measures are in effect or feasible within the place of use? water District has instituted a tiered rate structure; natural landscaping and drought-resistant plants are encouraged; letters encouraging conservation are sent out annually.
15. How much water is being conserved or is it feasible to conserve using these conservation measures? 1.28 acre-feet per annum.
16. How much water per capita is used during the maximum 30-day period? 152 gpd. gal/day

I (we) declare under penalty of perjury that the above is true and correct to the best of my (our) knowledge and belief.

Dated: 4-29-08, 2008, at Timber Cove, California

Ann Carlson (707)847-3880
Signature(s) Telephone No.

Ann Carlson/Timber Cove County Water District/Jenner, CA
PLEASE PRINT YOUR NAME AND ADDRESS PO Box 118
95450

NOTE: A \$1,000 filing fee, for each Application listed, made payable to the State Water Resources Control Board must accompany a petition for an extension of time. An \$850 fee made payable to the Department of Fish and Game must accompany all but the first petition for an extension of time.