


STATE WATER RESOURCES CONTROL BOARD

DIVISION OF WATER RIGHTS

P. O. BOX 2000, Sacramento, CA 95812-2000

901 P Street, Sacramento, CA 95814

(916) 657-1364



WATER USERS:

Application 014068 Permit 008594

Water Code Section 1396 requires an applicant to exercise due diligence in developing a water supply for beneficial use. The State Water Resources Control Board, in considering requests for extension of time, will review the facts presented to determine whether there is good cause for granting an extension of time to complete the project. Where diligence in completing the project is not fully substantiated, the State Board may set the matter for hearing to determine the facts upon which to base formal action relating to the permit. Formal action may involve:

1. Revoking the permit for failure to proceed with due diligence in completing the project.
2. Issuing a license for the amount of water heretofore placed to beneficial use under the terms of the permit.
3. Granting a reasonable extension of time to complete construction work and/or full beneficial use of water.

The time previously allowed in your permit within which to complete construction work and/or use of water has either expired or will expire shortly.

Please check below the action you wish taken on this permit.

The project has been abandoned and I request revocation of the permit.

Signature

Full use of water has been made, both as to amount and season, and I request license be issued.

Signature

The project is not yet complete. I request the State Board's consideration of the following petition for an extension of time.

PETITION FOR EXTENSION OF TIME N/A
If START of construction has been delayed

Complete items 1, 2, and 3.

1. What has been done since permit was issued toward commencing construction?

2. Estimate date construction work will begin. _____

3. Reasons why construction work was not begun within the time allowed by the permit.

Handwritten notes in red ink:
Dr G
6/13/92
#082.04
C.M.
6/13/92
#50.04
C.M.

PETITION FOR EXTENSION OF TIME

If construction work is proceeding

If construction work and/or use of water is proceeding but is not complete, an extension of time may be petitioned by completing items 4 through 16. Statements must be restricted to construction or use of water only under this permit.

4-29-16
JDM

extension to 12-31-30 to be consistent with the General Plan

- 4. A ten - year extension of time is requested to complete construction work and/or beneficial use of water. (Indicate period of time. Must be consistent with time frame allowed in "Guidelines for Considering Petitions for Extensions of Time").
- 5. How much water has been used? 0 acre-feet/year _____ cfs
- 6. How many acres have been irrigated? 0
- 7. How many houses or people have been served water? 0
- 8. Extent of past use of water for any other purpose. None
- 9. What construction work has been completed during the last extension? None
- 10. Approximate amount spent on project during last extension period. \$ None
- 11. Estimate date construction work will be completed. 1995 for new pumping, treatment and transmission facilities.
- 12. Estimated year in which water will be fully used. 2010
- 13. Reasons why construction and/or use of water were not completed within time previously allowed. water used 1950 to 1959. Discontinued thereafter due to poor quality. Wells on standby to 1984. To provide for water needs of growing community investigation of another Dry Creek site is under way by City.
If the use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by public agencies and use of the water has commenced, but additional time is needed to reach full use contemplated, the following information must be provided.
- 14. What water conservation measures are in effect or feasible within the place of use?
1991 elimination of declining block rate.
- 15. How much water is being conserved or is it feasible to conserve using these conservation measures? _____ acre-feet per annum.
- 16. How much water per capita is used during the maximum 30-day period? 0.16 gpm.
Residential consumption only

I (we) declare under penalty of perjury that the above is true and correct to the best of my (our) knowledge and belief.

Dated: MAY 26, 1992 at HEALDSBURG, California
[Signature] 707 431-3346
Signature(s) Telephone No.

NOTE: A \$50 fee made payable to the State Water Resources Control Board and an \$850 fee made payable to the Department of Fish and Game must accompany a petition for an extension of time.