

Attachment

TABLE 1A: RUSH CREEK STREAM ECOSYSTEM FLOWS FOR EXTREME-WET YEARS

Hydrograph Component	Timing	Flow Requirement	Ramping Rate
Spring Baseflow	April 1 – April 30	40 cfs	Maximum: 10% or 10 cfs*
Spring Ascension	May 1 – May 15	40 cfs ascending to 80 cfs	Target: 5% Maximum: 25%
Spring Bench	May 16 – June 11	80 cfs	Maximum: 20%
Snowmelt Ascension	June 12 – June 22	80 cfs ascending to 220 cfs	Target: 10% Maximum: 20%
Snowmelt Bench	June 23 – August 10	220 cfs	Maximum Ascending: 20% Maximum Descending: 10% or 10 cfs*
Snowmelt Flood and Snowmelt Peak	Starting between June 23 and July 19 with the 5-day peak between June 29 and July 29	220 cfs ascending to 750 cfs, 750 cfs for 5 days, 750 cfs descending to 220 cfs	Target Ascending: 20% Maximum Ascending: 40% Maximum Descending: 10% or 10 cfs*
Medium Recession (Node)	August 11 – August 25	220 cfs descending to 87 cfs	Target: 6% Maximum: 10% or 10 cfs*
Slow Recession	August 26 – September 30	87 cfs descending to 30 cfs	Target: 3% Maximum: 10% or 10 cfs*
Fall and Winter Baseflow	October 1 – March 31	27 cfs target (25 cfs minimum and 29 cfs maximum)	Maximum: 10% or 10 cfs*
			* whichever is greater

TABLE 1B: RUSH CREEK STREAM ECOSYSTEM FLOWS FOR WET YEARS

Hydrograph Component	Timing	Flow Requirement	Ramping Rate
Spring Baseflow	April 1 – April 30	40 cfs	Maximum: 10% or 10 cfs*
Spring Ascension	May 1 – May 15	40 cfs ascending to 80 cfs	Target: 5% Maximum: 25%
Spring Bench	May 16 – June 11	80 cfs	Maximum: 20%
Snowmelt Ascension	June 12 – June 19	80 cfs ascending to 170 cfs	Target: 10% Maximum: 20%
Snowmelt Bench	June 20 – August 1	170 cfs	Maximum Ascending: 20% Maximum Descending: 10% or 10 cfs*
Snowmelt Flood and Snowmelt Peak	Starting between June 20 and July 8 with the 5-day peak between June 27 and July 19	170 cfs ascending to 650 cfs, 650 cfs for 5 days, 650 cfs descending to 170 cfs	Target Ascending: 20% Maximum Ascending: 40% Maximum Descending: 10% or 10 cfs*
Medium Recession (Node)	August 2 – August 15	170 cfs descending to 71 cfs	Target: 6% Maximum: 10% or 10 cfs*
Slow Recession	August 16 – September 13	71 cfs descending to 30 cfs	Target: 3% Maximum: 10% or 10 cfs*
Summer Baseflow	September 14 – September 30	30 cfs target 28 cfs minimum	Maximum: 10% or 10 cfs*
Fall and Winter Baseflow	October 1 – March 31	27 cfs target 25 cfs minimum and 29 cfs maximum	Maximum: 10% or 10 cfs*
			* whichever is greater

TABLE 1C: RUSH CREEK STREAM ECOSYSTEM FLOWS FOR WET/NORMAL YEARS

Hydrograph Component	Timing	Flow Requirement	Ramping Rate
Spring Baseflow	April 1 – April 30	40 cfs	Maximum: 10% or 10 cfs*
Spring Ascension	May 1 – May 15	40 cfs ascending to 80 cfs	Target: 5% Maximum: 25%
Spring Bench	May 16 – June 11	80 cfs	Maximum: 20%
Snowmelt Ascension	June 12 – June 18	80 cfs ascending to 145 cfs	Target: 10% Maximum: 20%
Snowmelt Bench	June 19 – July 23	145 cfs	Maximum Ascending: 20% Maximum Descending: 10% or 10 cfs*
Snowmelt Flood and Snowmelt Peak	Starting between June 19 and July 1 with the 3-day peak between June 26 and July 10	145 cfs ascending to 550 cfs, 550 cfs for 3 days, 550 cfs descending to 145 cfs	Target Ascending: 20% Maximum Ascending: 40% Maximum Descending: 10% or 10 cfs*
Medium Recession (Node)	July 24 – August 4	145 cfs descending to 69 cfs	Target: 6% Maximum: 10% or 10 cfs*
Slow Recession	August 5 – September 1	69 cfs descending to 30 cfs	Target: 3% Maximum: 10% or 10 cfs*
Summer Baseflow	September 2 – September 30	30 cfs target 28 cfs minimum	Maximum: 10% or 10 cfs*
Fall and Winter Baseflow	October 1 – March 31	27 cfs target 25 cfs minimum and 29 cfs maximum	Maximum: 10% or 10 cfs*
			* whichever is greater

TABLE 2A LEE VINING CREEK STREAM ECOSYSTEM FLOWS

Timing: April 1 – September 30						Year-type: Extreme/Wet, Wet, Wet/Normal, Normal, Dry/Normal II				
Maximum ramping at the beginning and end of this period is 20%.										
Inflow	Flow Requirement									
30 cfs or less	Licensee shall bypass inflow.									
31 – 250 cfs	Licensee shall bypass flow in the amount corresponding to inflow which is displayed as blocks of 10 cfs (left-hand vertical column) and 1 cfs increments within such blocks (top horizontal row).									
	0	1	2	3	4	5	6	7	8	9
30		30	30	30	30	30	31	32	33	34
40	30	31	32	33	34	35	36	37	38	39
50	35	36	37	38	39	40	41	42	43	44
60	45	46	47	48	49	50	51	52	53	54
70	55	56	57	58	59	60	61	62	63	64
80	60	61	62	63	64	65	66	67	68	69
90	70	71	72	73	74	75	76	77	78	79
100	75	76	77	78	79	80	81	82	83	84
110	85	86	87	88	89	90	91	92	93	94
120	95	96	97	98	99	100	101	102	103	104
130	100	101	102	103	104	105	106	107	108	109
140	110	111	112	113	114	115	116	117	118	119
150	120	121	122	123	124	125	126	127	128	129
160	130	131	132	133	134	135	136	137	138	139
170	135	136	137	138	139	140	141	142	143	144
180	145	146	147	148	149	150	151	152	153	154
190	155	156	157	158	159	160	161	162	163	164
200	160	161	162	163	164	165	166	167	168	169
210	170	171	172	173	174	175	176	177	178	179
220	180	181	182	183	184	185	186	187	188	189
230	190	191	192	193	194	195	196	197	198	199
240	195	196	197	198	199	200	201	202	203	204
250	200									
251 cfs and greater	Licensee shall bypass inflow.									