SHR-715 Proposed New and Updated Monitoring Stations in the North Delta

Each of the below monitoring stations would be placed at locations as close as possible to the markers shown, and would measure water quality including chlorides, electroconductivity, sulfates, coliform, and turbidity dontent at the bottom of the waterway and alos near the surface of the waterway. Water flow, water velocity and water temperture would also be monitored. All data would be required to be reported in 15 minutes or less increments online, at all times. Monitoring stations that break down or have other failure must be repaired or replaced within 24 fours, except in the case of flooding or other risk to water engineering company responsible for maintaining the monitoring stations.



Graphic below is a copy of the monitoring station locations from the 2006 Water Quality Control Plan for the San Francisco Bay/Sacramento San Joaquin Delta Estuary. During the 2016 to 2018 California Waterfix hearings the re was repeated concern for DWR/USBR failure to comply with water quality directives or requirements in the Delta region. One way to help with this concern is to install **an adequate number of monitoring stations**, monitoring both the bottom of the water column and near the surface, so that all parties can better understand actual flows and water quality in the different areas and re spond appropriately and quickly to violations of water quality. Response would be defined in advance by Waterboard, so that there wou Id not be need for repeated legal filings against DWR and/or USBR to enforce water quality objectives and other set criteria. Monitoring stations would be funded by SWC based upon the amount of acre feet received each year, but installation, maintenance and reporting would be completed by an agency such as NDWA for the North Delta or contracted water engineer selected and m anaged by land owners of the North Delta, and a different agency or water contractor for the West and South Delta areas.



Impacts to recreation and navigation from low water levels needs to be assessed at all locations be low and above the proposed California Waterfix intakes, not just a a few non-representative locations as shown in DWR 1071, pa ge 18. (screen print below)



Page 9 of DWR-1071 Require M&I water quality monitoring in Norht Delta Figure L3: Locations of M&I and Agricultural Water Quality Results



