

1
2
3 The Informational Proceeding to
4 Develop Flow Criteria for the Delta Ecosystem
5

6
7
8 Noticed for March 22, 23, and 24, 2010
9

10
11
12
13
14 **SFWC EXHIBIT 3: APPENDIX OF**
15 **SUPPORTING CITATIONS**
16

17
18
19
20 Submitted on Behalf of
21 The San Luis & Delta-Mendota Water Authority,
22 State Water Contractors,
23 Westlands Water District,
24 Santa Clara Valley Water District,
25 Kern County Water Agency, and
26 Metropolitan Water District of Southern California

No.	Description
1	Alpine, A.E., and J.E. Cloern. 1992. Trophic interactions and direct physical effects control phytoplankton biomass and production in an estuary. <i>Limnol Oceanogr</i> 37: 946-955.
2	Amweg, E.L., D.P. Weston, J. You, and M.J. Lydy. 2006. Pyrethroid insecticides and sediment toxicity in urban creeks from California and Tennessee. <i>Environmental Science and Technology</i> 40(5): 1700-1760.
3	Anderson, D.M., P.M. Glibert, and J.M. Burkhold. 2002. Harmful algal blooms and eutrophication: nutrient sources, composition and consequences. <i>Estuaries</i> 25: 704-726.
4	Arthur, J.F., and M.D. Ball. 1979. Factors Influencing the Entrapment of Suspended Material in the San Francisco Bay-Delta Estuary. In Conomos, T.J., editor. <i>San Francisco Bay: The Urbanized Estuary</i> .
5	Baldwin, D.H., J.A. Spromberg, T.K. Collier, and N.L. Scholz. 2009. A Fish of Many Scales: Extrapolating Sublethal Pesticide Exposures to the Productivity of Wild Salmon Populations. <i>Ecological Applications</i> 19(8):2004-25.
6	Batcher, M. S. 2000. Element Stewardship Abstract for <i>Eichhornia crassipes</i> (Martius) Solms water hyacinth. The Nature Conservancy, Wildlife Invasive Species Team. Arlington, VA.
7	Baxter, R., R. Breuer, L. Brown, M. Chotkowski, F. Feyrer, M. Gingras, B. Herbold, A. Mueller-Solger, M. Nobriga, T. Sommer, and K. Souza. 2008. Pelagic organism decline progress report: 2007 synthesis of results.
8	Bay Institute. 2007. Petition to the State of California Fish and Game Commission and Supporting Information for Listing the Longfin Smelt (<i>Spirinchus thaleichthys</i>) as an Endangered Species Under the California Endangered Species Act. August 8, 2007.
9	Bay-Delta Conservation Plan. 2009. Working Draft Conservation Strategy. July 27, 2009.
10	Bennett, W.A. 2005. Critical assessment of the delta smelt population in the San Francisco Estuary, California. <i>San Francisco Estuary Watershed Science</i> 3(2): 1-71.
11	Bennett, W.A., J.A. Hobbs, and S.J. Teh. 2008. Interplay of Environmental Forcing and Growth-Selective Mortality in the Poor Year-Class Success of Delta Smelt in 2005. Final report: Fish Otolith and Condition Study 2005 prepared for the Pelagic Organism Decline Management Team.
12	Berman, T., and S. Chava. 1999. Algal growth on organic compounds as nitrogen sources. <i>J Plankton Res</i> 21: 1423-1437.
13	Brodeur, R.D., S. Ralston, R.L. Emmett, M. Trudel, T.D. Auth, and A.J. Phillips. 2006. Anomalous pelagic nekton abundance, distribution, and apparent recruitment in the northern California Current in 2004 and 2005. <i>Geophysical Research Letters</i> , Vol. 33, L22S08.
14	Brown, L. R., and D. Michniuk. 2007. Littoral fish assemblages of the alien-dominated Sacramento-San Joaquin Delta, California, 1980-1983 and 2001-2003. <i>Estuaries and Coasts</i> 30:186-200.
15	California Department of Fish and Game. 2008. Status of the Fisheries Report - an update through 2006.
16	California Fish and Game Commission. 2008. Proposed Emergency Regulatory Action Relating to Incidental Take of Longfin Smelt. July 31, 2008.
17	Carlton, J. T., J. K. Thompson, L. E. Schemel, and F. H. Nichols. 1990. Remarkable invasion of San Francisco Bay (California, USA) by the Asian clam, <i>Potamocorbula amurensis</i> . <i>Introduction and Dispersal: Marine Ecology Progress Series</i> 66:81-94.
18	Clifford, M. A., K.J. Eder, I. Werner, and R. Hedrick. 2005. Synergistic Effects of Esfenvalerate and Infectious Hematopoietic Necrosis Virus on Juvenile Chinook Salmon Mortality. <i>Environmental Toxicology and Chemistry</i> 24(7): 1766-1772.
19	Cloern, J.E. 1999. The relative importance of light and nutrient limitation of phytoplankton growth: a simple index of coastal ecosystem sensitivity to nutrient enrichment. <i>Aquat Ecol</i> 33:3-16.
20	Cohen, A. N., and J. T. Carlton. 1995. Intruders in the Estuary. <i>Watershed, Quarterly Newsletter of the Save San Francisco Bay Association Oakland, CA</i> 34(14):1-8.
21	** Counts, C. L., III. 1986. The zoogeography and history of the invasion of the United States by <i>Corbicula fluminea</i> (Bivalvia: Corbiculidae). <i>American Malacological Bulletin, Special Edition No. 2</i> :7-39.
22	Cullon, D. L., M.B. Yunkers, C. Alleyne, N.J. Dangerfield, S. O'Neill, M.J. Whitar, and P.S. Ross. 2008. Persistent Organic Pollutants in Chinook Salmon (<i>Oncorhynchus Tshawtscha</i>): Implications for Resident Killer Whales of British Columbia and Adjacent Waters.
23	Deriso Declaration. January 26, 2010.
24	Deriso Declaration. February 1, 2010.

No.	Description
25	Deriso Declaration. July 30, 2009.
26	Deriso Declaration. November 13, 2009.
27	Deriso Declaration. December 7, 2009.
28	Dugdale, R.C., F. P. Wilkerson, V. E. Hogue, and A. Marchi. 2007. The role of ammonium and nitrate in spring bloom development in San Francisco Bay. <i>Estuarine, Coastal and Shelf Science</i> 73: 17-29.
29	Dyhrman, S.T. 2008. Molecular approaches to diagnosing nutritional physiology in harmful algae: implications for studying the effects of eutrophication. <i>Harmful Algae</i> 8:167-174.
30	Feijoó, C., M.E. García, F. Momo, and J.Toja. 2002. Nutrient absorption by the submerged macrophyte <i>Egeria densa</i> planch.: effect of ammonium and phosphorus availability in the water column on growth and nutrient uptake. <i>Limnetica</i> 21(1-2): 93-104.
31	Feyrer, F., B. Herbold, S. A. Matern, and P. B. Moyle. 2003. Dietary shifts in a stressed fish assemblage: consequences of a bivalve invasion in the San Francisco Estuary. <i>Environmental Biology of Fishes</i> 67: 277-288.
32	Feyrer, F., M. L. Nobriga, and T. R. Sommer. 2007. Multidecadal trends in three declining fish species: habitat patterns and mechanisms in the San Francisco Estuary, California, USA. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> 64: 723-734.
33	Glibert, P.M, C.A. Heil, D. Hollander, M. Revilla, A. Hoare, J. Alexander, and S. Murasko. 2004. Evidence for dissolved organic nitrogen and phosphorus uptake during a cyanobacterial bloom in Florida Bay. <i>Mar Ecol Prog Ser</i> 280:73-83.
34	Grimaldo, L.F., T. Sommer, N. Van Ark, G. Jones, E. Holland, P.B. Moyle, B. Herbold, and P. Smith. 2009. Factors Affecting Fish Entrainment into Massive Water Diversions in a Tidal Freshwater Estuary: Can Fish Losses be Managed? <i>North American Journal of Fisheries Management</i> .
35	Heil, C.A., M. Revilla, P.M. Glibert, and S. Murasko. 2007. Nutrient quality drives differential phytoplankton community composition on the southwest Florida shelf. <i>Limnol Oceanogr.</i> 52(3):1067-1078.
36	Hilborn Declaration. October 9, 2009.
37	Hilborn Declaration. November 13, 2009.
38	Hobbs, J.A., W.A. Bennett, and J.E. Burton. 2006. Assessing nursery habitat quality for native smelts (Osmeridae) in the low-salinity zone of the San Francisco estuary. <i>Jour Fish Biol</i> 69:907–922.
39	Holbrook, C.M., R.W. Perry, and N.S. Adams. 2009. Distribution and joint fish-tag survival of juvenile Chinook salmon migrating through the Sacramento-San Joaquin Delta, California 2008. U.S. Geological Survey Open-File Report 2009-1204.
40	Huang, C-H. and D. L. Sedlak. 2001. Analysis of estrogenic hormones in municipal wastewater effluent and surface water using enzyme-linked immunosorbent assay and gas chromatography/tandem mass spectrometry. <i>Environmental Toxicology and Chemistry</i> 20(1):1.
41	Interagency Ecological Program for the Sacramento-San Joaquin Estuary. 1996. An Assessment of the Likely Mechanisms Underlying the “Fish-X2” Relationships. DRAFT. June 1996.
42	Jassby, A.D., J.E. Cloern, and B.E. Cole. 2002. Annual primary production: Patterns and mechanisms of change in a nutrient-rich tidal ecosystem. <i>Limnol. Oceanogr.</i> 47(3): 698–712.
43	Jassby, A.D., W. J. Kimmerer, S.G. Monismith, C. Armor, J.E. Cloern, T.M. Powell, and T.J. Vendliski. 1995. Isohaline Position as a Habitat Indicator for Estuarine Populations. <i>Ecological Applications</i> 5(1): 272-289.
44	Jassby, A. 2008. Phytoplankton in the upper San Francisco Estuary: recent biomass trends, their causes and their trophic significance. <i>San Francisco Estuary Science and Watershed</i> . February, 2008.
45	Jobling, S., M. Nolan, C. R. Tyler, G. Brighty, and J. P. Sumpter. 1998. Widespread sexual disruption in wild fish. <i>Environmental Science and Technology</i> 32(17): 2498-2506.
46	Jones, N. L., J.K. Thompson, K.R. Arrigo, and S.G. Monismith. 2009. Hydrodynamic control of phytoplankton loss to the benthos in an estuarine environment. <i>Limnol. Oceanogr.</i> 54(3): 952–969.
47	Kidd, K. A., P. J. Blanchfield, K. H. Mills, V. P. Palace, R. E. Evans, J. M. Lazorchak, and R.W. Flick. 2007. Collapse of a fish population after exposure to a synthetic estrogen. <i>PNAS</i> 104(21): 8897-8901.
48	Killgore, K. J., and J. J. Hoover. 2001. Effects of hypoxia on fish assemblages in a vegetated water body. <i>Journal of Aquatic Plant Management</i> 39: 40–44.

No.	Description
49	Kimmerer, W.J., J.H. Cowan, L.W. Miller, and K.A. Rose. 2001. Analysis of an estuarine striped bass population: effects of environmental conditions during early life. <i>Estuaries</i> 24: 556-574.
50	Kimmerer, W. J. 2002. Effects of freshwater flow on abundance of estuarine organisms: physical effects or trophic linkages? <i>Marine Ecology Progress Series</i> 243: 39-55.
51	Kimmerer, W.J., E.S. Gross, and M.L. MacWilliams. 2009. Is the Response of Estuarine Nekton to Freshwater Flow in the San Francisco Estuary Explained by Variation in Habitat Volume? <i>Estuaries and Coasts</i> DOI 10.1007/s12237-008-9124-x.
52	Kimmerer, W.J. 2008. Losses of Sacramento River Chinook Salmon and Delta Smelt to Entrainment in Water Diverions in the Sacramento-San Joaquin Delta. <i>San Francisco Estuary and Watershed Science</i> 6(2): 1-27.
53	Kimmerer, W.J. 2004. Open Water Processes of the San Francisco Estuary: From Physical Forcing to Biological Responses. <i>San Francisco Estuary and Watershed Science</i> vol. 1, iss. 1, art. 1.
54	Kimmerer, W.J. 2002. Physical, Biological, and Management Responses to Variable Freshwater Flow into the San Francisco Estuary. <i>Estuaries</i> 25(6): 1275–1290.
55	Kimmerer, W.J., E. Gartside, and J.J. Orsi. 1994. Predation by an introduced clam as the likely cause of substantial declines in zooplankton of San Francisco Bay. <i>Marine Ecology Progress Series</i> 113: 81-93.
56	Kimmerer, W.J. 2006. Response of Anchovies Dampens Effects of the Invasive Bivalve <i>Corbula amurensis</i> on the San Francisco Estuary Foodweb. <i>Mar. Ecol. Prog. Ser.</i> 324: 207-218.
57	Kuivila, K. M., and G.E. Moon. 2004. Potential exposure of larval and juvenile Delta smelt to dissolved pesticides in the Sacramento-San Joaquin delta, California. <i>American Fisheries Society Symposium</i> 39: 229-241.
58	Lavado, R., J. E. Loyo-Rosales, E. Floyd, E. P. Kolodziej, S. A. Snyder, D. L. Sedlak, and D. Schlenk. 2009. Site-Specific profiles of estrogenic activity in agricultural areas of California's inland waters. <i>Environmental Science and Technology</i> 43(24): 9110-9116
59	Lehman, P. W., G. Boyer, C. Hall, S. Waller, and K. Gehrts. 2005. Distribution and toxicity of a new colonial <i>Microcystis aeruginosa</i> bloom in the San Francisco Bay Estuary, California. <i>Hydrobiologia</i> 541: 87-99.
60	Lehman, P. W. 2000. The influence of climate on phytoplankton community biomass in San Francisco Bay Estuary. <i>Limnol. Oceanogr.</i> 45: 580–590.
61	Lindley, S.T., and M.S. Mohr. 2003. Modeling the effect of striped bass (<i>Morone saxatilis</i>) on the population viability of Sacramento River winter-run chinook salmon (<i>Oncorhynchus tshawytscha</i>). <i>U.S. Fishery Bulletin</i> 101: 321-331.
62	Lomas, M.W., and P.M. Glibert. 1999. Interactions between NH ₄ ⁺ and NO ₃ ⁻ uptake and assimilation: comparison of diatoms and dinoflagellates at several growth temperatures. <i>Marine Biology</i> 133: 541-551.
63	Lomas, M.W. and P.M. Glibert. 1999. Temperature regulation of nitrate uptake: A novel hypothesis about nitrate uptake and reduction in cool-water diatoms. <i>Limnol Oceanogr</i> 44: 556-572.
64	Lund, J., E. Hanak, W. Fleenor, W. Bennett, R. Howitt, J. Mount, and P. Moyle. 2008. Comparing futures for the Sacramento-San Joaquin Delta. <i>Public Policy Institute of California</i> .
65	MacFarlane, B., and A. Ammann. 2009. Post array at Point Reyes, California. Powerpoint presentation.
66	Manly Declaration. January 11, 2010.
67	Manly Declaration. October 9, 2009.
68	Manly Declaration. November 13, 2009.
69	Matern, S. A., P. B. Moyle, and L. C. Pierce. 2002. Native and alien fishes in a California estuarine marsh: Twenty-one years of changing assemblages. <i>Transactions of the American Fisheries Society</i> 131:797–816.
70	Meyer, J.S., P. J. Mulholland, H. W. Paerl, and A. K. Ward. 2009. A Framework for Research Addressing the Role of Ammonia/Ammonium in the Sacramento-San Joaquin Delta and the San Francisco Bay Estuary Ecosystem. Report to Calfed Science Program.
71	Miyazaki, T., K. Takeya, T. Togashi, N. Nakagiri, T. Suzuki, and J. Yoshimura. 2003. Effects of Ammonium Concentration and Dilution on the Competition between the Cyanobacterium <i>Microcystis novacekii</i> and the Green Alga <i>Scenedesmus quadricauda</i> .
72	Moore, A., and C.P. Waring. 2001. The effects of a synthetic pyrethroid pesticide on some aspects of reproduction in Atlantic salmon (<i>Salmo salar</i> L.). <i>Aquat. Toxicol.</i> 52: 1-12.
73	Moyle, P.B., P.K. Crain, and K. Whitener. 2007. Patterns in the Use of a Restored California Floodplain by Native and Alien Fishes. <i>San Francisco Estuary and Watershed Science</i> 5(3).

No.	Description
74	Müller-Solger, A., A.D. Jassby, and D.C. Müller-Navarra. 2002. Nutritional quality of food resources for zooplankton (<i>Daphnia</i>) in a tidal freshwater system (Sacramento-San Joaquin River Delta). <i>Limnol Oceanogr</i> 47(5): 1468-1476.
75	National Marine Fisheries Service. 2008. National Marine Fisheries Service Endangered Species Act Section 7 Consultation, Biological Opinion Environmental Protection Agency Registration of Pesticides Containing Chlorpyrifos, Diazinon, and Malathion.
76	Nehlsen, W., J. E. Williams, and J. A. Lichatowich. 1991. Pacific salmon at the crossroads – stocks at risk from California, Oregon, Idaho, and Washington. <i>Fisheries</i> 16: 4–21.
77	Nobriga, M.L., F. Feyrer, R.D. Baxter, and M. Chotkowski. 2005. Fish Community Ecology in an Altered River Delta: Spatial Patterns in Species Composition, Life History Strategies, and Biomass. <i>Estuaries</i> 28(5): 776-85.
78	Nobriga, M. L., and F. Feyrer. 2007. Shallow-Water Piscivore-Prey Dynamics in California’s Sacramento-San Joaquin Delta. <i>San Francisco Estuary & Watershed Science</i> 5(2).
79	Operations Criteria and Plan. 2008. OCAP BA Appendix V. August, 2008.
80	Orlando, J.L., L.A. Jacobson, and K.M. Kuivila. 2004. Dissolved Pesticide and Organic Carbon Concentrations Detected in Surface waters, Northern Central Valley, 2001-2002. United States Geological Survey, Open-File Report 2004-1214: p.1.
81	Ostrach, D. J., J.M. Low-Marchelli, K.J. Eder, S.J. Whiteman, and J.G. Zinki. 2008. Maternal Transfer of Xenobiotics and Effects on Larval Striped Bass in the San Francisco Estuary. <i>PNAS</i> 105(49): 19354-19359.
82	Pacific Fishery Management Council. 2008. Status of the Pacific Coast Coastal Pelagic Species Fishery and Recommended Acceptable Biological Catches: Stock Assessment and Fishery Evaluation 2008.
83	Parchaso, F., and J. K. Thompson. 2002. Influence of Hydrologic Processes on Reproduction of the Introduced Bivalve <i>Potamocorbula amurensis</i> in Northern San Francisco Bay, California. <i>Pacific Science</i> 56: 329-345.
84	Perry, R.W., P.L. Brandes, P.T. Sandstrom, A. Amman, B. MacFarlane, A.P. Klimley, and J.R. Skalski. 2009. Estimating survival and migration route probabilities of juvenile Chinook salmon in the Sacramento–San Joaquin River Delta. <i>North American Journal of Fisheries Management</i> .
85	Raloff, J. 2007. Aquatic Non-Scents: Repercussions of water pollutants that mute smell. <i>Science News Online</i> 171(4): 59.
86	Reddy, K.R., and J.C. Tucker. 1983. Productivity and nutrient uptake of water hyacinth, <i>Eichhornia crassipes</i> : I effect of nitrogen source. <i>Economic Botany</i> 37(2): 237-247.
87	Rosenfield, J.A., and R.D. Baxter. 2007. Population Dynamics and Distribution Patterns of Longfin Smelt in the San Francisco Estuary. <i>Trans Am Fish Soc</i> 136: 1577–1592.
88	Sandahl, J.F., D.H. Baldwin, J.J. Jenkins and N.L.Scholz. 2007. A sensory system at the interface between urban stormwater runoff and salmon survival. <i>Environmental Science and Technology</i> , 41:2998-3004.
89	Sommer, T, B. Harrell, M. Nobriga, R. Brown, P. Moyle, W. Kimmerer, and L. Schemel. 2001. California's Yolo Bypass: Evidence that flood control can be compatible with fisheries, wetlands, wildlife, and agriculture. <i>Fisheries</i> 26(8).
90	Sommer, T.R., W.C. Harrell, A. Mueller-Solger, B. Tom, and W.J. Kimmerer. 2004. Effects of Flow Variation on Channel and Floodplain Biota and Habitats of the Sacramento River, California. <i>Aquatic Conserv: Mar. Freshw. Ecosyst.</i> 14: 247-261.
91	Sommer, T.R., M.L. Nobriga, W.C. Harrell, W. Batham, and W.J. Kimmerer. 2001. Floodplain Rearing of Juvenile Salmon: Evidence of Enhanced Growth and Survival. <i>Can. Jour. Fish. Aquat. Sci.</i> 58: 325-333.
92	Sommer, T., R. Baxter, and B. Herbold. 1997. Resilience of Splittail in the Sacramento-San Joaquin Estuary. <i>Tran. Amer. Fish. Soc.</i> 126: 961-976.
93	Sullivan Science News. Picky Eaters? Scientist Says Size Matters in Determining Smelt Feeding Preferences. December, 2009.
94	Tanner, D.K., and M.L. Knuth. 1996. Effects of esfenvalerate on the reproductive success of the bluegill sunfish, <i>Lepomis macrochirus</i> in littoral enclosures. <i>Archives of Environmental Contamination and Toxicology</i> 31: 244-251.
95	Teh, S. J., S. Lesmeister, I. Flores, M. Kawaguchi, and C.Teh. 2009. Acute Toxicity of Ammonia, Copper, and Pesticides to <i>Eurytemora affinis</i> , of the San Francisco Estuary. Final report submitted to Inge Werner, UC-Davis.

No.	Description
96	Thompson, B., T. Adelsbach, C. Brown, J. Hunt, J. Kuwabara, J. Neale, H. Ohlendorf, S. Schwarzbach, R. Spies, and K. Taberski. 2007. Biological Effects of Anthropogenic Contaminants in the San Francisco Estuary. <i>Science Direct, Environmental Research</i> 105(1): 156-174.
97	Thomson, J.R., W.J. Kimmerer, L. Brown, K.B. Newman, R. Mac Nally, W.A. Bennett, F. Feyrer, and E. Fleishman. 2009. Bayesian change-point analysis of abundance trends for pelagic fishes in the upper San Francisco Estuary. In press, <i>Ecological Applications</i> .
98	Tierney, K.B., D.H. Baldwin, T.J. Hara, P.S. Ross, N.L. Scholz, and C.J. Kennedy. 2009. Olfactory Toxicity in Fishes. <i>Aquatic Toxicology</i> 96(2010): 2-26.
99	Toft, J. D., C. A. Simenstad, J. R. Cordell, and L. F. Grimaldo. 2003. The Effects of Introduced Water Hyacinth on Habitat Structure, Invertebrate Assemblages, and Fish Diets <i>Estuaries</i> 26: 746-758.
100	U.S. Fish and Wildlife Service. 2009. Biological opinion on coordinated operations of the Central Valley Project and State Water Project and the operational criteria and plan to address potential critical habitat issues. Service file 81420-2008-F-1481-5.
101	Van Nieuwenhuyse, E.E. 2007. Response of summer chlorophyll concentration to reduced total phosphorus concentration in the Rhine River (Netherlands) and the Sacramento – San Joaquin Delta (California, USA). <i>Can J Fish Aquat Sci</i> 64: 1529-1542.
102	Wells, B.K., J.C. Field, J.A. Thayer, C.B. Grimes, S.J. Bogard, W.J. Sydeman, F.B. Schwing, and R. Hewitt. 2008. Untangling the relationships among climate, prey and top predators in an ocean ecosystem. <i>Marine Ecology Progress Series</i> 364: 15-29.
103	Werner, I., J. Geist, M. Okihiro, P. Rosenkranz, and D.E. Hinton. 2002. Effects of dietary exposure to the pyrethroid pesticide esfenvalerate on medaka (<i>Oryzias latipes</i>). <i>Marine Environmental Research</i> 54: 609–614.
104	Werner, I. 2005. Pelagic organism decline: acute and chronic invertebrate and fish toxicity testing. Progress Report. Aquatic Toxicology Laboratory, School of Veterinary Medicine, University of California, Davis, California. September 30, 2005.
105	Weston, D. P, J. You, and M.J. Lydy. 2004. Distribution and Toxicity of Sediment-Associated Dominated Water Bodies of California’s Central Valley. <i>Environmental Science and Technology</i> 38(10): 2752-2759.
106	Weston, D.P, and M.J. Lydy. 2009. Urban and Agricultural Sources of Pyrethroid Insecticides to the Sacramento- San Joaquin Delta of California. <i>Environmental Science and Technology</i> , DOI: 10.1021/es9035573.
107	Whitehead, A., K. Kuivila, J.L. Orlando, S. Kotelevtsev, and S.L. Anderson. 2004. Genotoxicity in Native Fish Associated with Agricultural Runoff Events. <i>Environmental Toxicology and Chemistry</i> 23(12): 2868-2877.
108	Wilkerson, F.P, R.C. Dugdale, V.E. Hogue, and A. Marchi. 2006. Phytoplankton Blooms and Nitrogen Productivity in San Francisco Bay. <i>Estuaries and Coasts</i> 29(3): 401–416.
109	Zidek, J.V., H. Wong, N.D. Le, and R. Burnett. 1996. Causality, Measurement Error and Multicollinearity in Epidemiology. <i>Envirometrics</i> 7: 441-451.

** Not provided; available upon request.