

# Memorandum

DWR

Date: March 6, 2019

To: Eileen Sobeck, Executive Director  
State Water Resources Control Board  
1001 I Street  
Sacramento, California 95814

MAR 13 2019

From: Department of Water Resources

Subject: Report of Salinity Levels at South Delta Water Quality Monitoring Stations February 2019

~~In accordance with the Quarterly Status Report, May 2009, Cease and Desist WR 2006-0006, the Department is providing a monthly summary of the salinity measured at the four required compliance locations. The four locations (stations) include San Joaquin River at Vernalis, San Joaquin River at Brandt Bridge, Old River near Tracy Road Bridge, and Old River near Middle River.~~

The monthly summary for February 2019 is provided in the attached table.

If you have any questions, please contact me at (916) 574-2722.



Molly White, Chief  
Water Operations Office  
Division of Operations and Maintenance  
Department of Water Resources

Attachment

cc:(see attached list)

Michael George, Delta Watermaster  
Office of Delta Watermaster  
State Water Resources Control Board  
1001 I Street  
Sacramento, California 95814

Amy L. Aufdemberge  
Assistant Regional Solicitor  
Room E-1712  
2800 Cottage Way  
Sacramento, California 95825

Dante John Nomellini, Esq.  
Nomellini, Grilli and McDaniel  
Post Office Box 1461  
235 East Weber Avenue  
Stockton, California 95201

---

Carl P. A. Nelson  
Bold, Polisner, Maddow, Nelson and Judson  
2125 Oak Grove Road, Suite 210  
Walnut Creek, California 94598

Thomas J. Shephard, Sr.  
Post Office Box 20  
Stockton, California 95201

John Herrick, Esq.  
South Delta Water Agency  
1806 Kettleman Lane, Suite L  
Lodi, California 95242

Michael Jackson  
Post Office Box 207  
429 West Main Street  
Quincy, California 95971

Stefanie Morris, General Counsel  
State Water Contractors  
1121 L Street, Suite 1050  
Sacramento, California 95814

Wendy Bogdan, General Counsel  
California Department of Fish and Wildlife  
1416 9th Street, Suite 1341  
Sacramento, California 95814

Carl Wilcox  
California Department of Fish and Wildlife  
1416 9th Street  
Sacramento, California 95814

Tim O'Laughlin  
O'Laughlin and Paris LLP  
2617 K Street, Suite 100  
Sacramento, California 95816

Jon D. Rubin  
San Luis & Delta-Mendota Water Authority  
400 Capitol Mall, 27<sup>th</sup> Floor  
Sacramento, CA 95814

Thomas Watson  
City Attorney  
City of Tracy  
333 Civic Center Plaza  
Tracy, California 95376

bcc: Tara Smith, DWR 252-18  
Mark Holderman, DWR 215-32  
Cathy Crothers, DWR 1118  
Tripp Mizell, DWR 1118

---

# Delta Water Quality Conditions\*

February 2019

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle	
	VERec	VER30ec	BDTec	BDT30ec	OLDec	OLD30ec	UNDec	UNI30ec
01-Feb-19	1.0	0.8	0.9	0.8	1.1	1.0	1.0	0.8
02-Feb-19	0.9	0.8	0.9	0.8	1.1	1.0	1.0	0.8
03-Feb-19	0.7	0.8	0.9	0.8	1.1	1.0	1.0	0.8
04-Feb-19	0.5	0.8	0.9	0.8	1.0	1.0	0.7	0.8
05-Feb-19	0.5	0.8	0.5	0.8	0.8	1.0	0.4	0.8
06-Feb-19	0.4	0.8	0.4	0.8	0.7	1.0	0.4	0.8
07-Feb-19	0.4	0.8	0.4	0.8	0.7	0.9	0.4	0.8
08-Feb-19	0.4	0.8	0.3	0.8	0.6	0.9	0.4	0.8
09-Feb-19	0.4	0.7	0.4	0.7	0.5	0.9	0.4	0.8
10-Feb-19	0.4	0.7	0.4	0.7	0.5	0.9	0.4	0.7
11-Feb-19	0.4	0.7	0.4	0.7	0.5	0.9	0.4	0.7
12-Feb-19	0.4	0.7	0.4	0.7	0.5	0.9	0.4	0.7
13-Feb-19	0.3	0.7	0.3	0.7	0.5	0.8	0.3	0.7
14-Feb-19	0.3	0.7	0.3	0.6	0.4	0.8	0.3	0.7
15-Feb-19	0.3	0.6	0.3	0.6	0.4	0.8	0.3	0.7
16-Feb-19	0.1	0.6	0.3	0.6	0.4	0.8	0.3	0.6
17-Feb-19	0.2	0.6	0.2	0.6	0.4	0.8	0.2	0.6
18-Feb-19	0.2	0.6	0.2	0.6	0.3	0.7	0.2	0.6
19-Feb-19	0.2	0.6	0.2	0.6	0.3	0.7	0.2	0.6
20-Feb-19	0.2	0.6	0.2	0.5	0.3	0.7	0.2	0.6
21-Feb-19	0.2	0.5	0.2	0.5	0.3	0.7	0.2	0.6
22-Feb-19	0.2	0.5	0.2	0.5	0.3	0.7	0.2	0.5
23-Feb-19	0.2	0.5	0.2	0.5	0.4	0.7	0.2	0.5
24-Feb-19	0.2	0.5	0.2	0.5	0.5	0.7	0.2	0.5
25-Feb-19	0.2	0.5	0.2	0.5	0.5	0.6	0.2	0.5
26-Feb-19	0.2	0.4	0.2	0.4	0.4	0.6	0.2	0.5
27-Feb-19	0.2	0.4	0.2	0.4	0.4	0.6	0.2	0.4
28-Feb-19	0.2	0.4	0.2	0.4	0.4	0.6	0.2	0.4

\* Salinity reported as electrical conductivity in milliSiemens per centimeter (mS/cm)

XXXec	XXX30ec	Daily average and 30-day running average electrical conductivity
-------	---------	--