

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office FEB 01 2006

Returned to applicant for correction

Corrected application filed

Map filed FEB 17 2006

The applicant Truckee Meadows Water Authority hereby makes application for permission to change the Point of Diversion, Manner of Use and Place of Use of water heretofore appropriated under Permit No. 42732, Certificate No. 11014

1. The source of water is Truckee River
2. The amount of water to be changed 1.20 cfs but not exceed 330.80 afa as described under Item 15 "Remarks"
3. The water to be used for Storage with secondary permits for beneficial uses allowed by the Truckee River Operating Agreement.
4. The water heretofore permitted for Municipal
5. The water is to be diverted at the following point All existing Points of Diversion described in Exhibit "A" attached hereto and the addition of all existing reservoirs described in Exhibit "B" attached hereto and shown on the map filed With this Application.
6. The existing permitted point of diversion is located within the Southwest one-quarter of the Northeast one-quarter (SW¼ NE¼) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from which point the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet (North Truckee Ditch-Glendale Treatment Plant).
7. Proposed place of use The beneficial places of use will be set forth in applications for secondary permits consistent with the Truckee River Operating Agreement. The water stored under this Primary Application will be in the reservoirs shown on the supporting maps filed with this Application.
8. Existing place of use See attached Exhibit "C" as described in Permit No. 42732 and shown on supporting map Filed under Permit No. 42727 in the office of the Division of Water Resources, State of Nevada.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from As Decreed to As Decreed of each year.
11. Description of proposed works The diversion works for those Points of Diversion described in Exhibit "A" and the existing reservoirs described in Exhibit "B" are complete and built.
12. Estimated cost of works None
13. Estimated time required to construct works None
14. Estimated time required to complete the application of water to beneficial use N/A

EXHIBIT

233

tabbles

73783

15. Remarks: See remarks in Exhibit "D" attached hereto.

By **s/Kenneth C Briscoe**
Kenneth C. Briscoe
TMWA, P O Box 30013
Reno, NV 89520-3013

Compared sg/mt_____

Protested _____

EXHIBIT "A"

The following describes the multiple points of diversion for Truckee Meadows Water Authority Water Treatment Plants, which are shown on the map accompanying Application No. 73783 on file with the State of Nevada, Division of Water Resources, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE¼ SW¼) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62° 04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW¼ SE¼) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75° 16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE¼ SE¼) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69° 57' 58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW¼ NE¼) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39° 28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE¼ SE¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Northeast corner of said Section 17 bears North 15° 39' 36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE¼ SW¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Southwest corner of said Section 17 bears South 44° 40' West, a distance of 3,211.00 feet.

2/14/2006

M:\water rights\Transfer Applications\troa applications\troa appl-primary\Exhibit A - Master.doc

EXHIBIT "B"

The Proposed Points of Diversion (Dam) and Capacity (AF) for each Storage Reservoir are as follows:

Lake Tahoe:

Situate in the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 7, T. 15N., R. 17E., M.D.M., or from the Dam the Southwest corner of said Section 7 bears South $29^{\circ} 09' 30''$ West a distance of 5,182 feet, more or less. The capacity of Lake Tahoe is approximately 744,600 AF.

Donner Lake:

Situate in the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 18, T. 17N., R. 16E., M.D.M., or from the Dam the Southeast corner of said Section 18 bears South $04^{\circ} 07' 14''$ East a distance of 2,981 feet, more or less. The capacity of Donner Lake is approximately 9,500 AF.

Prosser Creek Dam (Reservoir):

Situate in the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 30, T. 18N., R. 17E., M.D.M., or from the Dam the southwest corner of said Section 30 bears South $22^{\circ} 58' 48''$ West a distance of 2,006 feet, more or less. The capacity of Prosser Creek Reservoir is approximately 29,840 AF.

Boca Dam (Reservoir):

Situate in the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 21, T. 18N., R. 17E., M.D.M., or from the Dam the southwest corner of said Section 21 bears South $81^{\circ} 05' 07''$ West a distance of 2,647 feet, more or less. The capacity of Boca Reservoir is approximately 40,870 AF.

Stampede Dam (Reservoir):

Situate in the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 28, T. 19N., R. 17E., M.D.M., or from the Dam the northwest corner of said Section 28 bears North $36^{\circ} 08' 27''$ West a distance of 636 feet, more or less. The capacity of Stampede Reservoir is approximately 226,500 AF.

Independence Lake Dam:

Situate in the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 35, T. 19N., R. 15E., M.D.M., or from the Dam the Southwest corner of said Section 35 bears South $20^{\circ} 06' 47''$ West a distance of 1,945 feet, more or less. The capacity of Independence Lake is approximately 17,500 AF.

EX'C

T19N, R19E

Sections - 1, 2, 3, 4, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18,
21, 22, 23, 24, 25, 26, 27 and 36 - All.

Section 5 - SE $\frac{1}{4}$

Section 7 - S $\frac{1}{4}$; NE $\frac{1}{4}$

Section 19- N $\frac{1}{4}$; N $\frac{1}{2}$ SE $\frac{1}{4}$

Section 20- N $\frac{1}{4}$; SE $\frac{1}{4}$; N $\frac{1}{2}$ SW $\frac{1}{4}$

Section 28- N $\frac{1}{4}$

Section 34- NE $\frac{1}{4}$ NE $\frac{1}{4}$

Section 35- NW $\frac{1}{4}$; NE $\frac{1}{4}$; SE $\frac{1}{4}$; E $\frac{1}{2}$ SW $\frac{1}{4}$

T18N, R20E

Sections 6, 7, and 18 - All

Section 5 - W $\frac{1}{2}$

Section 8 - W $\frac{1}{2}$

Section 17 - W $\frac{1}{2}$

T18N, R19E

Sections 1, ¹⁰12, and 13 - All

Section 2 - E $\frac{1}{2}$

Section 11- E $\frac{1}{2}$

Section 14- E $\frac{1}{2}$

-02/01/2006

11:56

TRUCKEE MEADOWS WATER AUTHORITY → 96842811

NO.102 0002

EX'C

T20N, R19E

Section 15 - All that portion south of the Western Pacific Railroad right-of-way.

Section 22 - All

Section 23 - All that portion lying westerly of the northeasterly right-of-way line of U.S. Highway 395 and the northerly right-of-way line of the Western Pacific Railroad; also the S $\frac{1}{4}$ SW $\frac{1}{4}$.

Section 25 - S $\frac{1}{4}$ S $\frac{1}{4}$

Section 26 - NW $\frac{1}{4}$; SW $\frac{1}{4}$ NE $\frac{1}{4}$; a fraction of the NW $\frac{1}{4}$ SE $\frac{1}{4}$ lying northerly of the Western Pacific Railroad right-of-way; SW $\frac{1}{4}$; S $\frac{1}{4}$ SE $\frac{1}{4}$

Section 27 - All

Section 33 - The southerly 900 feet of the easterly 1600 feet of the S $\frac{1}{4}$ SE $\frac{1}{4}$

Section 34, 35, 36 - All

T20N, R20E

Section 19 - SW $\frac{1}{4}$ SW $\frac{1}{4}$; SE $\frac{1}{4}$ SE $\frac{1}{4}$

Section 20 - SW $\frac{1}{4}$

Section 27 & 28 - S $\frac{1}{4}$ S $\frac{1}{4}$

Section 29 - W $\frac{1}{2}$; S $\frac{1}{4}$ SE $\frac{1}{4}$

Section 30 - W $\frac{1}{2}$; SE $\frac{1}{4}$; NE $\frac{1}{4}$ NE $\frac{1}{4}$; S $\frac{1}{4}$ NE $\frac{1}{4}$

Section 31, 32, 33, 34, 35 - All

T19N, R20E

Sections 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 15, 16, 17, 18, 19, 28, 29, 30, 31 - All

Section 14 - N $\frac{1}{2}$ N $\frac{1}{2}$; SW $\frac{1}{4}$ NW $\frac{1}{4}$

Section 20 - N $\frac{1}{2}$; SW $\frac{1}{4}$; NW $\frac{1}{4}$ SE $\frac{1}{4}$; all that portion of NE $\frac{1}{4}$ SE $\frac{1}{4}$ lying westerly of the westerly right-of-way line of Boynton La

Section 32 - N $\frac{1}{2}$; SW $\frac{1}{4}$

Section 33 - N $\frac{1}{2}$

EXHIBIT "D"

15. Remarks:

This application is filed pursuant to the provisions of N.R.S. §533.515 in that it seeks to add the reservoirs described in Exhibit B and as listed in Item 11 above as additional points of diversion for the consumptive use component of the water rights described herein, which consumptive use component is at least 2.5 acre feet per acre per year, and which water rights have points of diversion in the State of Nevada. This application is also filed as part of the implementation of the operating agreement described in Section 205(a) of Public Law 101-618. Because of the provisions of California Water Code section 1231 and 1232, California will recognize any permits issued by the Nevada State Engineer based upon this application. Therefore, it is within the jurisdiction of the Nevada State Engineer to approve this application allowing for storage of the consumptive use component of these Nevada water rights in California.

Water diverted to storage under a permit issued hereunder will be and is the subject of applications for secondary permits for beneficial uses allowed by the Truckee River Operating Agreement at the places allowed by that Agreement. The amount of water diverted to storage under a permit issued hereunder in any one year will not be less than the consumptive use component of at least 2.5 acre feet per acre. The amount of water under a permit issued hereunder which may be in storage at any one time and which may be released and used from storage in any one year will not exceed the amounts allowed by the Truckee River Operating Agreement.

If the consumptive use component of a water right described herein is not diverted to storage, the full duty of the water right will continue to be diverted at its allowed points of diversion for its manner of use. If the consumptive use component of a water right described herein is diverted to storage, the non-consumptive use component of the water right remains in the Truckee River.

Any permit issued under this application shall enter into effect simultaneously with the entry into effect of the Truckee River Operating Agreement.